ORDINANCE 0-4781

AN ORDINANCE OF THE CITY OF KIRKLAND RELATING TO ZONING, PLANNING, AND LAND USE AND AMENDING THE KIRKLAND ZONING CODE CHAPTERS 5, 35, 40, 50, 53, 55, 90, 113, AND 115 (ORDINANCE 3719 AS AMENDED) AND APPROVING A SUMMARY ORDINANCE FOR PUBLICATION, FILE NO. CAM21-00773.

WHEREAS, the City Council has received a recommendation from the Kirkland Planning Commission to amend certain sections of the Kirkland Zoning Code, as set forth in the memorandum dated January 20, 2022 and recommendation of the Planning Commission dated January 13, 2022 and bearing Kirkland Planning and Building Department File No. CAM21-00773; and

WHEREAS, prior to making the recommendation, the Kirkland Planning Commission, following notice as required by RCW 36.70A.035, held a public hearing on January 13, 2022 on the amendment proposals and considered the comments received at the hearing; and

WHEREAS, pursuant to the State Environmental Policy Act (SEPA), there has accompanied the legislative proposal and recommendation through the entire consideration process, a SEPA Addendum to Existing Environmental Documents issued by the responsible official pursuant to WAC 197-11-625; and

WHEREAS, in an open public meeting the City Council considered the environmental documents received from the responsible official, together with the memorandum and recommendation of the Planning Commission.

NOW, THEREFORE, the City Council of the City of Kirkland do ordain as follows:

<u>Section 1.</u> The following specified sections of the Kirkland Zoning Code are amended to read as set forth in Attachment 1 attached to this ordinance and incorporated by reference: Chapters 5, 35, 40, 50, 53, 55, 90, 113, and 115.

<u>Section 2.</u> If any section, subsection, sentence, clause, phrase, part or portion of this ordinance, including those parts adopted by reference, is for any reason held to be invalid or unconstitutional by any court of competent jurisdiction, such decision shall not affect the validity of the remaining portions of this ordinance.

<u>Section 3.</u> To the extent the subject matter of this ordinance is subject to the disapproval jurisdiction of the Houghton Community Council, this ordinance shall become effective within the Houghton Community Municipal Corporation only upon approval of the Houghton Community Council or the failure of said Community Council to disapprove this ordinance within 60 days of the date of the passage of this ordinance.

<u>Section 4.</u> Except as provided in Section 3, this ordinance shall be in full force and effect five days from and after its passage by the Kirkland City Council and publication, pursuant to Kirkland Municipal Code 1.08.017, in the summary form attached to the original of this ordinance and by this reference approved by the City Council, as required by law.

<u>Section 5</u>. A complete copy of this ordinance shall be certified by the City Clerk, who shall then forward the certified copy to the King County Department of Assessments.

Passed by majority vote of the Kirkland City Council in open meeting this 1 day of February, 2022.

Signed in authentication thereof this 1 day of February, 2022.

Penny Sweet, Mayor

Attest:

Kathi Anderson, City Clerk

Approved as to Form:

Kevin Raymond, City Attorney

Publication Date: 02/07/2022

PUBLICATION SUMMARY OF ORDINANCE NO. 0-4781

AN ORDINANCE OF THE CITY OF KIRKLAND RELATING TO ZONING, PLANNING, AND LAND USE AND AMENDING THE KIRKLAND ZONING CODE CHAPTERS 5, 35, 40, 50, 53, 55, 90, 113, AND 115 (ORDINANCE 3719 AS AMENDED) AND APPROVING A SUMMARY ORDINANCE FOR PUBLICATION, FILE NO.CAM21-00773.

<u>SECTION 1</u>. Amends Chapters 5, 35, 40, 50, 53, 55, 90, 113, and 115 of the Kirkland Zoning Code.

<u>SECTION 2</u>. Provides a severability clause for the ordinance.

SECTION 3. Establishes that this ordinance, to the extent it is subject to disapproval jurisdiction, will be effective within the disapproval jurisdiction of the Houghton Community Council Municipal Corporation upon approval by the Houghton Community Council or the failure of said Community Council to disapprove this ordinance within 60 days of the date of the passage of this ordinance.

SECTION 4. Authorizes publication of the ordinance by summary, which summary is approved by the City Council pursuant to Section 1.08.017 Kirkland Municipal Code and establishes the effective date as five days after publication of summary.

<u>SECTION 5</u>. Directs the City Clerk to certify and forward a complete certified copy of this ordinance to the King County Department of Assessments.

The full text of this Ordinance will be mailed without charge to any person upon request made to the City Clerk for the City of Kirkland. The Ordinance was passed by the Kirkland City Council at its meeting on the 1 day of February, 2022.

I certify that the foregoing is a summary of Ordinance O-4781 approved by the Kirkland City Council for summary publication.

Kathi Anderson, City Clerk

KZC Chapter 5

5.10.720 Property Line

Those lines enclosing a lot and those lines defining a recorded vehicular access easement. The following are categories of property lines:

- 1. Front property line is any property line that is adjacent to a street or vehicular access easement or tract more than 21 feet in width, except when said vehicular access easement or tract:
 - a. Is located entirely on an adjacent lot or lots and does not serve the subject property; or
 - b. Encompasses a hammerhead turnaround required by the Fire Department, whether or not it is located on or serves the subject property.

Neither the Cross Kirkland Corridor railbanked rail corridor, the Eastside Rail Corridor, nor the I-405 or SR-520 rights-of-way shall be considered front property lines.

- 2. Rear property line is any property line that is:
- <u>a.</u> <u>a.</u> <u>a.</u> <u>a.</u> <u>a.</u> <u>a.</u> <u>a.</u> and essentially parallel to a front property line except on a lot which contains two (2) or more front property lines; or
- <u>b.</u> <u>any property line that is a A</u>djacent to a street, alley or vehicular access easement or tract 21 feet or less in width, except when said vehicular access easement or tract serves only one (1) lot, or is located entirely on an adjacent lot or lots and does not serve the subject property; or
- <u>c.</u> any property line that is a Adjacent to a vehicular access easement or tract which encompasses a hammerhead turnaround required by the Fire Department.
- 3. Side property line is any property line other than a front property line or a rear property line, or in Waterfront District Zones, any property line other than a front or ordinary high water mark.

KZC Chapter 55

KZC 55.09.010

See Exhibit A to this Attachment

KZC Chapter 90

90.70.3

3. Limited Buffer Modification – A stream buffer may only be modified or otherwise reduced as part of an approved stream or buffer modification in this section or in limited circumstances under permitted activities; improvements or uses subject to development standards pursuant to KZC 90.40; public agency and public utility exceptions pursuant to KZC 90.45; programmatic permits – public agency and public utility pursuant to KZC 90.50; or reasonable use exception pursuant to KZC 90.180.

The following stream buffer modifications may also be proposed in conjunction with the following sections:

- a. Impacts to associated buffer as part of stream modification, pursuant to KZC 90.7270(2);
- b. Change to meandering course of a stream pursuant to KZC 90.80;
- c. Daylighting of a stream pursuant to KZC 90.75;
- d. Buffer averaging permitted pursuant to KZC 90.115; or
- e. Limited buffer waivers permitted pursuant to KZC 90.120.

KZC Chapter 113 (Not effective within the Houghton Community Municipal Corporation)

113.25 Development Chart for Cottages, Carriage Units and Two/Three-Unit Homes Please refer to KZC 113.30, 113.35 and 113.40 for additional requirements related to these standards.

	Cottage	Carriage	Two/Three-Unit Home
Max Unit Size	1,700 square feet ^{1, 2}	800 square feet located above a garage structure in a cottage housing development	Maximum size of a two- or three- unit home is determined by the floor area ratio (F.A.R.) in the underlying zone ³
Density	Two times the maximum number of o	detached dwelling units allowed in	n the underlying zone ^{4, 5, 6, 7}
Max Floor Area Ratio (F.A.R.) ⁸	Equal to the ba	se zoning allowance for single-fa	mily residences
Development Size ⁹	Min. 2 units Max. 24 units	Allowed when included in a cottage project; reviewed as part of cottage project	No development size limitation
	Maximum cluster: 12 units	part of cottage project	
Review Process	None ¹⁶		None ¹⁶
Minimum Lot Size	Beyond density restrictions, there is r process. (The number of allowed unit chart.)		
Parking Requirements ¹⁰	Provided a development is within one hours: 1 space per unit		
	Provided a development is more than commute hours:	one-half mile from transit service	e with 15-minute headways during
	Units which are 1,000 square feet or	less = 1 space per unit	
	Units which are over 1,000 square fee	et = 1.5 spaces per unit	
	See KZC 105.20 for visitor parking		
	One attached ADU = no additional or	n-site space required	
Minimum Required Yards (from exterior property lines of subject property)	Front: 20' ^{13, 14, 15} Side: 5' Rear: 10'	Must be included in a cottage project	Front: 20' Side: 5' Rear: 10'
Lot Coverage (all impervious surfaces) ¹¹	Equal to the base zoning allowance for single-family residences	Must be included in a cottage project	Equal to the base zoning allowance for single-family residences
Height			
Dwelling Units	Equal to the base zoning allowance for	or single-family residences	
Accessory Structures	One story, not to exceed 18' above A	B.E.	
Tree Retention	The tree retention plan standards conchapter.	tained in KZC 95.30 shall apply to	o development approved under this
Common Open Space	300 square feet per unit for cottage de triplexes. Can be reduced to 200 square feet per facilities, play equipment or permaner Private open space is also encouraged	unit if a permanent recreational/c	units and not required for duplexes or communal feature, such as cooking
Community Buildings	Community buildings are encouraged	•	ulations.
Attached Covered Porches ¹²	Each unit must have a covered porch with a minimum area of 64 square feet per unit and a minimum dimension of 7' on all sides.	NA	Attached covered porches are encouraged as a design feature.
Development Options	Subdivision Condominium Rental or Ownership		
Accessory Dwelling Units (ADUs)	Allow attached ADUs as part of a col	ttage or two-/three-unit home deve	elopment.

¹ A covenant restricting any increases in unit size after initial construction shall be recorded against the property. Vaulted space may not be converted to habitable space.

- ² Maximum size for a cottage is 1,700 square feet. A cottage may include an attached garage, not to exceed an additional 250 square feet, and is not included in the maximum square footage limitation.
- ³ Maximum size for a two- or three-unit home:
- a. Regulated by the floor area ratio (F.A.R.) of the underlying zone. In the disapproval jurisdiction of the Houghton Community Council, where F.A.R. is not applicable, maximum unit size is limited to applicable development regulations found in the underlying zone.
- ⁴ Existing detached dwelling units may remain on the subject property and will be counted as units.
- ⁵ When the conversion from detached dwelling units to equivalent units results in a fraction, the equivalent units shall be limited to the whole number below the fraction.
- ⁶ See KZC 90.170 for density calculation on a site which contains a wetland, stream, minor lake, or their buffers.
- ⁷ To determine equivalent units for a two- or three-unit home, the following formula will be used: Lot area/min. lot size per unit in underlying zone x = 2 maximum units (always round down to nearest whole number). Example (RS 7.2 zone): $12,500/7,200 = 1.7 \times 2 = 3.4$ units, rounded down to 3 units.
- ⁸ F.A.R. regulations:
- a. F.A.R. regulations are calculated using the "buildable area" of the site, as defined in KZC 90.170. Where no critical areas regulated under Chapter 90 KZC exist on the site, F.A.R. regulations shall be calculated using the entire subject property, except as provided in subsection (b) of this footnote.
- b. Where native growth protective easements (NGPEs) for slopes result in a restricted area for development, density may be limited to ensure that the F.A.R. on the developed portion of the site remains compatible with surrounding development and generally consistent with the F.A.R. limitation of this chapter.
- c. F.A.R. for individual lots may vary. All structures on site, other than median income units and any attached garages for the median income units provided under KZC 113.40, shall be included in the F.A.R. calculation for the development.
- 9 Cluster size for cottage developments is intended to encourage a sense of community among residents. A development site may contain more than one cluster, with a clear separation between clusters.
- ¹⁰ See KZC 105.20 for requirements related to guest parking.
- 11 Lot coverage is calculated using the entire development site. Lot coverage for individual lots may vary.
- Requirements for porches do not apply to carriage or two-/three-unit homes.
- ¹³ On corner lots in RSX and RSA zones, only one front yard must be a minimum of 20 feet. All other front yards shall be regulated as a side yard (minimum five-foot yard). The applicant may select which front yard shall meet the 20-foot requirement.
- ¹⁴ On lots with two front yards that are essentially parallel to one another in RSX and RSA zones, only one front yard must be a minimum of 20 feet. The other will be regulated as a rear yard (minimum 10 feet). The front yard shall be the yard adjacent to the front facade of the dwelling unit.
- ¹⁵ For properties within the jurisdiction of the Shoreline Management Act that have a shoreline setback requirement as established in Chapter 83 KZC and the setback requirement is met, the minimum required front yard is either: 10 feet or the average of the existing front yards on the properties abutting each side of the subject property. For the reduction in front yard, the shoreline setback is considered conforming if a reduction in the required shoreline setback is approved through KZC 83.380.
- ¹⁶ Before applying for a permit or approval under this chapter, the applicant shall attend a pre-submittal meeting with the Planning Official consistent with the provisions of KZC 145.12.

The subsection KZC 113.25 footnote 3 (floor area ratio, F.A.R.) is not effective within the disapproval jurisdiction of the Houghton Community Council.

KZC Chapter 115

115.42 Floor Area Ratio (F.A.R.) Calculation for Detached Dwelling Units in Low Density Residential Zones and Attached Dwelling Units in PLA 3C

The intent of these F.A.R. regulations is to limit the perceived bulk and mass of residential structures as they relate to the right-of-way and adjacent properties and to ensure houses are proportional to lot size. The design incentives in subsection (4) of this section are provided to encourage more interesting design and location of building massing toward the center of each lot, away from neighboring properties.

- 1. Gross floor area for purposes of calculating F.A.R. and maximum floor area for detached dwelling units in low density residential zones and attached dwelling units in PLA 3C shall include the entire area within the exterior walls for each level of the structure. It shall also include the area of all carports, measured as the area of the carport roof. It shall not include the following:
- a. Attic area with less than five (5) feet of ceiling height, as measured between the finished floor and the supporting members for the roof.
- b. Floor area with a ceiling height less than six (6) feet above finished grade. The ceiling height will be measured to the top of the structural members for the floor above. The finished grade will be measured along the outside perimeter of the building (see Plate 23). For window wells, finished grade will be measured at the outside perimeter of a window well only when it is designed and constructed to the minimum dimensions required by the current building code adopted by the City of Kirkland.
- c. On lots less than 8,500 square feet, the first 500 square feet of an accessory dwelling unit or garage contained in an accessory structure, when such accessory structure is located more than 20 feet from and behind the main structure, or 10 feet from and behind the main structure if the accessory structure contains an accessory dwelling unit (see subsection (3) of this section for additional information on the required distance between structures); provided, that the entire area of an accessory structure, for which a building permit was issued prior to March 6, 2007, shall not be included in the gross floor area used to calculate F.A.R. For purposes of this section, "behind" means located behind an imaginary plane drawn at the back of the main structure at the farthest point from, and parallel to, the street or access easement serving the residence.
- d. On lots greater than or equal to 8,500 square feet, the first 800 square feet of an accessory dwelling unit or garage contained in an accessory structure, when such accessory structure is located more than 20 feet from and behind the main structure on the required from an accessory dwelling unit (see subsection (3) of this section for additional information on the required distance between structures); provided, that the entire area of an accessory structure, for which a building permit was issued prior to March 6, 2007, shall not be included in the gross floor area used to calculate F.A.R.
- e. Uncovered decks.
- f. , and eCovered decks, porches, and walkways that are open on at least three (3) sides or have a minimum 50 percent of the perimeter of the deck, porch, or walkway open. Deck, porch, or walkway perimeters with the following characteristics are considered open:
 - 1) Have no walls of any height; and
 - 2) Have no guard rails taller than the minimum height required by the Building Code.
- fg. One (1) exemption of 100 square feet if the dwelling unit has an internal staircase and/or an area with a ceiling height greater than 16 feet.
- 2. Floor area with a ceiling height greater than 16 feet shall be calculated at twice the actual floor area toward allowable F.A.R. The ceiling height for these areas will be measured to the top of the structural members for the floor above or, if there is no floor above, to the bottom of the structural members for the roof.

- 3. Separate structures will be regulated as one (1) structure if any elements of the structures, except for the elements listed in subsection (3)(b) of this section, are closer than 20 feet to each other, or closer than 10 feet if the structures contain an accessory dwelling unit.
- a. Two (2) structures connected by a breezeway or walkway will be regulated as one (1) structure if any element of the breezeway or walkway is higher than 10 feet above finished grade.
- b. Elements of structures that may be closer than 20 feet to each other, or 10 feet if the structures contain an accessory dwelling unit, are:
 - 1) Elements of a structure no higher than 18 inches above finished grade;
 - 2) Chimneys, bay windows, greenhouse windows, eaves, cornices, awnings and canopies extending no more than 18 inches from the wall of a structure;
 - 3) Stairs extending no more than five (5) feet from the wall of a structure;
 - 4) For structures not containing an accessory dwelling unit, porches extending no more than five (5) feet from the wall of a structure if:
 - i) The porch is no higher than one (1) story and the finished floor of the porch is no more than four
 - (4) feet above finished grade;
 - ii) Three (3) sides of the porch are open other than railings and solid walls no higher than 42 inches;
 - iii) No deck, balcony, or living area is placed on the roof of the porch;
 - iv) The length of the porch does not exceed 50 percent of the wall of the structure to which it is attached;
 - v) Porch eaves may extend an additional 18 inches from the edge of the porch.

4. Design-Based F.A.R. Bonus

- a. An additional five (5) percent F.A.R. above the maximum F.A.R. for the zone will be allowed if at least two (2) of the design elements below are used in the design and construction of a detached dwelling unit:
 - 1) With the exception of accessory features, all roof forms consist of ridgelines peaked near the center of the structure, with a minimum pitch of four (4) feet vertical to 12 feet horizontal.
 - 2) All structures are set back from side property lines by at least seven and one-half (7 1/2) feet.
 - 3) The gross floor area of any floor above ground floor shall be reduced by a minimum of 15 percent of the floor area of the ground floor.
- b. The above design-based F.A.R. bonus cannot be combined with any other F.A.R. incentive in this code or the Kirkland Municipal Code.

This section is not effective within the disapproval jurisdiction of the Houghton Community Council, except for those lots in PLA 3C that are less than 7,200 square feet or lots that have less than the minimum lot size created through the small lot provisions of KMC 22.28.042, subdivisions.

KZC Chapter 115

115.80 Legal Building Site

- 1. General It is a violation of this code to erect any structure on or to use or occupy any lot or parcel unless that lot or parcel is a legal building site. A lot or parcel is a legal building site if it meets all of the following criteria:
 - a. It was created or segregated pursuant to all applicable laws, ordinances and regulations.

- b. Except as specified in subsection (2) of this section, it meets the allowable minimum lot size established by this code.
- c. It is either adjacent to, or has a legally created means of access to, a street providing access to the lot or parcel.
- 2. Exception, Detached Dwelling Units An applicant may build one (1) detached dwelling unit on a lot or parcel regardless of the size of the lot or parcel if:
 - a. There is or ever has been a residence on the subject property. At any time, the applicant may remodel, rebuild, or enlarge that one (1) residence; provided, that all other Zoning Code requirements are met; or
 - b. The lot was created after the enactment of the lawful zoning code by the City of Kirkland (July 20, 1942) or King County (August 12, 1958) and the lot size was approved pursuant to all applicable laws, ordinances and regulations in effect at the time it was created; or
 - c. The lot was created before the enactment of the lawful zoning code by King County (August 12, 1958); it was annexed to the City of Kirkland in 2011; the lot size is at least 60 percent of minimum lot size applicable under current Kirkland zoning; and development shall comply with the restrictions of KMC 22.28.042(d); or
 - d. The lot lines defining the lot or parcel were recorded in the King County Assessors Office prior to May 17, 1972, and the lot or parcel has not simultaneously been owned by the owner of a contiguous lot or parcel which fronts on the same right-of-way subsequent to May 17, 1972.

KZC Chapter 115

115.90 Calculating Lot Coverage

1. General – The area of all structures and any other hardscape on the subject property will be calculated as a percentage of total lot area. If the subject property contains more than one (1) use, the maximum lot coverage requirements for the predominant use will apply to the entire development. Lot area not calculated under lot coverage must be devoted to open space as defined in KZC 5.10.610.

The intent of these lot coverage regulations is to limit areas of hardscape, place an emphasis on landscaping, and to increase vegetated spaces throughout the City.

- 2. Exemptions The following are exempt from the lot coverage calculation:
 - a. An access easement or tract that is not included in the calculation of lot size will not be used in calculating lot coverage for any lot it serves or crosses.
 - b. Areas of landscaping below eaves, balconies, and other cantilevered portions of buildings.
 - c. Planted areas at least two (2) feet wide and 40 square feet in area located over subterranean structures, with a minimum soil depth of 18 inches.
 - d. Rockeries and retaining walls, unless located adjacent to or within 12 inches of another impervious surface such as a patio, building or parking area.
 - e. Public sidewalk if located within a public easement on private property.
 - f. Hardscape surface under HVAC and similar types of mechanical equipment <u>serving attached orfor</u> detached dwelling units <u>uses only</u>. <u>These exempt surfaces may not exceed 10 square feet for each dwelling unit.</u>
- 3. Partially Exempt Materials The following materials shall receive a 50 percent exemption for the area they cover. However, this exemption shall not exceed 10 percent of the total lot size.
 - a. Pavers no larger than 10 inches by 10 inches per individual paver.
 - b. Grassed modular grid pavement.

- c. Open grid decking over non-hardscaped area.
- d. Artificial turf.

Note that impervious surfaces may be further, or more stringently, regulated by the stormwater design manual adopted in KMC 15.52.060.

KZC Chapter 35

35.20

See Exhibit B-1 to this Attachment

Various KZC Use Zone Charts

BCX, LIT, PLA 6G, NRH 4, RH 1A, RH 2A, RH 3, RH 5A, RH 5B, TL 7B, TL 9A, TL 10B, and all CBD zones except 5A

See Exhibits B-1 through B-19 to this Attachment

EXHIBITS

Exhibit A: Use Zone Chart for TL 1A

Exhibit B: Permitted Uses Tables/Use Zone Charts

B-1: BC 1, BC 2, BCX

B-2: LIT, PLA 6G

B-3: NRH 4

B-4: RH 1A

B-5: RH 1B

B-6: RH 2A

B-7: RH 3

B-8: RH 5A, 5B

B-9: TL 7B

B-10: TL 9A

B-11: TL 10B

B-12: CBD 1A, 1B

B-13: CBD 2

B-14: CBD 3

B-15: CBD 4

B-16: CBD 5

B-17: CBD 6

B-18: CBD 7

B-19: CBD 8

		(0						DIRECTI	ONS: FIRST, read d	own to f	ind us	seTHEN, acr	oss for REGULATIONS
60		Š O			MININ	MUMS		ľ	MAXIMUMS		_		
Section 55.09	USE	REGULATIONS	Required Review Process	Lot Size	1	JIRED e Ch.		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
		\Rightarrow			Front	Side	Rear		C. C. C. C.	S) T	Sig (S	(See Ch. 105)	(See also General Regulations)
.01	Office	Jse	D.R., Chapter 142 KZC	None	10'	0'	0'	85% See Spec. Reg. 3.	30' to 160' above average building elevation. See Gen. Reg. 2 and Spec. Reg. 2.	В	D	105 KZC.	 The minimum floor area ratio (F.A.R.) for development on the subject property is 1.0, or 100 percent of lot size. Building height may be increased as follows: Buildings greater than 30 feet above average building elevation shall provide:



	(0						DIRECTI	ONS: FIRST, read d	own to f	ind u	seTHEN, acr	oss for REGULATIONS
55.09	Š O			MININ	MUMS		ı	MAXIMUMS				
Section 55	C S S S S S S S S S S S S S S S S S S S	Required Review Process	Lot Size		JIRED e Ch.		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
0	\Rightarrow			Front	Side	Rear	Lot (Otructure	(8)	Sig (Se	(See Ch. 105)	
.010	Office Use (continued)											REGULATIONS CONTINUED FROM PREVIOUS PAGE 3. Increases in lot coverage may be considered if: a. Land dedication on the subject property provided pursuant to General Regulation 5 limits area available for development on the property; and/or b. Other techniques used to provide open space result in superior landscaping, such as the use of gardens on lower portions of structures or on rooftops, the provision of visual and pedestrian access to public garden areas, or other approaches that provide for useable green space. 4. Ancillary assembly and manufacture of goods on the premises of this use are permitted only if: a. The assembled or manufactured goods are subordinate to and are dependent upon this use. b. The outward appearance and impacts of this use with ancillary assembly or manufacturing must be no different from other office uses. 5. The following regulations apply to veterinary offices only: a. May only treat small animals on the subject property. b. Outside runs and other outside facilities for the animals are not permitted. c. Site must be designed so noise from this use is not audible off the subject property. A certification to this effect, signed by an acoustical engineer, must be submitted with the development permit application. d. A veterinary office is not permitted if the subject property contains dwelling units.
.020	Restaurant or Tavern	D.R., Chapter 142 KZC		as prima	ary use.	See Sp	ec. Reg. 1.				1 per each 100 sq. ft. of gross floor area.	This use is only permitted as an accessory use to another permitted use within this zone. It may not be located in a separate structure from the primary use.

		10						DIRECTION	ONS: FIRST, read d	own to f	ind u	seTHEN, acr	oss for REGULATIONS
55.09		ATIONS			MINII	мимѕ		N	MAXIMUMS		,		
Section 55	USE	REGULAT	Required Review Process	Lot Size	l l	UIRED ee Ch.	YARD 115)	overage	Height of Structure	Landscape Category (See Ch. 95)	Cate Ch.	Required Parking Spaces	Special Regulations
S		\Rightarrow			Front	Side	Rear	Lot C	Structure	S	Sign ((See Ch. 105)	
.030	Any Retail Establishmother than to specifically in this zone selling good providing se including bath and other fire services	nent, those v listed e, ods and eervices vanking	D.R., Chapter 142 KZC	Same	as prima	ary use.	See Sp	ec. Reg. 1.				1 per each 300 sq. ft. of gross floor area.	 This use is only permitted as an accessory use to another permitted use within this zone. It may not be located in a separate structure from the primary use. The location of drive-through facilities may not compromise pedestrian movement. The following uses and activities are prohibited: The sale, service, and/or rental of motor vehicles, sailboats, motor boats, and recreational trailers; provided, that motorcycle sales, service, or rental is permitted if conducted indoors; Retail establishments providing storage services unless accessory to another permitted use; Storage and operation of heavy equipment except normal delivery vehicles associated with retail uses; Outdoor storage of bulk commodities, except in the following circumstances:



USE ZONE CHART

			•						DIRECTI	ONS: FIRST, read d	own to f	ind u	seTHEN, acr	oss for REGULATIONS
55.09		Š	20			MININ	NUMS		ı	MAXIMUMS				
Section 55		USE E	REGULATIONS	Required Review Process	Lot Size		JIRED e Ch.	YARD 115)	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
0,			\\			Front	Side	Rear	Lot (Giraotaro	S) 	Sign ((See Ch. 105)	(See also General Regulations)
.04	St	ttached or tacked Dw nits		D.R., Chapter 142 KZC	None	10'	0'	0'	85% See Spec. Reg. 4.	30' to 160' above average building elevation. See Gen. Reg. 2 and Spec. Reg. 3.	C	A	1.2 per studio unit. 1.3 per 1 bedroom unit. 1.6 per 2 bedroom unit. 1.8 per 3 or more bedroom unit. See KZC 105.20 for visitor parking requirements.	 Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities, and activities associated with this use. Residential development must provide a minimum density of 50 dwelling units per gross acre. Building height may be increased as follows: Building height may be increased as follows: Buildings greater than 30 feet above average building elevation shall provide:

			(0						DIRECTI	ONS: FIRST, read d	own to f	ind u	seTHEN, acr	oss for REGULATIONS
55.09			ATIONS			MININ	MUMS		ı	MAXIMUMS				
Section 55	Í	SE	KEGULAT	Required Review Process	Lot Size		e Ch.	YARD 115) Rear	Lot Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
.04	Stac Unit		welling											REGULATIONS CONTINUED FROM PREVIOUS PAGE 2) Design of buildings meets guidelines for towers set forth in Design Guidelines (Chapter 142 KZC, and Chapter 3.30 KMC). 3) Floor plates may not exceed 10,000 square feet per floor, for the portion of the building above 80 feet in height, except on those parcels where road dedication is required pursuant to General Regulation 5. On these parcels, floor plates may not exceed 20,000 square feet on floors between 80 feet and 120 feet in height. Beyond 120 feet in height, floor plates may not exceed 10,000 square feet per floor. 4) Portions of structures exceeding 80 feet in height must be separated by at least 60 feet, both on the subject property and from taller building elements on adjacent properties. 4. Increases in lot coverage may be considered if: a. Land dedication on the subject property provided pursuant to General Regulation 5 limits area available for development on the property, and/or b. Other techniques used to provide open space result in superior landscaping, such as the use of gardens on lower portions of structures or on rooftops, the provision of visual and pedestrian access to public garden areas, or other approaches that provide for useable green space.



USE ZONE CHART

		(0						DIRECTI	ONS: FIRST, read d	own to f	ind us	seTHEN, acr	oss for REGULATIONS
55.09		NO O			MININ	JUMS		ı	MAXIMUMS		,		
Section 55		REGULATIONS	Required Review Process	Lot Size		JIRED e Ch. 1		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
S.	·	\Rightarrow			Front	Side	Rear	Lot 0	Structure	(S)	Sign (See)	(See Ch. 105)	(See also General Regulations)
.04	5 Reside	ntial Suites	D.R., Chapter 142 KZC	None	10'	0'	0,	85% See Spec. Reg. 3.	30' to 160' above average building ele- vation. See Gen. Reg. 2 and Spec. Reg. 2.	С	A	See Spec. Reg.	 Residential development must provide a minimum density of 50 dwelling units per gross acre. Building height may be increased as follows: Building sgreater than 30 feet above average building elevation shall provide:

Kirkland Zoning Code 319

		"						DIRECTI	ONS: FIRST, read d	own to	ind u	seTHEN, acr	oss for REGULATIONS
60		Š O			MININ	MUMS		ı	MAXIMUMS		_		
Section 55.09	USE	REGULATIONS	Required Review Process	Lot Size	-	JIRED e Ch. ′		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
S		\Rightarrow			Front	Side	Rear	Lot 0	Structure	S CE	Sig (Se	(See Ch. 105)	
.04	-	ntial Suites			•		•			•			REGULATIONS CONTINUED FROM PREVIOUS PAGE
	(continu	ued)											 3) Floor plates may not exceed 10,000 square feet per floor, for the portion of the building above 80 feet in height, except on those parcels where road dedication is required pursuant to General Regulation 5. On these parcels, floor plates may not exceed 20,000 square feet on floors between 80 feet and 120 feet in height. Beyond 120 feet in height, floor plates may not exceed 10,000 square feet per floor. 4) Portions of structures exceeding 80 feet in height must be separated by at least 60 feet, both on the subject property and from taller building elements on adjacent properties. 3. Increases in lot coverage may be considered if: a. Land dedication on the subject property provided pursuant to General Regulation 5 limits area available for development on the property; and/or b. Other techniques used to provide open space result in superior landscaping, such as the use of gardens on lower portions of structures or on rooftops, the provision of visual and pedestrian access to public garden areas, or other approaches that provide for useable green space. 4. Parking shall be provided at a rate of one stall per living unit plus one per on-site employee, and modifications to decrease the parking requirement are prohibited. However, if parking is managed pursuant to Special Regulation 5, parking shall be provided at a rate of 0.5 per living unit plus one per on-site employee. 5. The required parking shall be 0.5 per living unit where the parking is managed as follows and the property owner agrees to the following in a form approved by the City and recorded with King County: a. Rentals shall be managed such that the total demand for parking does not exceed the available supply of required private parking. If the demand for private parking equals or exceeds the supply of required private parking, the property owner shall either restrict occupancy of living units or restrict leasing to only tenants who do not have cars. REGULAT



		"						DIRECTI	ONS: FIRST, read d	own to f	ind u	seTHEN, acr	oss for REGULATIONS
55.09		ONO			MININ	иимѕ		ľ	MAXIMUMS				
Section 55.	USE	REGULATIONS	Required Review Process	Lot Size		JIRED e Ch.		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Spaces	Special Regulations
	I	\Rightarrow			Front	Side	Rear	Lot			S)	(See Ch. 105)	(See also General Regulations)
.045	Residentia												REGULATIONS CONTINUED FROM PREVIOUS PAGE
	(continued	d)											 b. The property owner shall prepare a Transportation Management Plan (TMP) for review and approval by the City and recording with King County. At a minimum the TMP shall include the following requirements: Charge for on-site parking, unbundled from the rent, for tenants who have cars. Bus pass or equivalent alternative transportation mode subsidies for tenants who do not have cars. Lease provisions and monitoring requirements for the property owner to ensure that tenants are not parking off site to avoid parking charges. Adequate secured and sheltered bicycle parking to meet anticipated demand. Designation of a Transportation Coordinator to manage the TMP, provide commute information to all new tenants, and be a point of contact for the City. At the time the project attains 90 percent occupancy, the property owner shall provide an accurate and detailed report of initial resident parking demand and alternative commute travel. The report format shall be reviewed and approved by the City. Following the initial survey, the property owner shall submit a biennial survey of residents prepared and conducted by a licensed transportation engineer or other qualified professional documenting on-site and potential off-site parking utilization and alternative commute travel. The Planning Director may increase or decrease the frequency of the survey based on the documented success of the TMP. Acknowledgment by the property owner that it shall be a violation of this code for the actual parking demand for the project to exceed the available supply of required parking or to fail to comply with the provisions of the TMP or reporting requirements. REGULATIONS FOR THIS USE CONTINUED ON THE NEXT PAGE

	(0						DIRECTI	ONS: FIRST, read do	own to f	ind u	seTHEN, acr	oss for REGULATIONS
55.09	NO.			MININ	NUMS		I	MAXIMUMS		_		
Section 55	A BEGULATIONS	Required Review Process	Lot Size		JIRED e Ch. ′		Lot Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
0)	\Rightarrow			Front	Side	Rear	Lot (Giraotaro	S) 	Sign ((See Ch. 105)	
.045	Residential Suites (continued)											REGULATIONS CONTINUED FROM PREVIOUS PAGE
												 c. After one year of project occupancy, the Planning Official may allow a decrease in the required number of spaces if the number of spaces proposed is documented by an adequate and thorough parking demand and utilization study of the property. The study shall be prepared by a licensed transportation engineer or other qualified professional, and shall analyze the operational characteristics of the use which justify a parking reduction. The scope of the study shall be proposed by the transportation engineer and approved by the City Transportation Engineer. The study shall provide at least two days of data for morning, afternoon and evening hours, or as otherwise approved or required by the City Transportation Engineer. 6. All residential suites and all required parking within a project shall be under common ownership and management. 7. Development shall be designed, built and certified to achieve or exceed one or more of the following green building standards: Built Green 5 Star certified, LEED Gold certified, or Living Building Challenge certified. 8. Developments containing this use shall provide common living area available to all residential suite residents. Common living area shall consist of areas such as shared kitchens, dining areas, and community rooms. Areas such as bathrooms, laundries, utility rooms, storage, stairwells, mailrooms, and hallways shall not be counted as common living area. The minimum amount of common living area for each project shall be 250 square feet plus an additional 20 square feet per living unit.
.050		D.R., Chapter 142 KZC	None	10'	0'	0'	80%	40' average building elevation. See Gen. Reg. 2 and Spec. Reg. 3.	С	В	1 for every 4 people based on maximum occupancy load of any area of worship. See Spec. Reg. 2.	 May include accessory living facilities for staff persons. No parking is required for day-care or school ancillary to this use. When included as an accessory use within the structure of a primary use with a taller height limit, the height limit for the primary use applies.

Kirkland Zoning Code 322

Zone TL 1A

USE ZONE CHART

	(0						DIRECTI	ONS: FIRST, read do	own to f	ind us	eTHEN, acr	oss for REGULATIONS
55.09	N O			MININ	MUMS		ı	MAXIMUMS				
Section 55	Ć∐ Ĝ	Required Review Process	Lot Size		JIRED e Ch.		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	\Rightarrow			Front	Side	Rear	Lot (Oth dottal o	S) 	Sig (S	(See Ch. 105)	(See also General Regulations)
.06	O School, Day-Care Center or Mini School or Mini- Day-Care	D.R., Chapter 142 KZC	None	10'	0'	0'	80%	40' above average building elevation. See Gen. Reg. 2 and Spec. Reg. 4.	D	В	-pg	 A six-foot-high fence is required along property lines adjacent to outside play areas. Hours of operation may be limited by the City to reduce impacts on nearby residential uses. An on-site passenger loading area may be required depending on the number of attendees and the extent of the abutting right-of-way improvements. When included as an accessory use within the structure of a primary use with a taller height limit, the height limit for the primary use applies.
.07	Assisted Living Facility						85% See Spec. Reg. 3.	30' to 160' above average building ele- vation. See Gen. Reg. 2 and Spec. Reg. 2.	В	A	See KZC 105.25.	 Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities, and activities associated with this use. Building height may be increased as follows: Building height may be increased as follows: Buildings greater than 30 feet above average building elevation shall provide:

	(0						DIRECTI	ONS: FIRST, read d	own to t	find u	seTHEN, acr	oss for REGULATIONS
55.09	ATIONS			MINI	иимѕ		ı	MAXIMUMS				
Section 55	Ć∐ Ĝ REGULAT	Required Review Process	Lot Size		JIRED ee Ch.		Coverage	Height of Structure	andscape Category ee Ch. 95)	n Category se Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations
6	\Rightarrow			Front	Side	Rear	Lot (Otractare	s) T	Sig (Se	(See Ch. 105)	(See also General Regulations)
	Facility (continued)											 Provides for at least 10 percent of the units in new residential developments of four units or greater as affordable housing units, as defined in Chapter 5 KZC. See Chapter 112 KZC for additional affordable housing requirements and incentives. Building height may exceed 80 feet and be increased up to 160 feet above average building elevation, with the height increases to be based on the following considerations: Development on the subject property complies with 2(a) above. Design of buildings meets guidelines for towers set forth in Design Guidelines (Chapter 142 KZC, and Chapter 3.30 KMC). Floor plates may not exceed 10,000 square feet per floor, for the portion of the building above 80 feet in height, except on those parcels where road dedication is required pursuant to
												General Regulation 5. On these parcels, floor plates may not exceed 20,000 square feet on floors between 80 feet and 120 feet in height. Beyond 120 feet in height, floor plates may not exceed 10,000 square feet per floor. 4) Portions of structures exceeding 80 feet in height must be separated by at least 60 feet, both on the subject property and from taller building elements on adjacent properties. 3. Increases in lot coverage may be considered if: a. Land dedication on the subject property provided pursuant to General Regulation 5 limits area available for development on the property; and/or b. Other techniques used to provide open space result in superior landscaping, such as the use of gardens on lower portions of structures or on rooftops, the provision of visual and pedestrian access to public garden areas, or other approaches that provide for useable green space.



USE ZONE CHART

		· ·							DIRECTI	ONS: FIRST, read d	own to f	ind us	eTHEN, acr	oss for REGULATIONS
9	3		REGULATIONS		MINIMUMS				I	MAXIMUMS				
Section 55.09	,	JSE		Required Review Process	Lot Size				Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
			\Rightarrow			Front	Side	Rear	Lot (ou dotaio	S)	Sig (S	(See Ch. 105)	(See also General Regulations)
.0			r Nursing	D.R., Chapter 142 KZC	None	10'	0'	0,	85% See Spec. Reg. 2.	30' to 160' above average building elevation. See Gen. Reg. 2 and Spec. Reg. 1.	С	В	1 for each bed.	 Building height may be increased as follows: Buildings greater than 30 feet above average building elevation shall provide: Dedication and improvement of new streets pursuant to General Regulation 5; or Where General Regulation 5 does not apply, development shall provide publicly accessible space(s) at the primary pedestrian frontage that extends the public realm while creating a transition between public and private spaces. These public spaces shall have no dimension less than 15 feet. Developments with fewer than 50 dwelling units shall provide publicly accessible space(s) ranging from 500 to 1,000 square feet. Larger developments shall provide publicly accessible space(s) ranging from 1,500 to 2,000 square feet in size. Through design review, the City will review the location, size and dimensions, features and improvements (such as multiuse paths, plazas, seating, public art and water features) proposed for the publicly accessible space(s) as part of the Design Review approval. The City may also require or permit modification to the required publicly accessible space as part of the Design Review approval. Building height may exceed 80 feet and be increased up to 160 feet above average building elevation, with the height increases to be based on the following considerations: Development of the subject property complies with 1(a) above. Design Guidelines (Chapter 142 KZC, and Chapter 3.30 KMC). Floor plates may not exceed 10,000 square feet per floor, for the portion of the building above 80 feet in height, except on those parcels where road dedication is required pursuant to General Regulation 5. On these parcels, floor plates may not exceed 20,000 square feet on floors between 80 feet and 120 feet in height. Beyond 120 feet in height, floor plates may not exceed 10,000 square fe

	(0						DIRECTI	ONS: FIRST, read d	own to f	ind us	seTHEN, acr	oss for REGULATIONS	
55.09	ATIONS			MINIMUMS				MAXIMUMS					
Section 55	TEGULAT	Required Review Process	Lot Size	, ,			Coverage	Height of Structure	Landscape Category (See Ch. 95)	n Category se Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations	
S	\Rightarrow			Front	Side	Rear	Lot C	Structure	L, (S	Sign (See	(See Ch. 105)	(See also General Regulations)	
.080	Convalescent Center or Nursing											REGULATIONS CONTINUED FROM PREVIOUS PAGE	
	Home (continued)											4) Portions of structures exceeding 80 feet in height must be separated by at least 60 feet, both on the subject property and from taller building elements on adjacent properties. 2. Increases in lot coverage may be considered if: a. Land dedication on the subject property provided pursuant to General Regulation 5 limits area available for development on the property, and/or b. Other techniques used to provide open space result in superior landscaping, such as the use of gardens on lower portions of structures or on rooftops, the provision of visual and pedestrian access to public garden areas, or other approaches that provide for useable green space.	
.090	Public Utility	D.R., Chapter 142 KZC	None	10'	0'	0'	80%	40' above average building elevation. See Gen. Reg. 2 and	А		See KZC 105.25.	When included as an accessory use within the structure of a primary use with a taller height limit, the height limit for the primary use applies.	
.100	Government Facility or Community Facility							Spec. Reg. 1.	C See Spec. Reg. 2.			When included as an accessory use within the structure of a primary use with a taller height limit, the height limit for the primary use applies. Landscape category A or B may be required depending on the type of use on the subject property and the impacts associated with this use.	
.110	Public Park	Development	t standa	rds will b	oe deter	mined o	n a case-by	/-case basis. See KZC 4	5.50 for re	equired	review process.		

Permitted Uses Table - Commercial Zones (BN, BNA, FHNC, BC 1, BC 2, BCX, HENC 1, HENC 3)

(See also KZC 35.30, Density/Dimensions Table, and KZC 35.40, Development Standards Table)

		Required Review Process:									
		I = Process I, Chapter 14: IIA = Process IIA, Chapt IIB = Process IIB, Chapte	er 150 KZC	DR = Design Review, Chapter 142 KZC None = No Required Review Process							
		NP = Use Not Permitted # = Applicable Special Regulations (listed after the table)									
Use		BN, BNA	FHNC	BC 1, BC 2	BCX	HENC 1, HENC 3					
35.20.010	Assisted Living Facility	DR 1, 2, 3	DR 1, 2, 3	None 1, 2, 4	None 1, 2, 5	DR 1, 2, 4					
35.20.020	Attached or Stacked Dwelling Units*	DR 3	DR 3	None 4	None 5	DR 4					
35.20.030*	Reserved										
35.20.040	Church	DR 10	DR 10	None 10	None 10	DR 10					
35.20.050	Community Facility	DR	DR	None	None	DR					
35.20.060	Convalescent Center	DR	DR	None 2	None	DR 2					
35.20.070	Entertainment, Cultural and/or Recreational Facility	DR 11, 12, 13, 14	DR 11, 12, 13, 14	None	None	DR					
35.20.080	Government Facility	DR	DR	None	None	DR					
35.20.090	Hotel or Motel	NP	DR 15	None 15	None 15	DR 15					
35.20.100	Mini-School or Mini-Day-Care Center	DR 10, 16, 17	DR 10, 16, 17	None 10, 16, 17	None 10, 16, 17	DR 10, 16, 17					
35.20.110	Nursing Home	DR	DR	None 2	None	DR 2					
35.20.120	Office Use	DR 18, 19, 21	DR 18, 19, 21	None 18, 19	None 18, 19	DR 18, 19					

Required Review Process:

I = Process I, Chapter 145 KZC IIA = Process IIA, Chapter 150 KZC IIB = Process IIB, Chapter 152 KZC

DR = Design Review, Chapter 142 KZC None = No Required Review Process

NP = Use Not Permitted

		# = Applicable Special Regulations (listed after the table)									
Use		BN, BNA	FHNC	BC 1, BC 2	BCX	HENC 1, HENC 3					
35.20.130	Private Lodge or Club	DR	DR	None	None	DR					
35.20.140	Public Park		See KZ	CC 45.50 for required review	process.						
35.20.150	Public Utility	IIA	IIA	None	None	DR					
35.20.160	Restaurant or Tavern	DR 11, 12, 13	DR 11, 12, 13	None 11, 13	None 11, 13	DR 11					
35.20.170*	Retail Establishment other than those specifically listed in this zone, selling goods, or providing services	NP	DR 12, 23	None 11, 12, 23, 30	None 11, 12, 23	DR 11, 12, 23, 30					
35.20.180*	Retail Establishment providing banking and related financial services	DR 11	DR 11	None 11	None 11	DR 11					
35.20.190*	Retail Establishment providing laundry, dry cleaning, barber, beauty or shoe repair services	DR 11, 12, 13	DR 11, 12, 13	None 11, 12	None 11, 12	DR 11, 12					
35.20.200	Retail Establishment providing storage services	NP	NP	None NP 25, 26	None 25 <u>, 31</u>	DR 25, 26					
35.20.210*	Retail Establishment providing vehicle or boat sales or vehicle or boat service or repair	NP	NP	None 27	None 6, 7, 8, 9	NP					
35.20.220*	Retail Establishment selling drugs, books, flowers, liquor, hardware supplies, garden supplies or works of art	DR 11, 23, 30	DR 11, 23, 30	None 11, 12, 23, 30	None 11, 12, 23	DR 11, 12, 23, 30					
35.20.230*	Retail Establishment selling groceries and related items	DR 11, 23	DR 11, 23	None 11, 12, 23, 30	None 11, 12, 23	DR 11, 12, 23, 30					
35.20.240*	Retail Variety or Department Store	DR 11, 23	DR 11, 23	None 11, 12, 23, 30	None 11, 12, 23	DR 11, 12, 23, 30					
35.20.250	School or Day-Care Center	DR 10, 16, 17	DR 10, 16, 17	None 10, 16, 17	None 10, 16, 17	DR 10, 16, 17					
35.20.260*	Reserved										

		Required Review Process:								
		I = Process I, Chapter 14 IIA = Process IIA, Chapt IIB = Process IIB, Chapt	er 150 KZC		DR = Design Review, Chapter 142 KZC None = No Required Review Process					
			NP = Use Not Permitted # = Applicable Special Regulations (listed after the table)							
Use		BN, BNA	FHNC	BC 1, BC 2	BCX	HENC 1, HENC 3				
35.20.270	Vehicle Service Station	DR 17, 28, 29	DR 17, 28, 29	I 28	I 28	DR 28				

Permitted Uses (PU) Special Regulations:

- PU-1. A facility that provides both independent dwelling units and assisted living units shall be processed as an assisted living facility.
- PU-2. If a nursing home use is combined with an assisted living facility use in order to provide a continuum of care for residents, the required review process shall be the least intensive process between the two uses.
- PU-3. This use is only allowed on the street level floor subject to the provisions of KZC 35.10.020(1) or 35.10.050.
- PU-4*. Attached Dwelling Units are not allowed in the BC 1 and BC 2 zones. In the HENC 1 and HENC 3 zones, this use, with the exception of a lobby, may not be located on the ground floor of a structure. In the BC 1 and BC 2 zones, this use is only allowed subject to the provisions of KZC 35.10.030(2).
- PU-5*. Attached Dwelling Units are not allowed in the BCX zone. This use is only allowed subject to the provisions of KZC 35.10.040(2).
- PU-6*. This use specifically excludes new or used vehicle or boat sales or rentals, except motorcycle sales, service, or rental is permitted if conducted indoors.
- PU-7. No openings (i.e., doors, windows which open, etc.) shall be permitted in any facade of the building adjoining to any residentially zoned property. Windows are permitted if they are triple-paned and unable to be opened.
- PU-8. Storage of used parts and tires must be conducted entirely within an enclosed structure. Outdoor vehicle parking or storage areas must be buffered as required for a parking area in KZC 95.45. See KZC 115.105, Outdoor Use, Activity and Storage, for additional regulations.
- PU-9. Prior to occupancy of the structure, documentation must be provided and stamped by a licensed professional verifying that the expected noise to be emanating from the site adjoining to any residential zoned property complies with the standards set forth in WAC 173-60-040(1) for a Class B source property and a Class A receiving property.
- PU-10. May include accessory living facilities for staff persons.
- PU-11. Uses with drive-in and drive-through facilities are prohibited in the BN zone. Access from drive-through facilities must be approved by the Public Works Department. Drive-through facilities must be designed so that vehicles will not block traffic in the right-of-way while waiting in line to be served.
- PU-12. Ancillary assembly and manufactured goods on the premises of this use are permitted only if:
 - a. The assembled or manufactured goods are directly related to and are dependent upon this use, and are available for purchase and removal from the premises.
 - b. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other retail uses.
- PU-13. For restaurants with drive-in or drive-through facilities, one outdoor waste receptacle shall be provided for every eight parking stalls.
- PU-14. Entertainment, cultural and/or recreational facilities are only allowed in BNA and FHNC zones.

- PU-15. May include ancillary meeting and convention facilities.
- PU-16. A six-foot-high fence is required along the property lines adjacent to the outside play areas.
- PU-17. Hours of operation may be limited by the City to reduce impacts on nearby residential uses.
- PU-18. The following regulations apply to veterinary offices only:
 - a. May only treat small animals on the subject property.
 - b. Outside runs and other outside facilities for the animals are not permitted.
 - c. Site must be designed so that noise from this use will not be audible off the subject property. A certification to this effect, signed by an acoustical engineer, must be submitted with the development permit application.
- PU-19. Ancillary assembly and manufacture of goods on the premises of this use are permitted only if:
 - a. The ancillary assembled or manufactured goods are subordinate to and dependent on this use.
 - b. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other office uses.
- PU-20. Reserved.
- PU-21. For properties located within the Moss Bay neighborhood, this use not allowed above the street level floor of any structure.
- PU-22. Reserved.
- PU-23. A delicatessen, bakery, or other similar use may include, as part of the use, accessory seating if:
 - a. The seating and associated circulation area does not exceed more than 10 percent of the gross floor area of the use; and
 - b. It can be demonstrated to the City that the floor plan is designed to preclude the seating area from being expanded.
- PU-24. Reserved.
- PU-25. May include accessory living facilities for resident security manager.
- PU-26. This use not permitted in BC 1 and BC 2 zones or if any portion of the property is located within 150 feet of the Cross Kirkland Corridor.
- PU-27. Vehicle and boat rental are allowed as part of this use.
- PU-28. May not be more than two vehicle service stations at any intersection.
- PU-29. This use is not allowed in the BN zone.

- PU-30. Retail establishments selling marijuana or products containing marijuana are not permitted on properties abutting the school walk routes shown on Plate 46.
- PU-31. This use not permitted unless accessory to another permitted use.

Permitted Uses Table - Industrial Zones (LIT, PLA 6G)

(See also KZC 40.30, Density/Dimensions Table, and KZC 40.40, Development Standards Table)

		Required Review Process:	
		I = Process I, Chapter 145 KZC IIA = Process IIA, Chapter 150 KZC IIB = Process IIB, Chapter 152 KZC	DR = Design Review, Chapter 142 KZC None = No Required Review Process
			se Not Permitted Regulations (listed after the table)
Use		LIT	PLA 6G
40.20.020	Auction House	None 7, 8	NP
40.20.040	Breweries, Wineries, and Distilleries	None 7, 10, 12	None 10, 11, 12, 13, 14, 15
40.20.050	Community Facility	None 7, 12	IIA 12
40.20.060	Day-Care Center	See KZC 40.20.250, School or Day-Care Center	None 16, 17, 18, 19
40.20.080	Entertainment, Cultural and/or Recreational Facility	None 7	NP
40.20.090	Government Facility	None 7, 12	IIA 12
40.20.100	Hazardous Waste Treatment and Storage Facilities	None 7, 12, 20	NP
40.20.110	High Technology	None 7, 12, 14, 21	None 12, 15, 21
40.20.120	Industrial Laundry Facility	None 7, 12, 14	None 11, 12, 13, 14, 15
40.20.130	Kennel	None 7, 12, 23, 24	NP
40.20.140	Manufacturing	NP	None 11, 12, 13, 14, 15
40.20.150	Mini-Day-Care Center	None 7, 16, 17, 18	None 16, 17, 18, 19

Required Review Process: I = Process I, Chapter 145 KZC DR = Design Review, Chapter 142 KZC IIA = Process IIA, Chapter 150 KZC None = No Required Review Process IIB = Process IIB, Chapter 152 KZC NP = Use Not Permitted # = Applicable Special Regulations (listed after the table) LIT PLA 6G Use 40.20.160 Office Use None None 12, 15 40.20.170 Packaging of Prepared Materials: None NP Manufacturing 7, 11, 12, 14 40.20.180 Public Park See KZC 45.50 for required review process. 40.20.190 Public Utility None IIA 7.12 12 NP 40.20.200 Recycling Center None 7, 12, 26 40.20.210 Restaurant None NP 7, 19, 27 40.20.220 Retail Establishment Providing Banking None NP and Related Financial Services 7, 19, 27 NP 40.20.230 Retail Establishment Providing Rental None Services 40.20.240 Retail Establishment Providing Storage None None 7, 28, 29, 32 28, 29, 32 Services 40.20.245 Retail Establishment Selling Marijuana None NP 7, 30, 31 or Products Containing Marijuana 40.20.250 School or Day-Care Center None Schools are NP, see KZC 40.20.060 for Day-Care Centers 7, 16, 17, 18 40.20.260 Vehicle or Boat Repair, Services, None NP Storage, or Washing 7, 12, 25 40.20.270 Warehouse Storage Service None None 7, 12, 14 11, 12, 13, 14, 15 40.20.280 Wholesale Establishment or Contracting None None Services in Building Construction, 7, 12 11, 12, 13, 14, 15 Plumbing, Electrical, Landscaping, or Pest Control

		Required Review Process:				
		I = Process I, Chapter 145 KZC IIA = Process IIA, Chapter 150 KZC IIB = Process IIB, Chapter 152 KZC	DR = Design Review, Chapter 142 KZC None = No Required Review Process			
		NP = Use Not Permitted # = Applicable Special Regulations (listed after the table)				
Use		LIT	PLA 6G			
40.20.290	Wholesale Printing or Publishing	None 7, 12, 14	None 11, 12, 13, 14, 15			
40.20.300	Wholesale Trade	None 7, 12, 14	None 11, 12, 13, 14, 15			

Permitted Uses (PU) Special Regulations:

- PU-1 PU-6. Reserved.
- PU-7. Within the Rose Hill Business District (RHBD), D.R., Chapter 142 KZC.
- PU-8. Livestock auctions are not permitted.
- PU-9. Reserved.
- PU-10. May include tasting rooms, accessory retail sales, or office utilizing not more than 20 percent of the gross floor area (50 percent if the property is located within 150 feet of the Cross Kirkland Corridor).
- PU-11. The following manufacturing uses are permitted:
 - a. Food, drugs, stone, clay, glass, china, ceramic products, electrical equipment, scientific or photographic equipment, fabricated metal products;
 - b. Fabricated metal products, but not fabrication of major structural steel forms, heavy metal processes, boiler making, or similar activities;
 - c. Cold mix process only of soap, detergents, cleaning preparations, perfumes, cosmetics, or other toilet preparations;
 - d. Packaging of prepared materials;
 - e. Textile, leather, wood, paper and plastic products from pre-prepared material; and
 - f. Other compatible uses which may involve manufacturing, processing, assembling, fabrication and handling of products, and research and technological processes.
- PU-12. Prior to issuance of a development permit, documentation must be provided and stamped by a licensed professional verifying that the expected noise to be emanating from the site adjoining to any residential zoned property complies with the standards set forth in WAC 173-60-040(1) for a Class B source property and a Class A receiving property.
- PU-13. Outdoor storage and fabrication are not permitted.
- PU-14. No more than 20 percent of the gross floor area may be utilized for accessory uses such as wholesale, office, retail or service.
- PU-15. Use shall not create noise, glare, light, dust, fumes, and other adverse conditions which disrupt the residential character of the surrounding area.
- PU-16. A six-foot-high fence is required along the property lines adjacent to the outside play areas.
- PU-17. Hours of operation may be limited by the City to reduce impacts on nearby residential uses.
- PU-18. May include accessory living facilities for staff persons.
- PU-19. This use is permitted if accessory to a primary use, and:

- a. It will not exceed 20 percent of the gross floor area of the building; and
- b. The use is integrated into the design of the building.
- PU-20. Must comply with the state siting criteria adopted in accordance with RCW 70.105.210.
- PU-21. This use may include research and development, testing, assembly, repair or manufacturing or offices that support businesses involved in the pharmaceutical and biotechnology, communications and information technology, electronics and instrumentation, computers and software sectors.
- PU-22. Reserved.
- PU-23. Must provide suitable shelter for the animals.
- PU-24. Must maintain a clean, healthful environment for the animals.
- PU-25. Access from drive-through facilities must be approved by the Public Works Department. Drive-through facilities must be designed so that vehicles will not block traffic in the right-of-way while waiting in line to be served.
- PU-26. May deal in metal cans, glass, and paper. Other materials may be recycled if the Planning and Building Director determines that the impacts are no greater than those associated with recycling metal cans, glass, or paper. The individual will have the burden of proof in demonstrating similar impacts.
- PU-27. This use is permitted if accessory to a primary use, and there is no vehicle drive-in or drive-through.
- PU-28. May include accessory living facilities for resident security manager.
- PU-29. This use not permitted if any portion of the subject property is located within 150 feet of the Cross Kirkland Corridor.
- PU-30. Permitted only where 50 percent of the boundaries of the LIT zone adjoin commercial zones.
- PU-31. Not permitted on school walk routes shown on Plate 46.
- PU-32. This use not permitted unless accessory to another permitted use.

Zone NRH4 USE ZONE CHART

	(0					DIREC	TIONS	S: FIRST, re	cross for REGULATIONS			
30	SNOI			MIN	IMUMS	MA	XIMUMS					
Section 54.30	← S REGULATIONS	Required Review Process	Lot Size		REQUIRED YARDS (See Ch. 115)		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
0	\Rightarrow			Front	Side	Rear	Lot 0	Oli dolai c	S)	Sig (Si	(See Ch. 105)	(See also General Regulations)
.010	Vehicle Service Station See Spec. Regs. 1 and 2.	D.R., Chapter 142 KZC.	22,500 sq. ft.	40' See Spec. Reg. 3.	15' on each side	15′	80%	30' above average building elevation.	A	E	See KZC 105.25.	 This use is permitted only if the subject property abuts Slater Avenue NE. No aspect or component of this use may be located on or oriented towards NE 116th Street May not be more than two vehicle service stations at any intersection. Gas pump islands must be setback at least 20 feet from all property lines. Canopies and covers over gas pump islands may not be closer than 10 feet to any property line. See KZC 115.105, Outdoor Use, Activity and Storage, for further regulations.
.020	A Retail Establishment providing vehicle or boat sales or vehicle or boat service or repair. See Spec. Reg. 1.		None	20′	0′	0′			A See Spec. Reg. 2.			 Vehicle and boat rental and used vehicles or boat sales are allowed as part of this use. Outdoor vehicle or boat parking or storage areas must be buffered as required for a parking area in KZC 95.45. See KZC 115.105, Outdoor Use, Activity and Storage, for additional regulations.
.030	Restaurant or Tavern								В		1 per each 100 sq. ft. of gross floor area.	The following regulations apply to restaurants with drive-in or drive-through facilities: a. This use is permitted only if the subject property abuts Slater Avenue NE. No aspect or component of a restaurant with drive-in or drive-through facilities may be located on or oriented towards NE 116th Street. b. Access for drive-through facilities shall be approved by the Public Works Department. Drive-through facilities shall be designed so that vehicles will not block traffic in the right-of-way while waiting in line to be served. c. One outdoor waste receptacle shall be provided for every eight parking stalls. d. Landscape Category A shall apply.
.050	A Retail Establishment providing storage services. See Spec. Reg. 1. pand 2								А		See KZC 105.25.	May include accessory living facilities for resident security manager. This use is not permitted unless accessory to another permitted use.

and 2



						DIREC	TIONS	ONS: FIRST, read down to find useTHEN, across for REGULATIONS					
30	ON O		MINIMUMS				MAXIMUMS						
Section 54.30	C ⊆ G G G G G G G G G G G G G G G G G G	Required Review Process	Lot Size				Coverage	Height of Structure	Landscape Category (See Ch. 95)	in Category ee Ch. 100)	Required Parking Spaces	Special Regulations	
	\Rightarrow			Front	Side	Rear	Lot (ou actaro	s) T	Sign ((See Ch. 105)	(See also General Regulations)	
.060		D.R., Chapter 142 KZC.	None	20'	0'	0'	80%	30' above average building elevation.	В	E	1 per each 300 sq. ft. of gross floor area. See Spec. Reg. 2.	 Ancillary assembly and manufacture of goods on the premises of this use are permitted only if: The assembled or manufactured goods are subordinate to and are dependent upon this use, and are available for purchase and removal from the premises. The outward appearance and impacts of this use with ancillary assembly or manufacturing must be no different from other retail uses. Access from drive-through facilities must be approved by the Public Works Department. Drive-through facilities must be designed so that vehicles will not block traffic in the right-of-way while waiting in line to be served. A delicatessen, bakery, or other similar use may include, as part of the use, accessory seating if: The seating and associated circulation area does not exceed more than 10 percent of the gross floor area of the use; and It can be demonstrated to the City that the floor plan is designed to preclude the seating area from being expanded. 	
.070	Office Use See Spec. Regs. 1 and 2.									D	If a medical, dental, or veterinary office, then 1 per each 200 sq. ft. of gross floor area. Otherwise, 1 per 300 sq. ft. of gross floor area.	 Ancillary assembly and manufacture of goods on the premises of this use are permitted only if: The ancillary assembled or manufactured goods are subordinate to and are dependent upon this use. The outward appearance and impacts of this use with ancillary assembly or manufacturing must be no different from other office uses. The following regulations apply to veterinary offices only: May only treat small animals on the subject property. Outside runs and other outside facilities for the animals are not permitted. Site must be designed so that noise from this use will not be audible off the subject property. A certification to this effect, signed by an Acoustical Engineer, must be submitted with the development permit application. A veterinary office is not permitted if the subject property contains dwelling units. 	

Kirkland Zoning Code 312.11

Zone NRH4 USE ZONE CHART

	(0					DIREC	TIONS	: FIRST, re	ad down	to fin	d useTHEN, a	cross for REGULATIONS
30	NO NO			MINI	MUMS		MA	XIMUMS		_		
Section 54.30	C ⊆ G G REGULATIONS	Required Review Process	Lot Size		UIRED YA See Ch. 11		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
0,	\Rightarrow			Front	Side	Rear	Lot (ou dotaio	8)	Sig (S	(See Ch. 105)	(See also General Regulations)
.080	See Spec. Reg.	D.R., Chapter 142 KZC.	None	20'	0'	0'	80%	30' above average building elevation.	В	E	1 per each room. See Spec. Reg. 2.	May include ancillary meeting and convention facilities. Excludes parking requirements for ancillary meeting and convention facilities. Additional parking requirement for these ancillary uses shall be determined on a case-by-case basis.
.090	A Retail Establishment providing entertainment, recreational or cultural activities.										1 per every 4 fixed seats.	
.100	Private Lodge or Club								С	В	1 per each 300 sq. ft. of gross floor area.	
.110	Stacked or Attached Dwell- ing Units (Stand Alone or Mixed with Other Uses) See Spec. Regs. 1 and 2.							35' above average building elevation. See Spec. Reg. 2.	D See Spec. Reg. 2.		For residential: 1.2 per studio unit. 1.3 per 1 bedroom unit. 1.6 per 2 bedroom unit. 1.8 per 3 or more bedroom unit. See KZC 105.20 for visitor parking requirements. For other uses see KZC 105.25.	Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use. If this use is part of a mixed use development:
.120	Church See Spec. Reg. 1.							30' above average building elevation.	С	В	1 for every four people based on maximum occu- pancy load of any area of worship. See Spec. Reg. 2.	May include accessory living facilities for staff persons. No parking is required for day-care or school ancillary to this use.

Kirkland Zoning Code 312.12



		(0					DIREC	TIONS	: FIRST, re	ad dowr	to fin	nd useTHEN, a	cross for REGULATIONS
57.30	3	SN O			MIN	IMUMS		MA	XIMUMS				
Soction 54		C	Required Review Process	Lot Size		QUIRED YA See Ch. 11	_	Coverage	Height of Structure	Landscape Category (See Ch. 95)	In Category se Ch. 100)	Required Parking Spaces	Special Regulations
	'	\Rightarrow			Front	Side	Rear	Lot (Otructure	r (S	Sign (See	(See Ch. 105)	(See also General Regulations)
	40 M N S		D.R., Chapter 142 KZC.	None	20' See Spec. Reg. 3.	0' See Spec. Reg. 3.	O' See Spec. Reg. 3.	80%	30' above average building elevation. See Spec. Reg. 1.	D	В	See KZC 105.25. See Spec. Regs. 4 and 5.	 A six-foot-high fence is required only along the property lines adjacent to outside play areas. Hours of operation may be limited to reduce impacts on nearby residential uses. Structured play areas must be setback from all property lines as follows: 20 feet if this use can accommodate 50 or more students or children. 10 feet if this use can accommodate 13 to 49 students or children. 10 feet if this use can accommodate 13 to 49 students or children. 11 Otherwise, five feet. An on-site passenger loading area must be provided. The City shall determine the appropriate size of the loading areas on a case-by-case basis, depending on the number of attendees and the extent of the abutting right-of-way improvements. Carpooling, staggered loading/unloading time, right-of-way improvements or other means may be required to reduce traffic impacts on nearby residential uses. The location of parking and passenger loading areas shall be designed to reduce impacts on nearby residential uses. May include accessory living facilities for staff persons. A six-foot-high fence is required only along the property lines adjacent to the outside play area. Hours of operation may be limited to reduce impacts on nearby residential uses. Structured play areas must be setback from all property lines by at least five feet. An on-site passenger loading area may be required depending on the number of attendees and the extent of the abutting right-of-way improvements. The location of parking and passenger loading areas shall be designed to reduce impacts on any nearby residential uses. May include accessory living facilities for staff persons.

Kirkland Zoning Code 312.13

Zone NRH4 USE ZONE CHART

						DIREC	TIONS	: FIRST, re	ad dowr	to fin	nd useTHEN, a	cross for REGULATIONS
30	NO O			MINI	IMUMS		MA	XIMUMS				
Section 54.30	(☐ G REGULATIONS	Required Review Process	Lot Size		UIRED YA See Ch. 11		Coverage	Height of	Landscape Category (See Ch. 95)	n Category e Ch. 100)	Parking	Special Regulations
S				Front	Side	Rear	Lot C	Structure	S, C,	Sign (See	(See Ch. 105)	(See also General Regulations)
.150	Facility	D.R., Chapter 142 KZC.	None	20'	0'	0'	80%	30' above average building elevation.	С	Α	1 per assisted living unit.	Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use.
.160	Convalescent Center or Nursing Home								С	В	1 for each bed.	
.170	Public Utility								Α		See KZC 105.25.	
.180	Government Facility Community Facility								C See Spec. Reg. 1.			Landscape Category A or B may be required depending on the type of use on the subject property and the impacts associated with the use on the nearby uses.
.190		Developmen process.	t standar	ds will be	determined o	on a case	-by-case	e basis. See (Chapter 49	KZC f	or required review	
.200	See Spec.	D.R., Chapter 142 KZC.	None	20'	0,	0'	80%	30' above average building elevation.	A	D	gross floor area. Otherwise, see KZC 105.25.	 This use may include research and development, testing, assembly, repair or manufacturing or offices that support businesses involved in the pharmaceutical and biotechnology, communications and information technology, electronics and instrumentation, computers and software sectors. May include as part of this use, accessory retail sales, or service utilizing not more than 20 percent of the gross floor area. The landscaping and parking requirements for these accessory uses will be the same as for the primary use. Refer to KZC 115.105 for provisions regarding Outdoor Use, Activity and Storage.

Kirkland Zoning Code 312.14



	(0					DIREC	TIONS	: FIRST, re	ad dowr	to fin	nd useTHEN, a	across for REGULATIONS
54.30	<u>NO</u>			MINI	MUMS		MA	XIMUMS		,		
Section 54	C ⊆ G G G G G G G G G G G G G G G G G G	Required Review Process	Lot Size		UIRED YA See Ch. 11		Coverage	Height of Structure	Landscape Category (See Ch. 95)	n Category e Ch. 100)	Required Parking Spaces	Special Regulations
G	\Rightarrow			Front	Side	Rear	Lot (Structure	S)	Sign (See	(See Ch. 105)	
.210	prepared materi-	D.R., Chapter 142 KZC.	None	20'	0'	O'		30' above average building elevation.	A	С	1 per each 1,000 sq. ft. of gross floor area.	 This use may only be permitted in the existing structure on the subject property and must be discontinued when: a. There is an increase in gross floor area of the structure, or b. There is an alteration or change in a consecutive 12-month period to an improvement on the subject property, and the cost of the alteration, change or other work exceeds 50 percent of the replacement cost of that improvement. The following manufacturing uses are permitted: a. Food, drugs, stone, clay, glass, china, ceramics products, electrical equipment, scientific or photographic equipment, fabricated metal products; b. Fabricated metal products, but not fabrication of major structural steel forms, heavy metal processes, boiler making, or similar activities; c. Cold mix process only of soap, detergents, cleaning preparations, perfumes, cosmetics, or other toilet preparations; d. Packaging of prepared materials; e. Textile, leather, wood, paper and plastic products from pre-prepared material; and f. Other compatible uses which may involve manufacturing, processing, assembling, fabrication and handling of products, and research and technological processes. May include as part of this use, accessory retail sales, office or service utilizing not more than 20 percent of the gross floor area. The landscaping and parking requirements for these accessory uses will be the same as for the primary use.

Zone NRH4 USE ZONE CHART

	(0					DIREC	TIONS	: FIRST, re	ad dowr	to fin	d useTHEN, a	cross for REGULATIONS
54.30	ATIONS			MIN	IMUMS		MA	XIMUMS		,		
Section 54	△ ☐ S REGULAT	Required Review Process	Lot Size		OUIRED YA See Ch. 11	_	Coverage	Height of Structure	Landscape Category (See Ch. 95)	n Category ee Ch. 100)	Required Parking Spaces	Special Regulations
S	\Rightarrow			Front	Side	Rear	Lot O	Structure	(S. L.	Sign (See	(See Ch. 105)	(See also General Regulations)
.220	Storage Service	D.R., Chap- ter 142 KZC.	None	20′	0′	0′	80%	30' above average building elevation.	A	С	1 per each 1,000 sq. ft. of gross floor area.	This use may only be permitted in the existing structure on the subject property and must be discontinued when: There is an increase in gross floor area of the structure, or b. There is an alteration or change in a consecutive 12-month period to
.230	Wholesale Trade See Spec. Regs. 1 and 2.											 an improvement on the subject property, and the cost of the alteration, change or other work exceeds 50 percent of the replacement cost of that improvement. 2. May include as part of this use, accessory retail sales, office or service utilizing no more than 20 percent of the gross floor area. The landscaping
.240	Industrial Laun- dry Facility See Spec. Regs. 1 and 2.											and parking requirements for these accessory uses will be the same as for the primary use.
.250	Wholesale Print- ing or Publishing See Spec. Regs. 1 and 2.											

	(0					DIF	RECTIO	NS: FIRST,	read do	wn to	find useTHE	N, across for REGULATIONS
90.	ION			MINIM	UMS		MA	XIMUMS				
Section 53.06	C ⊆ G G G G G G G G G G G G G G G G G G	Required Review Process	Lot Size	(Se	IRED Yee Ch. 1		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
0,	\Rightarrow			Front	Side	Rear	Lot (ou dotai o	S)	Sig (S	(See Ch. 105)	(See also General Regulations)
.010	Vehicle Service Station	D.R., Chapter 142 KZC.	22,500 sq. ft.	20' See Spec. Reg. 1.	15' on each side.	15'	80%	67' above average building elevation.	A	E	See KZC 105.25.	 Gas pump islands must be set back at least 20 feet from all property lines. Canopies or covers over gas pump islands may not be closer than 10 feet to any property line. Outdoor parking and service areas may not be closer than 10 feet to any property line. See KZC 95.40 through 95.45, required landscaping, for further regulations.
.020	Automotive Service Center See Spec. Reg. 1.		None	10'	0'	0'					1 per each 250 sq. ft. of gross floor area. See Spec. Reg. 1.	 Ten (10) percent of the required parking spaces on site must have a minimum dimension of 10 feet wide by 30 feet long for motor home/travel trailer use. Parts and tires must be stored entirely within an enclosed structure. Outdoor vehicle parking or storage must be buffered as required for a parking area in KZC 95.45. See KZC 115.105, Outdoor Use, Activity and Storage, for additional regulations.
.030	Restaurant or Tavern								В		1 per each 100 sq. ft. of gross floor area.	For restaurants with drive-in or drive-through facilities: a. One outdoor waste receptacle shall be provided for every eight parking stalls. b. Access for drive-through facilities shall be approved by the Public Works Department. Drive-through facilities shall be designed so that vehicles will not block traffic in the right-of-way while waiting in line to be served.
.040	Any Retail Establishment other than those specifically listed, limited or prohibited in this zone, selling goods or providing services, including banking and related financial services										1 per each 300 sq. ft. of gross floor area.	 Ancillary assembly and manufacture of goods on the premises of this use are permitted only if: The assembled or manufactured goods are directly related to and are dependent upon this use, and are available for purchase and removal from the premises. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other retail uses. A delicatessen, bakery, or other similar use may include, as part of the use, accessory seating if: The seating and associated circulation area does not exceed more than 10 percent of the gross floor area of the use; and It can be demonstrated to the City that the floor plan is designed to preclude the seating area from being expanded. For a retail establishment involving the sale, lease, repair or service of automobiles, trucks, boats, motorcycles, recreational vehicles, heavy equipment, and similar vehicles, the following shall apply: For the number of required parking stalls see KZC 105.25. Parts must be stored entirely within an enclosed structure. See KZC 95.40 through 95.45, required landscaping, for further regulations.



	(0					DIF	RECTIO	ONS: FIRST,	read do	wn to	find useTHEN	N, across for REGULATIONS
53.06	SNO ON			MINIM	UMS		MA	XIMUMS				
Section 53.	C S S S S S S S S S S S S S S S S S S S	Required Review Process	Lot Size	(Se	IRED Yee Ch. 1	115)	t Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
				Front	Side	Rear	Lot			0, -	(000 0111 100)	(ess also constantegaliaments)
.050	Office Use	D.R., Chapter 142 KZC.	None	10'	0'	0'	80%	67' above average building elevation.	O	D	If a medical, dental or veteri- nary office, then 1 per each 200 sq. ft. of gross floor area. Otherwise, 1 per each 300 sq. ft. of gross floor area.	The following regulations apply to veterinary offices only: a. May only treat small animals on the subject property. b. Outside runs and other outside facilities for the animals are not permitted. Ancillary assembly and manufacture of goods on the premises of this use are permitted only if: a. The ancillary assembled or manufactured goods are subordinate to and dependent on this use. b. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other office uses.
.060	Hotel or Motel								В	E	1 per each room. See also Spec. Reg. 2.	May include ancillary meeting and convention facilities. Excludes parking requirements for ancillary meeting and convention facilities. Additional parking requirements for these ancillary uses shall be determined on a case-by-case basis.
.070	Entertainment, Cultural and/or Recreational Facility										See KZC 105.25.	
.080	Attached or Stacked Dwelling Unit								D	A	1.2 per studio unit. 1.3 per 1 bedroom unit. 1.6 per 2 bedroom unit. 1.8 per 3 or more bedroom unit. See KZC 105.20 for visitor parking requirements.	 Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use. At least 10 percent of the units provided in new residential developments of four units or greater shall be affordable housing units, as defined in Chapter 5 KZC. See Chapter 112 KZC for additional affordable housing requirements and incentives.

	(0					DIF	RECTIC	NS: FIRST,	read do	wn to	find useTHE	N, across for REGULATIONS
53.06	ONS			MINIM	UMS		MA	XIMUMS				
Section 53	← G G REGULATIONS	Required Review Process	Lot Size	(Se	IRED Y e Ch. 1		Lot Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
0,	$\hat{1}$			Front	Side	Rear	Lot (Cui di Cui	S)	Sig (S	(See Ch. 105)	(See also General Regulations)
090	Private Lodge or Club	D.R., Chapter 142 KZC.	None	10'	0'	0'	80%	67' above average building	С	В	1 per each 300 sq. ft. of gross floor area.	
.100	Church							elevation.			1 per every 4 people based on maximum occu- pancy load of any area of wor- ship. See Spec. Reg. 2.	May include accessory living facilities for staff persons. No parking is required for day-care or school ancillary to this use.
	School, Day- Care Center, Mini-School or Mini-Day-Care Center								D	В	See KZC 105.25.	 A six-foot-high fence is required only along the property lines adjacent to the outside play areas. An on-site passenger loading area must be provided. The City shall determine the appropriate size of the loading areas on a case-by-case basis, depending on the number of attendees and the extent of the abutting right-of-way improvements. Carpooling, staggered loading/unloading time, right-of-way improvements or other means may be required to reduce traffic impacts on nearby residential uses. May include accessory living facilities for staff persons. Hours of operation of the use may be limited and parking and passenger loading areas shall be located to reduce impacts on nearby residential uses.
	Assisted Living Facility, Convalescent Center or Nursing Home								С		Assisted living unit: 1.7 per unit. Convalescent Center or Nursing Home: 1 per each bed.	Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use.
.130	Public Utility								Α		See KZC	Landscape Category A or B may be required depending on the type of use
.140	Government Facility Community Facility								C See Spec. Reg. 1.		105.25.	on the subject property and the impacts associated with the use on the nearby uses.
.150	Public Park	Development review proces		will be d	etermine	ed on a	case-by-	case basis. S	ee Chapte	er 49 K.	ZC for required	

Kirkland Zoning Code 292.4/292.6

	ဟ					DIREC	TIONS:	FIRST, read	d down	to find	useTHEN, ac	ross for REGULATIONS
12	<u>N</u> O			MINIMUN	/IS		MA	XIMUMS		,		
Section 53.12	Ç ☐ G REGULATIONS	Required Review Process	Lot Size	REQUIR (See	ED YAI Ch. 115		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
S	⇒			Front	Side	Rear	Lot (Otractare	S))	Sig (Se	(See Ch. 105)	(See also General Regulations)
.010	Vehicle Service Station See Spec. Regs. 1 and 2.	D.R., Chapter 142 KZC.	22,500 sq. ft.	20'	15'	15'		20' above average building elevation.		E See Spec. Reg. 6.	See KZC 105.25.	 This use is permitted only north of NE 90th Street as an accessory use to a commercial use located in RH 1A and limited to sale of fuel. Vehicle service, repair, or the sale or installation of lubricants, tires, batteries or other similar accessories is prohibited. Hours of operation and truck deliveries are limited to 8:00 a.m. to 9:00 p.m. Gas pump islands must be located at least 20 feet from all property lines. See KZC 95.40 through 95.45, required landscaping, for additional regulations. The following improvements must be installed: a. Half street improvements including vertical curb, five-foot-wide sidewalk and 4.5-foot-wide landscape strip planted with street trees adjacent to the curb in the following locations:
.020	Accessory parking for retail uses located in the RH 1A zone			10' Otherwise 20'adjoining a residential zone	10' on each side	10'		35' above average building elevation.	В	D	N/A	No retail floor area shall be permitted for this use.



	S					DIREC	CTIONS	S: FIRST, rea	ad dowr	to fin	d useTHEN, a	acro	ss for REGULATIONS
53.12	O.			MINIMUI	MS		MA	XIMUMS		_			
Section 53	T S m REGULATIONS	Required Review Process	Lot Size	REQUIR (See	RED YA Ch. 11	_	Coverage	Height of	Landscape Category (See Ch. 95)	n Category e Ch. 100)	Required Parking Spaces		Special Regulations
S				Front	Side	Rear	Lot 0	Structure	(S)	Sign (See	(See Ch. 105)		(See also General Regulations)
.030		D.R., Chapter 142 KZC.		10' Otherwise 20' adjoin- ing a residential zone	0'	0'		35' above average building elevation.	A	С	See KZC 105.25.	2.	The following business park uses are permitted: wholesale trade, wholesale printing or publishing, light assembly, manufacturing of small-scale articles such as electrical equipment, manufacturing of scientific or photographic equipment; packaging of prepared materials, manufacturing of textile, leather products, paper products or plastic products from pre-prepared materials. Outdoor storage is prohibited. The discharge of any substance which creates any impact detrimental to the environment or adjacent residents is not permitted.
.040	Any Retail Establishment other than those specifically listed, limited or prohibited in this zone, selling goods or providing services, including banking and related financial services									E	1 per each 300 sq. ft. of gross floor area.	2.	This use is only permitted south of NE 90th Street if the vehicle trip generation will not exceed the traffic generated by a general office use; provided, that the following retail uses are not permitted: a. Restaurants or taverns. b. A retail establishment involving repair or service of automobiles, trucks, boats, motorcycles, recreational vehicles, heavy equipment, and similar vehicles. c. Vehicle service stations. d. Automotive service centers. e. Uses with drive-in or drive-through facilities. Ancillary assembly and manufacture of goods on the premises of this use are permitted only if: a. The assembled or manufactured goods are directly related to and are dependent upon this use, and are available for purchase and removal from the premises. b. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other retail uses.

3. Retail establishments providing -storage services are not permitted unless accessory to another permitted use.

	Ø					DIRE	CTIONS	S: FIRST, rea	ad dowr	to fin	d useTHEN, a	cross for REGULATIONS
12	NO O			MINIMU	MS		MA	XIMUMS				
Section 53.12	C ⊆ G G REGULATIONS	Required Review Process	Lot Size	REQUIF (See	RED YA Ch. 11		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
0,	\Rightarrow			Front	Side	Rear	Lot		S)	Sis (S	(See Ch. 105)	(See also General Regulations)
.050		D.R., Chapter 142 KZC.	None	10' Otherwise 20' adjoin- ing a residential zone	0'	0'	80%	35' above average building elevation.	С	D	If a medical, dental or veteri- nary office, then 1 per each 200 sq. ft. of gross floor area. Otherwise, 1 per each 300 sq. ft. of gross floor area.	 Ancillary assembly and manufacture of goods on the premises of this use are permitted only if: The ancillary assembled or manufactured goods are subordinate to and dependent upon this use. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other retail uses. The following regulations apply to veterinary offices only: May only treat small animals on the subject property. Outside runs and other outside facilities for the animals are not permitted.
	School, Day- Care Center, Mini-School or Mini-Day-Care Center								D	В	See KZC 105.25.	 A six-foot-high fence is required only along the property lines adjacent to the outside play areas. An on-site passenger loading area must be provided. The City shall determine the appropriate size of the loading areas on a case-by-case basis, depending on the number of attendees and the extent of the abutting right-of-way improvements. Carpooling, staggered loading/unloading time, right-of-way improvements or other means may be required to reduce traffic impacts on nearby residential uses. May include accessory living facilities for staff persons. Hours of operation of the use may be limited and parking and passenger loading areas shall be located to reduce impacts on nearby residential uses.
.070	Church								С			May include accessory living facilities for staff persons. No parking is required for day-care or school ancillary to the use.
.080	Assisted Living Facility, Convalescent Center or Nursing Home								С	В	Assisted living unit: 1 per unit. Convalescent Center or Nursing Home: 1 for each bed.	Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use.
	Public Utility								Α		See KZC 105.25.	Landscape Category A or B may be required depending on the type of use on the subject property and the impacts associated with the use on
.100	Government Facility or Community Facility								C See Spec. Reg. 1.		100.20.	the nearby uses.
.110		Development process.	standards	will be deter	mined o	n a case	e-by-case	e basis. See C	hapter 49	KZC fo	or required review	

Kirkland Zoning Code 292.10 (Revised 9/13)



	60					DIRE	CTIONS:	FIRST, rea	d down	to find u	iseTHEN, acro	oss for REGULATIONS
53.24	% <u>0</u>			MINIMU	JMS		MAX	(IMUMS		_		
Section 53	C □ S □ S □ S □ S □ S □ S □ S □ S □ S □	Required Review Process	Lot Size	(See	RED YA e Ch. 11		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
S	\Rightarrow			Front	Side	Rear	Lot C	Structure	S) (S)	Sig (Se	(See Ch. 105)	
.010	Vehicle Service Station See Spec. Regs. 1 and 2.	D.R., Chapter 142 KZC.	22,500 sq. ft.	20' See Spec. Reg. 2.	0' See Spec. Reg. 2.	0' See Spec. Reg. 2.	80%	35' above average building elevation.	А	E	See KZC 105.25.	 This use is permitted only in RH 2A. Gas pump islands must be set back a minimum of 20 feet from all property lines. Canopies or covers over gas pump islands may not be closer than 10 feet to any property line. Outdoor parking and service areas may not be closer than 10 feet to any property line. See KZC 95.40 through 95.45, required landscaping, for further regulations.
.020	Automotive Service Center See Spec. Reg. 1.		None	10' adjacent to NE 85th St., otherwise 20'.	0'	0'	2A and RH 2B: 80% In RH 2C: 70%	In RH 2B: 55' above average building elevation. In RH 2A: 67' above			1 per each 250 sq. ft. of gross floor area. See Spec. Reg. 2.	 This use is permitted only in RH 2A. Ten percent of the required parking spaces on site must have a minimum dimension of 10 feet wide by 30 feet long for motor home/ travel trailer use. Parts and tires must be stored entirely within an enclosed structure. Outdoor vehicle parking or storage must be buffered as required for a parking area in KZC 95.45. See KZC 115.105, Outdoor Use, Activity and Storage, for additional regulations.
.030	Restaurant or Tavern							average building elevation.			1 per each 100 sq. ft. of gross floor area.	 This use is permitted in RH 2B only if developed in conjunction with the RH 2A zone. This use is not permitted in RH 2C. For restaurants with drive-in or drive-through facilities: a. One outdoor waste receptacle shall be provided for every eight parking stalls. b. Access for drive-through facilities shall be approved by the Public Works Department. Drive-through facilities shall be designed so that vehicles will not block traffic in the right-of-way while waiting in line to be served.
.040	Entertainment, Cultural and/or Recreational Facility										See KZC 105.25.	 This use is permitted in RH 2B only if developed in conjunction with the RH 2A zone. This use is not permitted in RH 2C.

		"					DIRE	CTIONS:	: FIRST, rea	d down	to find u	seTHEN, acro	ess for REGULATIONS
53 24	;	SNO			MINIMU	MS		MAX	(IMUMS				
Section 53	•	\S m REGULATIONS	Required Review Process	Lot Size	REQUII (See	RED YA Ch. 11		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
ď)				Front	Side	Rear	Lot C	Structure	La (S	Sig (Se	(See Ch. 105)	(See also General Regulations)
.0:	ot sp lis pr th se or se in		Chapter 142	None	10' adjacent to NE 85th St., otherwise 20'.	0'	0'	2A and RH 2B: 80% In RH 2C: 70%	In RH 2C: 35' above average building elevation. In RH 2B: 55' above average building elevation. In RH 2A: 67' above average building elevation.	A	E	1 per each 300 sq. ft. of gross floor area. See Spec. Reg. 2.	 This use is permitted in RH 2B only if developed in conjunction with the RH 2A zone. No retail uses are permitted in RH 2C unless the use is a retail establishment providing the sale, lease, service or repair of automobiles, trucks, boats, motorcycles, recreational vehicles, heavy equipment and similar vehicles also located in the RH 2A and RH 2B zones. For a retail establishment involving the sale, lease, repair or service of automobiles, trucks, boats, motorcycles, recreational vehicles, heavy equipment, and similar vehicles, the following shall apply: For the number of required parking stalls see KZC 105.25. Parts must be stored entirely within an enclosed structure. See KZC 95.40 through 95.45, required landscaping, for further regulations. The landscape buffer requirements of Chapter 95 KZC shall apply adjacent to 118th Avenue NE. Ancillary assembly and manufacture of goods on the premises of this use are permitted only if: The assembled or manufactured goods are directly related to and are dependent on this use, and are available for purchase and removal from the premises. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other retail uses. A delicatessen, bakery, or other similar use may include, as part of the use, accessory seating if: The seating and associated circulation area does not exceed more than 10 percent of the gross floor area of the use; and It can be demonstrated to the City that the floor plan is designed to preclude the seating area from being expanded.

5. Retail establishments providing -storage services are not permitted unless accessory to another permitted use.

Kirkland Zoning Code 292.14 (Revised 11/12)



						DIREC	CTIONS:	FIRST, read	d down	to find us	seTHEN, acro	ss for REGULATIONS
53.24	SNO			MINIMU	JMS		MAX	(IMUMS				
Section 53.	△ S REGULATIONS	Required Review Process	Lot Size	(Sec	RED YA e Ch. 11	_	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	\Rightarrow			Front	Side	Rear	Lot (on a oran	S) T	SiS (S	(See Ch. 105)	(See also General Regulations)
.060		D.R., Chapter 142 KZC.	None	10' adjacent to NE 85th St., otherwise 20'.	0'	0'	2A and	In RH 2C: 35' above average building elevation. In RH 2B: 55' above average building elevation.	A	D	If a medical, dental or veteri- nary office, then 1 per each 200 sq. ft. of gross floor area. Oth- erwise, 1 per each 300 sq. ft. of gross floor area.	 The following regulations apply to veterinary offices only: May only treat small animals on the subject property. Outside runs and other outside facilities for the animals are not permitted. Ancillary assembly and manufacture of goods on the premises of this use are permitted only if: The ancillary assembled or manufactured goods are subordinate to and dependent on this use. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other office uses.
.070	College or University							In RH 2A: 67' above average building elevation.			See KZC 105.25.	
.080	Attached or Stacked Dwelling Unit		In RH 2C the mini- mum amount of lot area per dwelling unit is 3,600 sq. ft. Other- wise, none.					In RH 2C: 35' above average building elevation. In RH 2B: 55' above average building elevation. In RH 2A: 67' above average building elevation.	D	A	1.2 per studio unit. 1.3 per 1 bedroom unit. 1.6 per 2 bedroom unit. 1.8 per 3 or more bedroom unit. See KZC 105.20 for visitor parking requirements.	 This use may not be located on the ground floor of a structure in RH 2A. Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use. In RH 2A and RH 2B, at least 10 percent of the units provided in new residential developments of four units or greater shall be affordable housing units, as defined in Chapter 5 KZC. See Chapter 112 KZC for additional affordable housing requirements and incentives.



	3					DIRE	CTIONS:	FIRST, read	d down	to find us	seTHEN, acro	ss for REGULATIONS
24	ONS			MINIMU	JMS		MAX	KIMUMS				
Section 53.24	(☐ G REGULATIONS	Required Review Process	Lot Size	REQUII (See	RED YA e Ch. 11		Lot Coverage	Height of	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
S				Front	Side	Rear	Lot C	Structure	(S. Cr.	Sig (Se	(See Ch. 105)	(See also General Regulations)
.090	Assisted Living Facility, Convalescent Center or Nursing Home	D.R., Chapter 142 KZC.	In RH 2C the mini- mum amount of lot area per dwelling unit is 3,600 sq. ft. Other- wise, none.	10' adjacent to NE 85th St., otherwise 20'.	0,	0'	In RH 2C: 70%	In RH 2C: 35' above average building elevation. In RH 2B: 55' above average building elevation. In RH 2A: 67' above average building elevation.	С	A Conva- lescent Center or Nursing Home: B	Independent unit: 1.7 per unit. Assisted Living Facility: 1 per unit. Convalescent Center or Nurs- ing Home: 1 per bed.	 Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use. In RH 2C for density purposes, two assisted living units shall constitute one dwelling unit. Total dwelling units may not exceed the number of stacked dwelling units allowed on the subject property.
.100	Hotel or Motel		None					In RH 2B: 55' above average building elevation.	A	Е	1 per each room. See also Spec. Reg. 3.	This use is permitted in RH 2A and RH 2B only. May include ancillary meeting and convention facilities. Excludes parking requirements for ancillary meeting and convention facilities. Additional parking requirement for these ancillary uses shall be determined on a case-by-case basis.
.110	Private Lodge or Club							In RH 2A: 67' above average building ele- vation.	С	В	1 per each 300 sq. ft. of gross floor area.	This use is permitted in RH 2B only if developed in conjunction with RH 2A. This use is not permitted in RH 2C.



						DIREC	CTIONS:	FIRST, read	d down	to find u	seTHEN, acro	ss for REGULATIONS
24	SNO ONS			MINIMU	MS		MAX	KIMUMS				
Section 53.24	C □ S □ S □ S □ S □ S □ S □ S □ S □ S □	Required Review Process	Lot Size	REQUII (See	RED YA		Coverage	Height of	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
S	⇒			Front	Side	Rear	Lot C	Structure	(S. Cr.	Sig Se	(See Ch. 105)	(See also General Regulations)
.120	Church	D.R., Chapter 142 KZC.	None	10' adjacent to NE 85th St., otherwise 20'.	0'		In RH 2A and RH 2B: 80% In RH 2C: 70%	In RH 2C: 35' above average building elevation. In RH 2B: 55' above	А	В	1 for every 4 people based on maximum occu- pancy load of any area of wor- ship. See also Spec. Reg. 2.	May include accessory living facilities for staff persons. No parking is required for day-care or school ancillary to this use.
.130	School, Day- Care Center, Mini-School or Mini-Day-Care Center							average building elevation. In RH 2A: 67' above average building elevation.	D		See KZC 105.25.	 A six-foot-high fence is required only along the property lines adjacent to the outside play areas. An on-site passenger loading area must be provided. The City shall determine the appropriate size of the loading areas on a case-bycase basis, depending on the number of attendees and the extent of the abutting right-of-way improvements. Carpooling, staggered loading/unloading time, right-of-way improvements or other means may be required to reduce traffic impacts on nearby residential uses. May include accessory living facilities for staff persons. Hours of operation of the use may be limited and parking and passenger loading areas shall be located to reduce impacts on nearby residential uses.
.140	Public Utility								Α			Landscape Category A or B may be required depending on the type
.150	Government Facility Community Facility								C See Spec. Reg. 1.			of use on the subject property and the impacts associated with the use on the nearby uses.
.160	Public Park	Development process.	standards	will be dete	ermined o	on a case	e-by-case	basis. See C	hapter 49	KZC for r	equired review	



	(0					DIF	RECTIO	NS: FIRST,	read dov	wn to find	useTHEN, ac	ross for REGULATIONS
53.34	NO O			MINIM	UMS		MA	XIMUMS				
Section 53	∑	Required Review Process	Lot Size	(Se	JIRED Y		Coverage	Height of Structure	Landscape Category (See Ch. 95)	in Category se Ch. 100)	Required Parking Spaces	Special Regulations
0)	\Rightarrow			Front	Side	Rear	Lot (Otractare	S)	Sign (See	(See Ch. 105)	(See also General Regulations)
.010	Development containing: retail establishments selling goods, or providing services including banking and other financial services, restaurants, taverns	D.R., Chapter 142 KZC. See Spec. Regs. 1 and 2.	More than 6 acres See Spec. Reg. 7		ablished vereview p		100%	75' above average building elevation along the north end of the zone with a maximum of 45' measured above NE 85th Street. See Spec. Regs. 5 and 7.	See Spec. Reg. 2.	See Spec. Reg. 4.	the CMP.	 May also include one or more of the other uses allowed in this zone. Development regulations of this section apply to all uses developed within a Conceptual Master Plan (CMP). Development must be part of a Conceptual Master Plan (CMP) for the entire subject property. The proposed CMP shall be reviewed using the Design Review process provisions of KZC 142.35. Subsequent development proposals shall follow DR or ADR as set forth in the Notice of Approval for the Conceptual Master Plan. The Conceptual Master Plan shall incorporate the design guidelines contained in the Design Guidelines for the Rose Hill Business District pertaining to the RH 3 zone. Location of drive-through facilities will not compromise the pedestrian orientation of the development. See KZC 105.96 for other requirements. Signs for a development approved under this provision must be proposed within a Master Sign Plan application pursuant to KZC 100.80 for all signs within the project. Building height shall be 45 feet measured above the midpoint of the frontage of the subject property along NE 85th Street, or if the subject property does not front on NE 85th Street, at the midpoint of the property frontage along any other public right-of-way. If the property abuts more than one public right-of-way, the applicant may select the right-of-way from which to measure. A building on the subject property may exceed the 45 feet height limit so long as the portion of the building located within 20 feet of the public right-of-way does not exceed 45 feet. At least 10 percent of the units provided in new residential developments of four units or greater shall be affordable housing units, as defined in Chapter 5 KZC. See Chapter 112 KZC for additional affordable housing requirements and incentives.

(Revised 3/20) Kirkland Zoning Code 292.20



	(0					DIF	RECTIO	ONS: FIRST,	read dov	vn to find	l useTHEN, ac	ross for REGULATIONS
.34	ATIONS			MINIM	UMS		MA	XIMUMS				
Section 53	C ⊆ S REGULAT	Required Review Process	Lot Size	(Se	IRED Yee Ch. 1	ARDS 115)	overage	Height of	Landscape Category See Ch. 95)	n Category e Ch. 100)	Required Parking Spaces	Special Regulations
S	\Rightarrow			Front	Side	Rear	Lot C	Structure	(S)	Sign (See	(See Ch. 105)	(See also General Regulations)
.010	Development containing: retail establishments selling goods, or providing services including banking and other financial services, restaurants, taverns (continued)											 REGULATIONS CONTINUED FROM PREVIOUS PAGE The equivalent of the additional gross floor area constructed above 50 feet over ABE must be dedicated to residential use. Residential use may be located anywhere in the building above the street level floor. An applicant may elect to not develop residential uses; however, because elimination of residential uses would also eliminate inclusion of required affordable housing in the zone contrary to City objectives, the applicant is still required to either provide the affordable housing component or provide payment in lieu of constructing affordable housing pursuant to KZC 112.30(4)(b) and (c). For purposes of calculating the number of required affordable units, the number of affordable units shall be provided at a density of 7.25 units per acre based on the total size of the subject property. Parcels smaller than six acres may be added to a previously approved Conceptual Master Plan (CMP) if the applicable criteria set forth in the Notice of Approval from the approved CMP are met.



						DIF	RECTIO	ONS: FIRST,	read dov	vn to find	l useTHEN, a	cross for REGULATIONS
34	ONS			MINIM	UMS		MA	XIMUMS				
Section 53.34	C ⊆ G G G G G G G G G G G G G G G G G G	Required Review Process	Lot Size	(Se	IRED Y		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch.	Special Regulations
S	\Rightarrow			Front	Side	Rear	Lot 0		(8, 5, 5,	Sig (Se	105)	(See also General Regulations)
.020	Station	D.R., Chapter 142 KZC.	Less than 6 acres.	20'	0'	0'	80%	35' above average building elevation.	A	E	See KZC 105.25.	 Gas pump islands must be set back at least 20 feet from all property lines. Canopies or covers over gas pump islands may not be closer than 10 feet to any property line. Outdoor parking and service areas may not be closer than 10 feet to any property line. See KZC 95.40 through 95.45, required landscaping, for further regulations.
.030	Automotive Service Center See Spec. Reg. 1.			10'							1 per each 250 sq. ft. of gross floor area. See Spec. Reg. 1.	 Ten percent of the required parking spaces on site must have a minimum dimension of 10 feet wide by 30 feet long for motor home/travel trailer use. Parts and tires must be stored entirely within an enclosed structure. Outdoor vehicle parking or storage must be buffered as required for a parking area in KZC 95.45. See KZC 115.105, Outdoor Use, Activity and Storage, for additional regulations.
.040	Restaurant or Tavern										1 per each 100 sq. ft. of gross floor area.	 For restaurants with drive-in or drive-through facilities: a. One outdoor waste receptacle shall be provided for every eight parking stalls. b. Access for drive-through facilities shall be approved by the Public Works Department. Drive-through facilities shall be designed so that vehicles will not block traffic in the right-of-way while waiting in line to be served.
.050	Any Retail Establishment other than those specifically listed, limited or prohibited in this zone, selling goods or providing services, including banking and related financial services.								С		1 per each 300 sq. ft. of gross floor area.	 Ancillary assembly and manufacture of goods on the premises of this use are permitted only if: The assembled or manufactured goods are directly related to and are dependent upon this use, and are available for purchase and removal from the premises. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other retail uses. A delicatessen, bakery, or other similar use may include, as part of the use, accessory seating if: The seating and associated circulation area does not exceed more than 10 percent of the gross floor area of the use; and It can be demonstrated to the City that the floor plan is designed to preclude the seating area from being expanded.

	(0					DIF	RECTIO	ONS: FIRST,	read dov	vn to find	l useTHEN, a	across for REGULATIONS
34	ONS			MINIM	UMS		MA	XIMUMS				
Section 53.34	C C C C C C C C C C C C C C C C C C C	Required Review Process	Lot Size	(Se	IRED Y		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch.	Special Regulations
	廿			Front	Side	Rear	Lot		J (8)	Siç (S	105)	(See also General Regulations)
.050	Any Retail Establishment other than those specifically listed, limited or prohibited in this zone, selling goods or providing services, including banking and related financial services. (continued)											REGULATIONS CONTINUED FROM PREVIOUS PAGE 3. For a retail establishment involving the sale, lease, repair or service of automobiles, trucks, boats, motorcycles, recreational vehicles, heavy equipment, and similar vehicles, the following shall apply: a. For the number of required parking stalls see KZC 105.25. b. Parts must be stored entirely within an enclosed structure. c. See KZC 95.40 through 95.45, required landscaping, for further regulations. 4. Retail establishments providing storage services are not permitted unless accessory to another permitted use.
.060		D.R., Chapter 142 KZC.	Less than 6 acres.	10'	0'	0'	80%	35' above average building elevation.	С	Е	1 per each room. See also Spec. Reg. 2.	May include ancillary meeting and convention facilities. Excludes parking requirements for ancillary meeting and convention facilities. Additional parking requirement for these ancillary uses shall be determined on a case-by-case basis.
.070	Entertainment, Cultural and/or Recreational Facility										See KZC 105.25.	
.080	Office Use									D	If a medical, dental or veteri- nary office, then 1 per each 200 sq. ft. of gross floor area. Otherwise, 1 per each 300 sq. ft. of gross floor area.	b. Outside runs and other outside facilities for the animals are not per-



	(0					DIF	RECTIO	ONS: FIRST,	read dov	wn to find	l useTHEN, ac	ross for REGULATIONS
45	ONS			MINIM	UMS		MA	XIMUMS				
Section 53.34	C ⊆ G G REGULATIONS	Required Review Process	Lot Size	(\$0	IRED Y e Ch. 1	ARDS 115)	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	\Rightarrow			Front	Side	Rear	Lot			Sic (S	(See Ch. 105)	(See also General Regulations)
.090	Private Lodge or Club	D.R., Chapter 142 KZC.	Less than 6 acres.	10'	0'	0'	80%	35' above average building	С	В	1 per each 300 sq. ft. of gross floor area.	
.100	Church							elevation.			1 per every 4 people based on maximum occu- pancy load of any area of wor- ship. See Spec. Reg. 2.	May include accessory living facilities for staff persons. No parking is required for day-care or school ancillary to the use.
.110	School, Day- Care Center, Mini-School or Mini-Day-Care Center								D		See KZC 105.25.	 A six-foot-high fence is required only along the property lines adjacent to the outside play areas. An on-site passenger loading area must be provided. The City shall determine the appropriate size of the loading areas on a case-by-case basis, depending on the number of attendees and the extent of the abutting right-of-way improvements. Carpooling, staggered loading/ unloading time, right-of-way improvements or other means may be required to reduce traffic impacts on nearby residential uses. May include accessory living facilities for staff persons. Hours of operation of the use may be limited and parking and passenger loading areas shall be located to reduce impacts on nearby residential uses.
.120	Stacked Dwelling Units, Assisted Living Facility										1.2 per studio unit. 1.3 per 1 bedroom unit. 1.6 per 2 bedroom unit. 1.8 per 3 or more bedroom unit. See KZC 105.20 for visitor parking requirements. 1 per assisted living unit.	Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use.



	(0					DIR	RECTIO	NS: FIRST,	read dov	vn to find	useTHEN, ac	ross for REGULATIONS
34	ATIONS			MINIM	UMS		MA	XIMUMS				
Section 53.3	REGULAT	Required Review Process	Lot Size	(Se	IRED Y e Ch. 1		overage	Height of	Landscape Category (See Ch. 95)	n Category ee Ch. 100)	Required Parking Spaces	Special Regulations
S	⇒			Front	Side	Rear	Lot C	Structure	Š	Sign (See	(See Ch. 105)	(See also General Regulations)
.130		D.R., Chapter 142 KZC.	Less than 6 acres.	10'	0'	0'	80%	35' above average building	С	В	1 per each bed.	 Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use.
.140	Public Utility							elevation.	Α		See KZC 105.25.	
.150	Government Facility Community Facility								C See Spec. Reg. 1.			use on the subject property and the impacts associated with the use on the nearby uses.
.160		Development process.	standards	will be d	etermine	ed on a c	case-by-	case basis. S	ee Chaptei	r 49 KZC fo	or required review	





	Ø					DIRE	CTION	IS: FIRST, re	ead dow	n to fin	d useTHEN, a	across for REGULATIONS
54	NO O			MINIMU	MS		MA	XIMUMS		_		
Section 53.54	<	Required Review Process	Lot Size	REQUII (See	RED YA		Lot Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
S	\Rightarrow			Front	Side	Rear	Lot 0	Otractare	(S _C L	Sig (Se	(See Ch. 105)	(See also General Regulations)
.010	Station	D.R., Chapter 142 KZC.	22,500 sq. ft.	20' See Spec. Reg. 4.	15' See Spec. Reg. 4.	15' See Spec. Reg. 4.	80%	If adjoining an RS or RSX zone, then 30' above average building elevation. Otherwise,	A	Е	See KZC 105.25.	 This use is permitted only if the subject property abuts NE 85th Street. This use is not permitted in the RH 5B zone. May not be more than two vehicle service stations at any intersection. Gas pump islands must be set back at least 20 feet from all property lines. Canopies or covers over gas pump islands may not be closer than 10 feet to any property line. Outdoor parking and service areas may not be closer than 10 feet to any property line. See KZC 95.40 through 95.45, required landscaping, for further regulations.
.020	Automotive Service Center See Spec. Reg. 1.		None	10' adjacent to NE 85th St., otherwise 20'.	0'	15'		35' above average building elevation.			floor area. See Spec. Reg. 4.	 This use is not permitted in the RH 5B zone. This use specifically excludes a retail establishment involving the sale, lease, repair or service of automobiles, trucks, boats, motorcycles, recreational vehicles, heavy equipment, and similar vehicles. No openings (i.e., doors, windows which open, etc.) shall be permitted in any facade of a building adjoining any residential zone. Windows are permitted if they are triple-paned and unable to be opened. Ten percent of the required parking spaces on site must have a minimum dimension of 10 feet wide by 30 feet long for motor home/travel trailer use. Parts and tires must be stored entirely within an enclosed structure. Outdoor vehicle parking or storage must be buffered as required for a parking area in KZC 95.45. See KZC 115.105, Outdoor Use, Activity and Storage, for additional regulations.
.030	Entertainment, Cultural and/or Recreational Facility										See KZC 105.25.	
.040	Restaurant or Tavern See Spec. Regs. 1 and 2.										1 per each 100 sq. ft. of gross floor area.	 Taverns and restaurants with drive-in or drive-through facilities are not permitted uses in an RH 5B zone. For restaurants with drive-in or drive-through facilities: a. One outdoor waste receptacle shall be provided for every eight parking stalls. b. Access for drive-through facilities shall be approved by the Public Works Department. Drive-through facilities shall be designed so that vehicles will not block traffic in the right-of-way while waiting in line to be served.

	Ø					DIRE	ECTION	IS: FIRST, re	ead dow	n to fin	d useTHEN, ຄ	cross for REGULATIONS
53.54	NO.			MINIMU	IMS		MA	XIMUMS				
Section 53	T S B REGULATIONS	Required Review Process	Lot Size	REQUII	RED YA		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
S	⇒			Front	Side	Rear	Lot 0	Structure	S)) !'I	Sig (Se	(See Ch. 105)	(See also General Regulations)
	Any Retail Establishment other than those specifically listed in this zone, selling goods or providing services, including banking and related financial services	D.R., Chapter 142 KZC.	None	10' adjacent to NE 85th St., otherwise 20'.	0,	15'	S	If adjoining an RS or RSX zone, then 30' above average building elevation. Otherwise, 35' above average building elevation.	s are not	permitted us	unless	 Ancillary assembly and manufacture of goods on the premises of this use are permitted only if: The assembled or manufactured goods are directly related to and are dependent upon this use, and are available for purchase and removal from the premises. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other retail uses. A delicatessen, bakery, or other similar use may include, as part of the use, accessory seating if: The seating and associated circulation area does not exceed more than 10 percent of the gross floor area of the use; and It can be demonstrated to the City that the floor plan is designed to preclude the seating area from being expanded. For a retail establishment involving the sale, service or rental of motor vehicles, sailboats, motor boats, or recreation trailers, the following shall apply: This use is not permitted in the RH 5B zone; provided, that motorcycle sales, service, or rental is permitted if conducted indoors. For the number of required parking stalls see KZC 105.25. Parts must be stored entirely within an enclosed structure. See KZC 95.40 through 95.45, required landscaping, for further regulations. Retail establishments selling marijuana or products containing marijuana are not permitted on properties abutting the school walk routes shown on Plate 46. The following regulations apply to veterinary offices only:



	(A)					DIRE	CTION	NS: FIRST, r	ead dow	n to fin	d useTHEN, a	across for REGULATIONS
54	NO.			MINIMU	MS		MA	XIMUMS				
Section 53.54	A SEGULATIONS	Required Review Process	Lot Size	REQUII (See	RED YA		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
05	\Rightarrow			Front	Side	Rear	Lot (ou dotaro	CS)	Sig (S	(See Ch. 105)	(See also General Regulations)
.070	Hotel or Motel See Spec. Reg. 3.	D.R., Chapter 142 KZC	None	adjacent to NE 85th St., otherwise 20'.	0'	15'	80%	If adjoining an RS or RSX zone, then 30' above average	А	E	Spec. Reg. 2.	 May include ancillary meeting and convention facilities. Excludes parking requirements for ancillary meeting and convention facilities. Additional parking requirement for these ancillary uses shall be determined on a case-by-case basis. The maximum height of a hotel or motel is 54 feet above ABE on property abutting the LIT zone.
.080	Private Lodge or Club							building elevation. Otherwise, 35' above		В	1 per each 300 sq. ft. of gross floor area.	
.090	1, 2, 5.	ing unit	For RH 5B zone, see Gen. Reg. 13 and Spec. Reg. 2. Other- wise none		0' See. Spec. Reg. 3.	In RH 5B zone: 10' See Spec. Reg. 4.	60%	average building	One de- tached dwell- ing unit E, oth- erwise D.		bedroom unit.	 Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use. This use is allowed subject to the requirements of General Regulations 6 and 13. Minimum required side yard is five feet abutting RS 7.2 zone. The side yard may be reduced to zero feet if the side of the dwelling unit is attached to a dwelling unit on an adjoining lot. If one side of a dwelling unit is so attached and the opposite side is not, the side that is not attached must provide a minimum side yard of five feet. The rear yard may be reduced to zero feet if the rear of the dwelling unit is attached to a dwelling unit on an adjoining lot. Developments creating four or more new dwelling units shall provide at least 10 percent of the units as affordable housing units as defined in Chapter 5 KZC. Two additional units may be constructed for each affordable housing unit provided. In such cases, the minimum lot size listed in the use regulations shall be used to establish the base number of units allowed on the site but shall not limit the size of individual lots. See Chapter 112 KZC for additional affordable housing incentives and requirements.
.100	Church	D.R., Chapter 142 KZC	None		0'	15'	80%		A		1 per every 4 people based on maximum occupancy load of any area of worship. See Spec. Reg. 2.	May include accessory living facilities for staff persons. No parking is required for day-care or school ancillary to the use.



	Ø					DIRE	ECTION	NS: FIRST, r	ead dov	n to fin	d useTHEN, a	across for REGULATIONS
53.54	ATIONS			MINIMU	IMS		MA	XIMUMS				
Section 53.	T SC REGULAT	Required Review Process	Lot Size	REQUII (See	RED YA	_	Coverage	Height of	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
S	· □			Front	Side	Rear	Lot C	Structure	(S. C.E.	Sig (Se	(See Ch. 105)	
	School, Day- Care Center, Mini-School or Mini-Day-Care Center Assisted Living Facility, Convalescent Center or Nursing Home	D.R., Chapter 142 KZC	None	10' adjacent to NE 85th St., otherwise 20'.	0'	15'	80%	If adjoining an RS or RSX zone, then 30' above average building elevation. Otherwise, 35' above average building elevation.	A	lescent Center	See KZC 105.25. See Spec. Regs. 2 and 4. Independent unit: 1.7 per unit. Assisted living unit: 1 per unit.	 A six-foot-high fence is required only along the property lines adjacent to the outside play areas. An on-site passenger loading area must be provided. The City shall determine the appropriate size of the loading areas on a case-by-case basis, depending on the number of attendees and the extent of the abutting right-of-way improvements. Carpooling, staggered loading/unloading time, right-of-way improvements or other means may be required to reduce traffic impacts on nearby residential uses. May include accessory living facilities for staff persons. To reduce impacts on nearby residential uses, hours of operation of the use may be limited and parking and passenger loading areas relocated. The development must be designed to limit potential impacts from surrounding commercial uses on residents of the subject property. Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use.
	J									ing Home: B	Convalescent Center or Nurs- ing Home: 1 per each bed.	
.130	Public Utility									В	See KZC 105.25.	Landscape Category A or B may be required depending on the type of use on the subject property and the impacts associated with the use on
	Government Facility Community Facility								C See Spec. Reg. 1.		103.23.	the nearby uses.
.150	Public Park	Developmer process.	nt standard	ls will be de	termine	d on a ca	ase-by-c	ase basis. Se	e KZC 45	i.50 for re	quired review	

(Revised 3/20)

	ø					D	IRECTIO	NS: FIRST, read o	lown to	find u	seTHEN, acro	oss for REGULATIONS
55.51	NO.			MINIM	NUMS		М	AXIMUMS		_		
Section 55	△ S S S S S S S S S S S S S S S S S S S	Required Review Process	Lot Size		JIRED e Ch.	YARD 115)	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
מ	\Rightarrow			Front	Side	Rear	Lot (Otractare	S)	Sign (See	(See Ch. 105)	(See also General Regulations)
	Mixed Use Development Containing Attached or Stacked Dwelling Units	D.R., Chapter 142 KZC. See Gen. Reg. 3.	1.5 acres	10'	0'	0,	80%	80' above average building elevation. See Spec. Reg. 3.	Spec.	С	1.2 per studio unit. 1.3 per 1 bedroom unit. 1.6 per 2 bedroom unit. 1.8 per 3 or more bedroom unit. See KZC 105.20 for visitor parking requirements.	 This use is permitted only in TL 7A. At least 20 percent of the total gross floor area located on the street-level floor along NE 124th Street of the building shall include commercial use. Residential use may be located on the street level floor of a structure only if there is an intervening commercial use with a minimum depth of 20 feet and an average depth of at least 30 feet (as measured from the face of the building on NE 124th Street), between this use and NE 124th Street. The Design Review Board may approve a minor reduction in the depth requirements if the applicant demonstrates that the requirement is not feasible given the configuration of existing or proposed improvements and that the design of the commercial frontage will maximize visual interest. Lobbies for residential use are allowed within the commercial frontage, provided they do not exceed 20 percent of the building's linear commercial frontage along the street. The ground floor of structures shall be a minimum of 13 feet in height. Where necessary for the ground floor of the building to be at the elevation of an abutting street, the building may exceed the permitted maximum height of structure by up to five feet. Site design must accommodate future pedestrian connections to the CKC. Landscaping for this use must comply with KZC 95.42(1). Where an existing residential use exists on the adjacent property, KZC 95.42(2) shall apply. At least 10 percent of the units provided in new residential developments of four units or greater shall be affordable housing units, as defined in Chapter 5 KZC. See Chapter 112 KZC for additional affordable housing requirements and incentives. Developers and residents in this zone should be aware that this property lies within a district containing and allowing future development of uses of light industry/office nature, and impacts typica

Zone TL 7A, 7B

USE ZONE CHART

	Ø					DI	IRECTIO	NS: FIRST, read d	own to	find u	seTHEN, acro	oss for REGULATIONS
55.51	NOI			MINIM	IUMS		M	AXIMUMS				
Section 55	← B	Required Review Process	Lot Size	1	JIRED e Ch. 1		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	$\hat{\mathbf{T}}$			Front	Side	Rear	Lot (s) T	S) SiS	(See Ch. 105)	(See also General Regulations)
	Packaging of Prepared Materials Manufacturing See Spec. Reg. 1.	D.R., Chapter 142 KZC. See Gen. Reg. 3.	None	10'	0'	0,	90%	TL 7A: 80' above average building elevation. TL 7B: 45' above average building elevation.	A		1 per each 1,000 sq. ft. of gross floor area.	 The following manufacturing uses are permitted: Food, drugs, stone, clay, glass, china, ceramics products, electrical equipment, scientific or photographic equipment; Fabricated metal products, but not fabrication of major structural steel forms, heavy metal processes, boiler making, or similar activities; Cold mix process only of soap, detergents, cleaning preparations, perfumes, cosmetics, or other toilet preparations; Packaging of prepared materials; Textile, leather, wood, paper and plastic products from pre-prepared material; and Other compatible uses which may involve manufacturing, processing, assembling, fabrication and handling of products, and research and technological processes. May include, as part of this use, accessory retail sales, office or service utilizing not more than 35 percent (50 percent for properties located within 150 feet of the Cross Kirkland or Eastside Rail Corridor) of the gross floor area. The landscaping and parking requirements for these accessory uses will be the same as for the primary use.
.015	Breweries, Wineries, Distilleries										1 per each 1,000 sq. ft. of gross floor area. Tast- ing rooms 1 per each 100 sq. ft. of gross floor area.	May include tasting rooms, accessory retail sales, or office utilizing not more than 35 percent of the gross floor area (no limit on properties in this zone where a restaurant use is allowed).
.020	Warehouse Storage Service										1 per each 1,000 sq. ft. of gross	May include, as part of this use, accessory retail sales, office or service utilizing no more than 35 percent of the gross floor area. The landscaping and parking requirements for those accessory. The landscaping and parking requirements for those accessory. The landscaping and parking requirements for those accessory.
.030	Wholesale Trade										floor area.	The landscaping and parking requirements for these accessory uses will be the same as for the primary use.
.040	Industrial Laundry Facility											, ,
.050	Wholesale Printing or Publishing											



	Ø					D	IRECTIO	NS: FIRST, read o	lown to	find u	seTHEN, acro	oss for REGULATIONS
.51	NO.			MINIM	NUMS		М	AXIMUMS		_		
Section 55.	T = #S	Required Review Process	Lot Size		JIRED e Ch.	YARD 115)	Coverage	Height of Structure	Landscape Category (See Ch. 95)	n Category e Ch. 100)	Required Parking Spaces	Special Regulations
S	⇒			Front	Side	Rear	Lot C	Structure	S)) !''	Sign ((See Ch. 105)	(See also General Regulations)
.060	A Retail Establishment providing storage ser- vices. See Spec. Regs. 1, 2 and 3.	Chapter 142 KZC.	None	10'	0'	0'	90%	TL 7A: 80' above average building elevation. TL 7B: 45' above average building	А	E	See KZC 105.25.	 May include accessory living facilities for resident security manager. This use not permitted if any portion of the subject property is located within 150 feet of the Cross Kirkland or Eastside Rail Corridor. This use is not permitted in TL-7A unless accessory to another permitted use.
.070	A Retail Establishment providing building construction, plumbing, electrical, landscaping, or pest control services							elevation.	В		1 per each 300 sq. ft. of gross floor area.	Outdoor storage for this use must be buffered as established in Chapter 95 KZC for Landscaping Category A.
.080	A Retail Establishment selling building materials or hardware											
.085	A Retail Establishment selling marijuana or products containing marijuana						80%					
.090	A Retail Establishment providing rental services						90%					Outdoor storage for this use must be buffered as established in Chapter 95 KZC for Landscaping Category A.

Zone TL 7A, 7B

USE ZONE CHART

		Ø					D	IRECTION	NS: FIRST, read o	lown to	find u	iseTHEN, acro	oss for REGULATIONS
55.51		<u>N</u> O			MININ	IUMS		M	AXIMUMS		,		
Section 55	USE	REGULATIONS	Required Review Process	Lot Size	-	IIRED e Ch. 1		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
		\Rightarrow			Front	Side	Rear	Lot	ou dotaio	8)	Sig (S	(See Ch. 105)	
.095	Attached or Dwelling Ur	nits	D.R., Chapter 142 KZC. See Gen. Reg. 3.	3,600 sq.ft. per unit	10'	0'	0,	80%	TL 7A: 80' above average building elevation. TL 7B: 45' above average building elevation.	В	E	1.2 per studio unit. 1.3 per 1 bed- room unit. 1.6 per 2 bed- room unit. 1.8 per 3 or more bedroom unit. See KZC 105.20 for visitor parking requirements.	 This use is permitted only in TL 7B, north of NE 126th Place, east of 132nd Ave NE, on parcels that abut the RMA 3.6 zone to the east and west. Landscaping for this use must comply with KZC 95.42(1). Where an existing residential use exists on the adjacent property, KZC 95.42(2) shall apply. At least 10 percent of the units provided in new residential developments of four units or greater shall be affordable housing units, as defined in Chapter 5 KZC. See Chapter 112 KZC for additional affordable housing requirements and incentives. Developers and residents in this zone should be aware that this property lies within a district containing and allowing future development of uses of light industry/office nature, and impacts typically associated with these uses, such as noise and odor, may be experienced by residents.
.098	Residential See Spec.			1.5 acres					80' above average building elevation. See Spec. Reg. 3.	Spec.	С	See Spec. Reg. 7.	 This use is permitted only in TL 7A. Development must include commercial use on the ground floor with gross floor area equal to or greater than 20 percent of the area of the subject property. Minor floor area reductions may be approved by the Planning Official if the applicant demonstrates that meeting the requirement is not feasible given the configuration of existing or proposed improvements and that the commercial space is configured to maximize its visibility and pedestrian orientation. Residential use may be located on the ground floor of a structure only if there is an intervening commercial use with a minimum depth of 20 feet (as measured form the face of the building on NE 124h Street), between this use and NE 124th Street. The ground floor of structures shall be a minimum of 13 feet in height. Site design must accommodate future pedestrian connections to the CKC. Landscaping for this use must comply with KZC 95.42(1). Where an existing residential use exists on the adjacent property, KZC 95.42(2) shall apply. REGULATIONS FOR THIS USE CONTINUED ON THE NEXT PAGE

		Ø					D	IRECTIO	NS: FIRST, read o	lown to	find u	iseTHEN, acr	oss for REGULATIONS
55.51		<u>NO</u>			MINIM	IUMS		М	AXIMUMS		,		
Section 55.	USE	REGULATIONS	Required Review Process	Lot Size		JIRED `e Ch. 1		Lot Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
.098	Residentia (continued												REGULATIONS CONTINUED FROM PREVIOUS PAGE 6. Developers and residents in this zone should be aware that this property lies within a district containing and allowing future development of uses of light/industry office nature, and impacts typically associated with these uses, such as noise and odor, may be experienced by residents. 7. Parking shall be provided at a rate of one stall per living unit plus one per on-site employee, and modifications to decrease the parking requirements are prohibited. However, if parking is managed pursuant to Special Regulation 8, parking shall be provided at a rate of 0.5 per living unit plus one per on-site employee. 8. The required parking shall be 0.5 per living unit where the parking is managed as follows and the property owner agrees to the following in a form approved by the City and recorded with King County: a. Rentals shall be managed such that the total demand for parking does not exceed the available supply of required private parking. If the demand for private parking equals or exceeds the supply of required private parking, the property owner shall either restrict occupancy of living units or restrict leasing to only tenants who do not have cars. b. The property owner shall prepare a Transportation Management Plan (TMP) for review and approved by the City and recording with King County. At a minimum the TMP shall include the following requirements: 1) Charge for on-site parking, unbundled from the rent, for tenants who have cars. 2) Bus pass or equivalent alternative transportation mode subsidies for tenants who do not have cars. 3) Lease provisions and monitoring requirements for the property owner to ensure that tenants are not parking off site to avoid parking charges. 4) Adequate secured and sheltered bicycle parking to meet anticipated demand. 5) Designation of a Transportation Coordinator to manage the TMP, provide commute information to all new tenants, and be a point of contact for the City.



USE ZONE CHART

		(0					D	IRECTIO	NS: FIRST, read d	own to	find ເ	ıseTHEN, acro	oss for REGULATIONS
.51		NOI			MI	NIMUMS	;	N	IAXIMUMS				
Section 55.51	USE	REGULATIONS	Required Review Process	Lot Size		EQUIREI (See Ch.		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
S	Ť	\Rightarrow			Fro	ont Side	Rear	Lot 0	Structure	S) Pr	Sig (Se	(See Ch. 105)	
.098	Residentia (continued												REGULATIONS CONTINUED FROM PREVIOUS PAGE 6) At the time the project attains 90 percent occupancy, the property owner shall provide an accurate and detailed report of initial resident parking demand and alternative commute travel. The report format shall be reviewed and approved by the City. 7) Following the initial survey, the property owner shall submit a biennial survey of residents prepared and conducted by a licensed transportation engineer or other qualified professional documenting on-site and potential off-site parking utilization and alternative commute travel. The Planning Director may increase or decrease the frequency of the survey based on the documented success of the TMP. 8) Acknowledgment by the property owner that it shall be a violation of this code for the actual parking demand for the project to exceed the available supply of required parking or to fail to comply with the provisions of the TMP or reporting requirements. c. After one year of project occupancy, the Planning Official may allow a decrease in the required number of spaces if the number of spaces if the number of spaces in the required number of spaces if the number of spaces proposed is documented by an adequate and thorough parking demand and utilization study of the property. The study shall be prepared by a licensed transportation engineer or other qualified professional, and shall analyze the operational characteristics of the use which justify a parking reduction. The scope of the study shall be proposed by the transportation engineer and approved by the City Transportation Engineer. 9. All residential suites and all required parking within a project shall be under common ownership and management. 10. Development shall be designed, built and certified to achieve or exceed one or more of the following green building standards: Built Green 5 Star certified, LEED Gold certified, or Living Building Challenge certified.

		Ø					D	IRECTION	NS: FIRST, read	down to	find u	seTHEN, acro	oss for REGULATIONS
12		SNOL			MININ	NUMS		M	AXIMUMS				
Section 55	USE	REGULAT	Required Review Process	Lot Size	-	JIRED e Ch. 1	YARD 115)	overa	Height of Structure	Landscape Category (See Ch. 95)	n Category se Ch. 100)	Required Parking	Special Regulations
\ \		\Rightarrow			Front	Side	Rear	Lot C	Structure	Se cal	Sign (See	(See Ch. 105)	· •
.09	8 Residentia												REGULATIONS CONTINUED FROM PREVIOUS PAGE
	(continued	1)											11. Developments containing this use shall provide common living area available to all residential suite residents. Common living area shall consist of areas such as shared kitchens, dining areas, and community rooms. Areas such as bathrooms, laundries, utility rooms, storage, stairwells, mailrooms, and hallways shall not be counted as common living area. The minimum amount of common living area for each project shall be 250 square feet plus an additional 20 square feet per living unit.

Zone TL 7A, 7B

USE ZONE CHART

		Ø					D	IRECTIO	NS: FIRST, read o	lown to	find u	seTHEN, acro	oss for REGULATIONS
55.51		Ñ O			MINIM	IUMS		М	AXIMUMS				
Section 55	USE	REGULATIONS	Required Review Process	Lot Size		JIRED e Ch. ′	YARD 115)	Coverage	Height of Structure	Landscape Category (See Ch. 95)	n Category se Ch. 100)	Required Parking Spaces	Special Regulations
S	Ť	\Rightarrow			Front	Side	Rear	Lot C	Structure	Š	Sign ((See also General Regulations)
.10	High Tech	nology	D.R., Chapter 142 KZC. See Gen. Reg. 3.	None	10'	0'	0'	90%	TL 7A: 80' above average building elevation. TL 7B: 45' above average building elevation. See Spec. Reg. 4.a.	A	D	If manufacturing, then 1 per each 1,000 sq. ft. of gross floor area. If office, then 1 per 300 sq. ft. of gross floor area. Otherwise, see KZC 105.25.	 This use may include research and development, testing, assembly, repair or manufacturing or offices that support businesses involved in the pharmaceutical and biotechnology, communications and information technology, electronics and instrumentation, computers and software sectors. May include, as part of this use, accessory retail sales or service utilizing not more than 20 percent of the gross floor area. The land-scaping and parking requirements for these accessory uses will be the same as for the primary use. Refer to KZC 115.105 for provisions regarding outside use, activity and storage. For property located east of the Eastside Rail Corridor, northeast of the terminus of Willows Road NE, and west of the Kirkland city limits, the following regulations apply: Maximum building height is 65 feet. Building height may be increased to 75 feet for elevator overrides and other rooftop appurtenances. Rooftop screening must comply with KZC 115.120(3); and Impacts to critical areas should be avoided. Where this is not practicable, impacts should be minimized. Mitigation plans may be proposed, based on a complete evaluation incorporating best available science, which result in an equal or greater level of function and value compared to the existing condition. Mitigation plans which provide a greater level of function and value are preferred.

Zone TL7A, 7B USE ZONE CHART

	Ø					D	IRECTIO	NS: FIRST, read o	down to	find u	seTHEN, acro	oss for REGULATIONS
.51	NO.			MININ	JUMS		М	AXIMUMS				
Section 55.51	← □ □ REGULATIONS REGULA	Required Review Process	Lot Size		JIRED e Ch.	YARD 115)	Lot Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
S	\Rightarrow			Front	Side	Rear	Lot (Structure) 1	Sig (Se	(See Ch. 105)	(See also General Regulations)
.110	Office Use	D.R., Chapter 142 KZC. See Gen. Reg. 3.	None	10'	0'	0'	80%	TL 7A: 80' above average building elevation. TL 7B: 45' above average building elevation. See Spec. Reg. 2.a.	C See also Spec. Reg. 1(a).	D	If a medical, dental, or veterinary office, then 1 per each 200 sq. ft. of gross floor area. Otherwise, 1 per each 300 sq. ft. of gross floor area.	 The following regulations apply only to veterinary offices: a. If there are outdoor runs or other outdoor facilities for the animals, then use must comply with Landscape Category A. b. Outside runs and other outside facilities for the animals must be set back at least 10 feet from each property line and must be surrounded by a fence or wall sufficient to enclose the animals. See KZC 115.105, Outdoor Use, Activity and Storage, for further regulations. For property located east of the Eastside Rail Corridor, northeast of the terminus of Willows Road NE, and west of the Kirkland city limits, the following regulations apply: a. Maximum building height is 65 feet. Building height may be increased to 75 feet for elevator overrides and other rooftop appurtenances. Rooftop screening must comply with KZC 115.120(3); and b. Impacts to critical areas should be avoided. Where this is not practicable, impacts should be minimized. Mitigation plans may be proposed, based on a complete evaluation incorporating best available science, which result in an equal or greater level of function and value compared to the existing condition. Mitigation plans which provide a greater level of function and value are preferred.
	Any Retail Establishment other than those specifically listed in this zone, selling goods or providing services including banking and related services (See Spec. Reg. 1). Restaurant or Tavern							TL 7A: 80' above average building elevation. TL 7B: 45' above average building elevation.	В	E	1 per each 300 sq. ft. of gross floor area. 1 per each 100 sq. ft. of gross floor area.	 This use is only permitted on properties located north of NE 124th Street, south of the Cross Kirkland Corridor right-of-way and west of 135th Avenue NE. Outdoor storage for this use must be buffered as established in Chapter 95 KZC for Landscaping Category A. No drive-through or drive-in facilities are permitted. Retail establishments providing storage services are not permitted in TL 7A unless accessory to another permitted use. This use is only permitted on properties: North of NE 124th Street, and south of the Cross Kirkland Corridor/Eastside Rail Corridor. Within 150 feet of the Cross Kirkland or Eastside Rail Corridor.
.140	Entertainment, Cultural and/or Recreational Facility											No drive-through or drive-in facilities are permitted.

Kirkland Zoning Code 328.20

Zone TL 7A, 7B

USE ZONE CHART

	6					D	IRECTIO	NS: FIRST, read d	lown to	find u	seTHEN, acro	oss for REGULATIONS
51	Ž O			MINIM	IUMS		М	AXIMUMS		_		
Section 55.51	A SS SEGULATIONS	Required Review Process	Lot Size		JIRED e Ch. 1		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
0)	\Rightarrow			Front	Side	Rear	Lot (Otractare	S)	Sign (See	(See Ch. 105)	(See also General Regulations)
.150	Hotel or Motel	D.R., Chapter 142 KZC. See Gen.	None	10'	0'	0'	80%	TL 7A: 80' above average building elevation.	В	E	1 per each room. See Spec. Reg. 2.	 May include meeting and convention facilities. Excludes parking requirements for ancillary meeting and convention facilities. Additional parking requirement for those ancillary uses shall be determined on a case-by-case basis.
.160	A Retail Establishment providing printing, publishing, or duplicating services	Reg. 3.						TL 7B: 45' above average building elevation.			1 per each 300 sq. ft. of gross floor area.	Gross floor area for this use may not exceed 3,000 sq. ft. For a larger printing or publishing facility, see wholesale printing or publishing listing in this use zone.
.170	A Retail Establishment providing vehicle or boat sales, repair, services, washing, or rental								A	E	See KZC 105.25.	Outdoor vehicle or boat parking or storage areas must be buffered as required for a parking area in KZC 95.45. See KZC 115.105, Outdoor Use, Activity and Storage, for additional regulations.
.180	Church								С	В	1 for every 4 people based on maximum occupancy load of any area of worship. See Spec. Reg. 2.	 May include accessory living facilities for staff persons. No parking is required for day-care or school ancillary to this use. The structure containing the use shall have been in existence on June 30, 2012, and shall not be altered, changed, or otherwise modified to accommodate the use if the cost of such alteration, change, or modification exceeds 30 percent of the replacement cost of that building.
.190	Auction House See Spec. Reg. 1.								В	E	1 per each 300 sq. ft. of gross floor area.	Livestock auctions are not permitted. Outdoor storage for this use must be buffered as established in Chapter 95 KZC for Landscaping Category A.
.200	Kennel			See S	Spec. R	eg. 1.						Outside runs and other facilities for the animals must be set back at least 10 feet from each property line and must be surrounded by a fence or wall sufficient to enclose the animals. See KZC 115.105, Outdoor Use, Activity and Storage, for further regulations. Must provide suitable shelter for the animals. Must maintain a clean, healthful environment for the animals.

	(0					D	IRECTIO	NS: FIRST, read o	lown to	find u	seTHEN, acro	ss for REGULATIONS
51	Š O			MININ	NUMS		М	AXIMUMS				
Section 55.51	Æ SS REGULATIONS	Required Review Process	Lot Size		JIRED` e Ch. 1		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
0,	\Rightarrow			Front	Side	Rear	Lot (or dotal o	S)	Sig (Sig	(See Ch. 105)	(See also General Regulations)
.210	Vehicle Service Station	D.R., Chapter 142 KZC. See Gen. Reg. 3.	22,500 sq. ft.	40'	15' on each side	10'	80%	TL 7A: 80' above average building elevation. TL 7B: 45' above average building elevation.	A		See KZC 105.25.	 May not be more than two vehicle service stations at any intersection. Gas pump islands may not be closer than 15 feet to any property line. Canopies or covers over gas pump islands may not be closer than 10 feet to any property line. Outdoor parking and service areas may not be closer than 10 feet to any property line. See KZC 115.105, Outdoor Use, Activity and Storage, for further regulations.
	School or Day-Care Center See Spec. Reg. 6.	D.R., Chapter 142 KZC.	None	10'	0'	0'			D	В		cent to the outside play areas. 2. Hours of operation may be limited to reduce impacts on nearby residential uses. 3. An on-site passenger loading area must be provided. The City shall determine the appropriate size of the loading areas on a case-by-case basis, depending on the number of attendees and the extent of the abutting right-of-way improvements. Carpooling, staggered loading/unloading time, right-of-way improvements or other means may be required to reduce traffic impacts on nearby residential uses. 4. May include accessory living facilities for staff persons. 5. The location of parking and passenger loading areas shall be designed to reduce impacts on nearby residential uses. 6. This use is not permitted in the TL 7B zone unless it is accessory to a primary use, and: a. It will not exceed 20 percent of the gross floor area of the building; b. It is integrated into the design of the building.
<u> </u>	Public Utility Government Facility	-							C See			 Landscape Category A or B may be required depending on the type of use on the subject property and the impacts associated
	Community Facility								Spec. Reg. 1.			with the use on the nearby uses.
.250	Public Park	Development process.	t standar	ds will b	e deteri	mined o	n a case-b	y-case basis. See K	ZC 45.50	for req	uired review	

Kirkland Zoning Code 328.22

	(0)						DIRECTI	ONS: FIRST, read d	own to f	ind us	seTHEN, acr	oss for REGULATIONS
19.	SX O			MININ	MUMS		ı	MAXIMUMS				
Section 55.61	△ S S S S S S S S S S S S S S S S S S S	Required Review Process	Lot Size	I	JIRED e Ch. 1		Lot Coverage	Height of Structure	Landscape Category (See Ch. 95)	in Category ee Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations
	\Rightarrow			Front	Side	Rear	Lot () 	Siç (S	(See Ch. 105)	(See also General Regulations)
.010	Packaging of Prepared Materials Manufacturing See Spec. Regs. 1 and 2.	None	None	10'	0'	0'	90%	45' above average building elevation.	A	С	1 per each 1,000 sq. ft. of gross floor area.	 The following manufacturing uses are permitted: Food, drugs, stone, clay, glass, china, ceramics products, electrical equipment, scientific or photographic equipment, fabricated metal products; Fabricated metal products, but not fabrication of major structural steel forms, heavy metal processes, boiler making, or similar activities; Cold mix process only of soap, detergents, cleaning preparations, perfumes, cosmetics, or other toilet preparations; Packaging of prepared materials; Textile, leather, wood, paper and plastic products from pre-prepared material; and Other compatible uses which may involve manufacturing, processing, assembling, fabrication and handling of products, and research and technological processes. May include as part of this use, accessory retail sales, office or service utilizing not more than 20 percent (50 percent for properties located within 150 feet of the Cross Kirkland/Eastside Rail Corridors) of the gross floor area. The landscaping and parking requirements for these accessory uses will be the same as for the primary use.
.015	Breweries, Wineries, Distilleries										1 per each 1,000 sq. ft. of gross floor area. Tasting rooms 1 per each 100 sq. ft. of gross floor area.	May include tasting rooms, accessory retail sales, or office utilizing not more than 20 percent of the gross floor area (no limit for properties located within 150 feet of the Cross Kirkland Corridor).
.020	A Retail Establishment Providing Storage Services. See Spec. Regs. 1-and 2: 1, 2, and 3									Е	See KZC 105.25.	May include accessory living facilities for resident security manager. This use not permitted if any portion of the subject property is located within 150 feet of the Cross Kirkland or Eastside Rail Corridor. This use is not permitted unless accessory to another permitted use.
	Warehouse Storage Service Wholesale Trade										1 per each 1,000 sq. ft. of gross floor area.	May include, as part of this use, accessory retail sales, office or service utilizing no more than 20 percent of the gross floor area. The landscaping and parking requirements for these accessory uses will be the same as for the primary use.



	(0						DIRECTI	ONS: FIRST, read do	own to f	ind us	seTHEN, acr	oss for REGULATIONS
19	SNO			MININ	/IUMS		I	MAXIMUMS				
Section 55.61		Required Review Process	Lot Size		JIRED e Ch.		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sate Ch.	Required Parking	Special Regulations
S	⇒			Front	Side	Rear	Lot C	Structure	(S _C E	Sign (See	Spaces (See Ch. 105)	(See also General Regulations)
	Industrial Laundry Facility	None	None	10'	0'	0'	90%	45' above average building elevation.	А	С	1 per each 1,000 sq. ft. of gross floor	May include, as part of this use, accessory retail sales, office or service utilizing no more than 20 percent of the gross floor area. The landscaping and parking requirements for these accessory uses will
.060	Wholesale Printing or Publishing										area.	be the same as for the primary use.
.070	Wholesale Establishment or Contracting Services in Building Construction, Plumbing, Electrical, Landscaping, or Pest Control						80%		В	E	1 per each 1,000 sq. ft. of gross floor area.	Outdoor storage for this use must be buffered as established in Chapter 95 KZC for Landscape Category A.
.075	A Retail Establishment selling marijuana or products containing marijuana										1 per each 300 sq. ft. of gross floor area.	
.080	A Retail Establishment Providing Banking and Related Financial Services							Same as primary use.				This use is permitted if accessory to a primary use, and: a. It will not exceed 20 percent of the gross floor area of the building; b. The use is integrated into the design of the building; and c. There is no vehicle drive-in or drive-through.

	10						DIRECTI	ONS: FIRST, read d	lown to f	ind u	seTHEN, acr	oss for REGULATIONS
.61	SNOI			MININ	IUMS		ı	MAXIMUMS				
Section 55.61	← B	Required Review Process	Lot Size		JIRED e Ch. 1	YARD 115)	Lot Coverage	Height of Structure	Landscape Category (See Ch. 95)	in Category se Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations
0)	$\hat{1}$			Front	Side	Rear	Lot (Giradiaio	S)	Sig (Sig	(See Ch. 105)	(See also General Regulations)
.090	High Technology	None	None	10'	0'	0'	80%	45' above average building elevation.	A	D	If manufacturing, then 1 per each 1,000 sq. ft. of gross floor area. If office, then 1 per 300 sq. ft. of gross floor area. Otherwise, see KZC 105.25.	 This use may include research and development, testing, assembly, repair or manufacturing or offices that support businesses involved in the pharmaceutical and biotechnology, communications and information technology, electronics and instrumentation, computers and software sectors. May include as part of this use, accessory retail sales or service utilizing not more than 20 percent of the gross floor area. The landscaping and parking requirements for these accessory uses will be the same as for the primary use. Refer to KZC 115.105 for provisions regarding outside use, activity and storage.
.095	Restaurant or Tavern (See Spec Regs. 1 and 2).								С	E	1 per each 100 sq. ft. of gross floor area.	This use is only permitted on properties within 150 feet of the Cross Kirkland/Eastside Rail Corridors. No drive-through or drive-in facilities are permitted.
.100	Office Use						70%		C See also Spec. Reg. 1(a).	E	If a medical, dental, or vet- erinary office, then 1 per each 200 sq. ft. of gross floor area. Otherwise, 1 per each 300 sq. ft. of gross floor area.	The following regulations apply only to veterinary offices: a. If there are outdoor runs or other outdoor facilities for the animals, then use must comply with Landscape Category A. b. Outside runs and other outside facilities for the animals must be set back at least 10 feet from each property line and must be surrounded by a fence or wall sufficient to enclose the animals. See KZC 115.105, Outdoor Use, Activity and Storage, for further regulations.
.110	Auction House See Spec. Reg. 1						80%		В		1 per each 300 sq. ft. of gross floor area.	Livestock auctions are not permitted. Outdoor storage for this use must be buffered as established in Chapter 95 KZC for Landscaping Category A.
.120	Kennel			10' See Sp	0' ec. Reç	0' g. 1.						Outside runs and other facilities for the animals must be set back at least 10 feet from each property line and must be surrounded by a fence or wall sufficient to enclose the animals. See KZC 115.105, Outdoor Use, Activity and Storage, for further regulations. Must provide suitable shelter for the animals. Must maintain a clean, healthful environment for the animals.



	0						DIRECTI	ONS: FIRST, read do	own to f	ind u	seTHEN, acr	oss for REGULATIONS
55.61	<u>N</u> O			MININ	NUMS		ı	MAXIMUMS		,		
Section 55	A B B B B B B B B B B B B B B B B B B B	Required Review Process	Lot Size	_ , ,	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations		
S	\Rightarrow			Front	Side	Rear	Lot 0	Structure	S) 	Sig (Se	Spaces (See Ch. 105)	(See also General Regulations)
	Day-Care Center See Spec. Reg. 1. Mini-Day-Care See Spec. Reg. 1.	None	None	10'	0'	0'	80%	Same as primary use.	D	В	See KZC 105.25.	 This use is permitted if accessory to a primary use, and: It will not exceed 20 percent of the gross floor area of the building; The use is integrated into the design of the building. A six-foot-high fence is required along the property lines adjacent to the outside play areas. Hours of operation may be limited to reduce impacts on nearby residential uses. An on-site passenger loading area may be provided. The City shall determine the appropriate size of the loading areas on a case-bycase basis, depending on the number of attendees and the extent of the abutting right-of-way improvements. Carpooling, staggered loading/unloading time, right-of-way improvements or other means may be required to reduce traffic impacts on any nearby residential uses. May include accessory living facilities for staff persons. The location of parking and passenger loading areas shall be designed to reduce impacts on any nearby residential uses. This use is permitted if accessory to a primary use, and: It will not exceed 20 percent of the gross floor area of the building; The use is integrated into the design of the building. A six-foot-high fence is required along the property lines adjacent to the outside play areas. To reduce impacts on nearby residential uses, hours of operation of the use may be limited and parking and passenger loading areas relocated. An on-site passenger loading area may be required depending on the number of attendees and the extent of the abutting right-of-way improvements. The location of parking and passenger loading areas shall be designed to reduce impacts on nearby residential uses. May include accessory living facilities for staff persons.



	(0						DIRECTI	ONS: FIRST, read d	own to f	ind us	seTHEN, acr	oss for REGULATIONS
55.61	ATIONS			MININ	/IUMS		I	MAXIMUMS				
Section 55	REGULAT	Required Review Process	Lot Size		JIRED e Ch. 1		Coverage	Height of Structure	Landscape Category (See Ch. 95)	n Category e Ch. 100)	Required Parking Spaces	Special Regulations
S	\Rightarrow			Front	Side	Rear	Lot C	Structure	(S)	Sign ((See Ch. 105)	
.150	Recycling Center	None	None	10'	0'	0'	80%	45' above average building elevation.	A	С	See KZC 105.25.	 May deal in metal cans, glass, and paper. Other materials may be recycled if the Planning Director determines that the impacts are no greater than those associated with recycling metal cans, glass, or paper. The individual will have the burden of proof in demonstrating similar impacts.
	Public Utility Government Facility Community Facility								C See Spec. Reg. 1.	В		Landscape Category A or B may be required depending on the type of use on the subject property and the impacts associated with the use on the nearby uses.
.180	Vehicle or Boat Sales, Repair, Services, Storage, or Washing								A	E		 Outdoor vehicle or boat parking or storage areas must be buffered as required for a parking area in KZC 95.45. See KZC 115.105, Outdoor Use, Activity and Storage, for additional regulations. Access from drive-through facilities must be approved by the Public Works Department. Drive-through facilities must be designed so that vehicles will not block traffic in the right-of-way while waiting in line to be served. Vehicle or boat sales are permitted on parcels abutting 132nd Avenue NE only. For lighting requirements associated with development, see KZC 115.85(2). In addition, no internal illumination of wall surfaces is allowed. Outdoor loudspeaker systems are prohibited.
.190	Public Park	Developmen	t standa	ırds will l	be dete	rmined c	on case-by-	l ·case basis. See KZC 4	5.50 for re	quired	review process.	,



	0						DIRECTION	ONS: FIRST, read	down to	find	useTHEN, ac	cross for REGULATIONS
.75	ATIONS			MINI	MUMS		M	IAXIMUMS				
Section 55	REGULAT	Required Review Process	Lot Size		QUIRED YARD see Ch. 115)		Soverage	Height of Structure	Landscape Category (See Ch. 95)	Sat Ch	Required Parking Spaces	Special Regulations
0	\Rightarrow			Front	Side	Rear	Lot (Otractare	CS)	Sig (Si	Spaces (See Ch. 105)	(See also General Regulations)
.010	Attached or Stacked Dwelling Units See Spec. Reg. 1.	D.R., Chapter 142 KZC	None	10'	5' but 2 side yards must equal at least 15'. See Spec. Reg. 4.	10' See Spec. Reg. 5.	70%	65' above average building elevation.	D	А	1.2 per studio unit. 1.3 per 1 bedroom unit. 1.6 per 2 bedroom unit. 1.8 per 3 or more bedroom unit. See KZC 105.20 for visitor parking requirements.	 This use is permitted only on parcels located west of the 118th Avenue NE right-of-way alignment (see Housing Incentive Area 5, Plate 37, Chapter 180 KZC). At least 10 percent of the units provided in new residential developments of four units or greater shall be affordable housing units, as defined in Chapter 5 KZC. See Chapter 112 KZC for additional affordable housing requirements and incentives. Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use. The side yard may be reduced to zero feet if the side of the dwelling unit is attached to a dwelling unit on an adjoining lot. If one side of a dwelling unit is so attached and the opposite side is not, the side that is not attached must provide a minimum side yard of five feet. The rear yard may be reduced to zero feet if the rear of the dwelling unit is attached to a dwelling unit on an adjoining lot.

Zone TL 10B

USE ZONE CHART

	(0						DIRECTION	ONS: FIRST, read	down to	find	useTHEN, ac	cross for REGULATIONS
55.75	Š O			MINI	MUMS		М	IAXIMUMS		,		
Section 55	△ SEGULATIONS	Required Review Process	Lot Size	-	JIRED `ee Ch. 1		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	\Rightarrow			Front	Side	Rear	Lot (S) T	S) S)	(See Ch. 105)	(See also General Regulations)
.020	Manufacturing See Spec. Reg. 1.	D.R., Chapter 142 KZC	None	20'	0'	0'	70%	35' above average building elevation.	A	С	1 per each 1,000 sq. ft. of gross floor area.	 The following manufacturing uses are permitted: Food, drugs, stone, clay, glass, china, ceramic products, electrical equipment, scientific or photographic equipment; Fabricated metal products, but not fabrication of major structural steel forms, heavy metal processes, boiler making, or similar activi-
	Breweries, Wineries, and Distilleries										1 per each 1,000 sq. ft. of gross floor area. Tasting rooms 1 per each 100 sq. ft. of gross floor area.	ties; c. Cold mix process only of soap, detergents, cleaning preparations, perfumes, cosmetics, or other toilet preparations; d. Packaging of prepared materials; e. Textile, leather, wood, paper and plastic products from pre-prepared material; and f. Other compatible uses which may involve manufacturing, processing, assembling, fabrication and handling of products, and research and technological processes.
	Storage Services										1,000 sq. ft. of gross floor area.	 Outdoor fabrication is not permitted. Outdoor storage must be located as far as possible from the adjoining residential zones and the freeway. May include as part of this use accessory retail sales, office or service occupying not more than 20 percent (50 percent for manufacturing uses on properties located within 150 feet of the Cross Kirkland Corridor) of the gross floor area. The landscaping and parking requirements for these accessory uses will be the same as for the primary use. The structure containing the use shall have been in existence on December 31, 2005, and shall not be altered, changed, or otherwise modified to accommodate the use if the cost of such alteration, change, or modification exceeds 30 percent of the replacement cost of that building. However, expansion of the floor area of this use may not exceed 20 percent of the existing gross floor area of the building. The use must be discontinued when there is an alteration, change, or other work in a consecutive 12-month period to the space in which the use is located, and the cost of the alteration, change or other work exceeds 30 percent of the replacement cost of that space. Refer to KZC 115.105 for provisions regarding outdoor use, activity and storage. Breweries, wineries and distilleries may include tasting rooms, accessory retail sales, or office utilizing not more than 20 percent of the Gross Kirkland Corridor).

Kirkland Zoning Code 328.45

Zone TL 10B USE ZONE CHART

	(0						DIRECTI	ONS: FIRST, read	down to	find	useTHEN, a	cross for REGULATIONS
.75	ATIONS			MINII	MUMS		N	IAXIMUMS				
Section 55.	T BS	Required Review Process	Lot Size	-	JIRED e Ch. 1		overage	Height of Structure	Landscape Category (See Ch. 95)	Sat C	Required Parking Spaces	Special Regulations
S				Front	Side	Rear	Lot C	Structure	Lar Ca (See	Sign (See	(See Ch. 105)	
.040		,	None	20'	0'	0'	70%	35' above average	Α	С	1 per each	Outdoor fabrication is not permitted. Outdoor storage must be located or for an appoint from the adjacing regidential zones and the from the adjacing regidential zones and the from the adjacing regidential zones.
.050		Chapter 142 KZC						building elevation.			1,000 sq. ft. of gross floor area.	as far as possible from the adjoining residential zones and the freeway.May include as part of this use, accessory retail sales, office or service occupying not more than 20 percent of the gross floor area. The land-
.060	Wholesale Printing or Publishing											scaping and parking requirements for these accessory uses will be the same as for the primary use. 3. The structure containing the use shall have been in existence on December 31, 2005, and shall not be altered, changed, or otherwise
.070	Wholesale Establishment or Contracting Services in Building Construction, Plumbing, Electrical, Landscaping, or Pest Control								В			modified to accommodate the use if the cost of such alteration, change, or modification exceeds 30 percent of the replacement cost of that building. However, expansion of the floor area of this use may not exceed 20 percent of the existing gross floor area of the building. 4. The use must be discontinued when there is an alteration, change, or other work in a consecutive 12-month period to the space in which the use is located, and the cost of the alteration, change or other work exceeds 30 percent of the replacement cost of that space. 5. Refer to KZC 115.105 for provisions regarding outdoor use, activity and storage.



	(0						DIRECTION	ONS: FIRST, read	down to	find	useTHEN, a	cross for REGULATIONS
.75	ATIONS			MINI	MUMS		М	AXIMUMS		_		
Section 55.7	C → G REGULAT	Required Review Process	Lot Size		JIRED e Ch. 1		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
S	\Rightarrow			Front	Side	Rear	Lot 0	Structure	S) (S	Sig (Se	Spaces (See Ch. 105)	(See also General Regulations)
.080		D.R., Chapter 142 KZC	None	20'	0'	0'	70%	65' above average building elevation.	C		If a medical, dental, or veterinary office, then 1 per each 200 sq. ft. of gross floor area. Otherwise, 1 per each 300 sq. ft. of gross floor area.	 The following regulations apply only to veterinary offices: a. Outdoor runs or other outdoor facilities for the animals must comply with Landscape Category A. b. Outside runs and other outside facilities for the animals must be set back at least 10 feet from each property line and must be surrounded by a fence or wall sufficient to enclose the animals. See KZC 115.105, Outdoor Use, Activity and Storage, for further regulations. Ancillary assembly and manufacture of goods on the premises of this use are permitted only if: The ancillary assembled or manufactured goods are subordinate to and dependent on this use. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other office uses. Design considerations for the portion of the building above 55 feet must include an evaluation of possible impacts to solar access on the Cross Kirkland Corridor (CKC), and measures to minimize impacts if necessary. Adjacent to the CKC, any portion of a structure greater than 55 feet in height must be stepped back from the facade below by an average of 15 feet with a minimum step back of five feet.
.085	Restaurant or Tavern (see Spec. Regs. 1 and 2).									Е	1 per each 100 sq. ft. of gross floor area.	 This use is only permitted on properties within 150 feet of the Cross Kirkland Corridor. No drive-through or drive-in facilities are permitted.

Zone TL 10B USE ZONE CHART

	(0						DIRECTION	ONS: FIRST, read	down to	find	useTHEN, ac	cross for REGULATIONS
55.75	Š O			MININ	MUMS		М	AXIMUMS				
Section 55	C S S S S S S S S S S S S S S S S S S S	Required Review Process	Lot Size		JIRED `ee Ch. 1		Coverage	Height of Structure	Landscape Category (See Ch. 95)	In Category ee Ch. 100)	Required Parking Spaces	Special Regulations
0,	\Rightarrow			Front	Side	Rear	Lot (on dotaro	L (S	Sign ((See Ch. 105)	(See also General Regulations)
.090		D.R., Chapter 142 KZC	None	10'	0'	0'	70%	55' above average building elevation.	C See Spec. Reg. 3.		If manufacturing, then 1 per each 1,000 sq. ft. of gross floor area. If office, then 1 per 300 sq. ft. of gross floor area. Otherwise, see KZC 105.25.	 This use may include research and development, testing, assembly, repair or manufacturing or offices that support businesses involved in the pharmaceutical and biotechnology, communications and information technology, electronics and instrumentation, computers and software sectors. Refer to KZC 115.105 for provisions regarding outside use, activity and storage. Any outdoor storage area shall be buffered according to Landscape Category A.
.095	Vehicle or Boat Repair, Services, Washing or Rental See Spec. Reg. 1.									E	See KZC 105.25.	 This use is permitted on parcels abutting NE 118th Street, east of 118th Avenue NE. Outdoor vehicle or boat parking or storage areas must be buffered as required for a parking area in KZC 95.45. See KZC 115.105, Outdoor Use, Activity and Storage, for additional regulations. Landscape Category A or B may be required depending on the type of use on the subject property and the impacts associated with the use on the nearby uses.
.100	Mini-Day-Care See Spec. Reg. 5.								D	В		 A six-foot-high fence is required along the property lines adjacent to the outside play area. Hours of operation may be limited to reduce impacts on nearby residential uses. An on-site passenger loading area may be required depending on the number of attendees and the extent of the abutting right-of-way improvements. The location of parking and passenger loading areas shall be designed to reduce impacts on nearby residential uses. May include accessory living facilities for staff persons. This use is permitted if accessory to a primary use, and: It will not exceed 20 percent of the gross floor area of the building; and The use is integrated into the design of the building.

Zone TL 10B USE ZONE CHART

	(0)							DIRECTIO	ONS: FIRST, read	down to	find	useTHEN, a	cross for REGULATIONS
55.75	ATIONS				MININ	MUMS		M	AXIMUMS				
Section 55.	C □ S S S S S S S S S S S S S S S S S S	F	equired Review Process	Lot Size		JIRED ` e Ch. 1		Coverage	Height of Structure	Landscape Category (See Ch. 95)	n Category ee Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations
S	ľ	>			Front	Side	Rear	Lot C	Structure	(S)	ejS Sig	(See Ch. 105)	(See also General Regulations)
.110	Church	D.I Ch KZ	napter 142	None	10'	0'	0'	70%	55' above average building elevation.	С	В	1 for every 4 people based on maximum occupancy load of any area of worship. See Spec. Reg. 2.	May include accessory living facilities for staff persons. No parking is required for day-care or school ancillary to the use.
	A Retail Establishment providing stort services See Spec. Re and 4	age							4. This use accessory				 May include accessory living facilities for staff persons. Outdoor storage must be located as far as possible from the adjoining residential zones and the freeway. This use is not permitted on properties: West of the 118th Avenue NE right-of-way alignment and its future extension to NE 116th Street. Within 150 feet of the Cross Kirkland Corridor/Eastside Rail Corridor.
	Public Utility Government Facility or Community Facility									C See Spec. Reg. 1	В		Landscape Category A or B may be required depending on the type of use on the subject property and the impacts associated with the use on the nearby uses.
.150	Public Park		evelopment oposals.	standa	rds will l	be deter	mined or	n a case-b	y-case basis. See KZ	C 45.50	for requ	uired review	

Zone TL 10B USE ZONE CHART

	(0						DIRECTION	ONS: FIRST, read	down to	o find	useTHEN, a	cross for REGULATIONS
55.75	NO O			MINII	MUMS		M	AXIMUMS				
Section 55	C □ S S S S S S S S S S S S S S S S S S	Required Review Process	Lot Size		UIRED ee Ch. 1		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
S				Front	Side	Rear	Lot C	Structure	(S. Cr.	Sig (Se	(See Ch. 105)	
.160	School or Day- Care Center	D.R., Chapter 142 KZC	None	10'	0'	0'	70%	55' above average building elevation.	С	В	See KZC 105.25.	 A six-foot-high fence along the side and rear property lines is required only along the property lines adjacent to the outside play areas. Hours of operation and maximum number of attendees at one time may be limited to reduce impacts on nearby residential uses. An on-site passenger loading area must be provided. The City shall determine the appropriate size of the loading area on a case-by-case basis, depending on the number of attendees and the extent of the abutting right-of-way improvements. Carpooling, staggered loading/ unloading time, right-of-way improvements or other means may be required to reduce traffic impacts on nearby residential uses. The location of parking and passenger loading areas shall be designed to reduce impacts on any nearby residential uses. Electrical signs shall not be permitted. May include accessory living facilities for staff persons.
.170	Entertainment, Cultural and/or Recreational Facility								C See Spec. Reg. 4.			 The use shall be conducted within a wholly enclosed building, unless the parcel abuts the Cross Kirkland Corridor (CKC). Outdoor activities may be located only between the CKC and the building. The structure containing the use shall have been in existence on December 31, 2005, and shall not be altered, changed, or otherwise modified to accommodate the use if the cost of such alteration, change, or modification exceeds 30 percent of the replacement cost of that building. However, expansion of the floor area of this use may not exceed 20 percent of the existing gross floor area of the building. The use must be discontinued when there is an alteration, change, or other work in a consecutive 12-month period to the space in which the use is located, and the cost of the alteration, change or other work exceeds 30 percent of the replacement cost of that space. Landscape Category A or B may be required depending on the type of use on the subject property and the impacts associated with the use on the nearby uses.

Kirkland Zoning Code 328.49



	6					ا	DIRECTIO	ONS: FIRST, read	down to	find	useTHEN, ac	cross for REGULATIONS
.75	IONS			MINI	MUMS		М	AXIMUMS				
Section 55.	T S S S S S S S S S S S S S S S S S S S	Required Review Process	Lot Size		UIRED ee Ch. 1		Coverage	Height of Structure	Landscape Category (See Ch. 95)	င် င်	Required Parking Spaces	Special Regulations
S	\Rightarrow			Front	Side	Rear	Lot 0	Structure	S CE	Sign (See	(See Ch. 105)	(See also General Regulations)
.180	Assisted Living Facility	D.R., Chapter 142 KZC	None	10'	5' but 2 side yards must equal at least 15'. See Spec. Reg. 3.	See Spec. Reg. 4.	70%	65' above average building elevation.	D	A	See KZC 105.25.	 This use is permitted only on parcels located west of the 118th Avenue NE right-of-way alignment (see Housing Incentive Area 5, Plate 37, Chapter 180 KZC). Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use. The side yard may be reduced to zero feet if the side of the dwelling unit is attached to a dwelling unit on an adjoining lot. If one side of a dwelling unit is so attached and the opposite side is not, the side that is not attached must provide a minimum side yard of five feet. The rear yard may be reduced to zero feet if the rear of the dwelling unit is attached to a dwelling unit on an adjoining lot.



USE ZONE CHART

	10					DIF	RECTIC	NS: FIRST,	read do	own to	find useTHE	N, across for REGULATIONS
.12	ATIONS			MININ	NUMS		MA	XIMUMS				
Section 50.13	T GOLAT	Required Review Process	Lot Size		IRED \e Ch. 1	YARDS 115)	Coverage	Height of Structure	Landscape Category (See Ch. 95)	in Category se Ch. 100)	Required Parking Spaces	Special Regulations
S	\Rightarrow			Front	Side	Rear	Lot	Otractare	S)	Sign (See	(See Ch. 105)	I = = = = = = = = = = = = = = = = = = =
	Restaurant or Tavern	D.R., Chapter 142 KZC	None	0'	0'	0'		CBD 1A – 45' above each abut- ting right-of-	D	E	One per each 125 sq. ft. of gross floor area. See KZC 50.60.	Drive-in or drive-through facilities are prohibited.
	Any Retail Estab- lishment, other than those specifically listed, limited or pro- hibited in this zone, selling goods or pro- viding services, excluding banking and related finan- cial services						d. Ro	way. CBD 1B – 55' above each abut- ting right-of- way. etail establish ge services u her permitted	nless acc			 The following uses are not permitted in this zone: Vehicle service stations. The sale, service and/or rental of motor vehicles, sailboats, motor boats, and recreational trailers; provided, that motorcycle sales, service, or rental is permitted if conducted indoors. Drive-in facilities and drive-through facilities. Ancillary assembly and manufacture of goods on the premises of this use are permitted only if: The assembled manufactured goods are directly related to and dependent upon this use, and are available for purchase and removal from the premises. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other retail uses.

(Revised 3/09) 153

	(0					DIF	RECTIO	NS: FIRST,	read do	own to	find useTHE	N, across for REGULATIONS
50.12	ATIONS			MININ	JUMS		MA	XIMUMS				
Section 50	REGULAT	Required Review Process	Lot Size		IRED Yee Ch. 1	_	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
S	\Rightarrow			Front	Side	Rear	Lot (Otructure	CS)	Sig (Se	(See Ch. 105)	(See also General Regulations)
.025	Banking and Related Financial Services See Spec. Reg. 2.	D.R., Chapter 142 KZC	None	0'	0'	0'		CBD 1A – 45' above each abutting right-ofway. CBD 1B – 55' above each abutting right-ofway.	D	E	One per each 350 sq. ft. of gross floor area. See KZC 50.60.	 Drive-through facilities are permitted as an accessory use only if: The drive-through facility is not located on a property that abuts either Park Lane or Lake Street. The drive-through facility existed prior to January 1, 2004, OR the drive-through facility will replace a drive-through facility which existed in CBD 1A or 1B on January 1, 2004, and which drive-through facility:

(Revised 3/09)

Kirkland Zoning Code

154

Zone CBD-1A, 1B

USE ZONE CHART

	(0					DIF	RECTIC	NS: FIRST,	read do	wn to	find useTHE	N, across for REGULATIONS
12	ATIONS			MININ	/IUMS		MA	XIMUMS				
Section 50.12	REGULAT	Required Review Process	Lot Size	REQU (Se	IRED \ee Ch. 1	_	Coverage	Height of Structure	Landscape Category (See Ch. 95)	In Category se Ch. 100)	Required Parking Spaces	Special Regulations
65	\Rightarrow			Front	Side	Rear	Lot (otractare	s) 	Sign ((See Ch. 105)	(See also General Regulations)
.030	Hotel or Motel	D.R., Chapter 142 KZC	None	0'	0'	0'		CBD 1A – 45' above each abut- ting right-of-	D		One for each room. See Spec. Reg. 2 and KZC 50.60.	The following uses are not permitted in this zone: a. Vehicle service stations. b. Vehicle and/or boat sale, repair, service or rental. c. Drive-in facilities and drive-through facilities.
.040	Entertainment, Cultural and/or Recreational Facility							way. CBD 1B – 55' above each abut-			See KZC 50.60 and 105.25.	The parking requirement for hotel or motel use does not include parking requirements for ancillary meetings and convention facilities. Additional parking requirements for ancillary uses shall be determined on a case-by- case basis.
.060	Private Club or Lodge							ting right-of- way.		В	See KZC 50.60 and 105.25.	Ancillary assembly and manufacture of goods on premises may be permitted as part of an office use if:
.070	Office Use									D	One per each 350 sq. ft. of gross floor area. See KZC 50.60.	a. The ancillary assembled or manufactured goods are subordinate to and dependent on this office use; and b. The outward appearance and impacts of this office use with ancillary assembly and manufacturing activities must be no different from other office uses.
.080	Stacked or Attached Dwelling Units									A	See KZC 50.60.	 2. The following regulations apply to veterinary offices only: a. May only treat small animals on the subject property. b. Outside runs and other outside facilities for the animals are not permitted. c. Site must be designed so that noise from this use will not be audible off the subject property. A certification to this effect, signed by an Acoustical Engineer, must be submitted with the D.R. and building permit applications. d. A veterinary office is not permitted if the subject property contains dwelling units.

(Revised 9/15) Kirkland Zoning Code

	10					DIF	RECTIO	ONS: FIRST,	read d	own to	find useTHE	N, across for REGULATIONS
50.12	NO NO			MININ	JUMS		MA	XIMUMS				
Section 50.	T BS BS REGULATIONS	Required Review Process	Lot Size	REQU (Se	IRED Yee Ch. 1	_	Lot Coverage	Height of Structure	Landscape Category (See Ch. 95)	In Category ee Ch. 100)	Required Parking Spaces	Special Regulations
0,	\Rightarrow			Front	Side	Rear	Lot () · (8)	Sign ((See Ch. 105)	(See also General Regulations)
.085		D.R., Chapter 142 KZC	None	0'	0'	0'	100%	CBD 1A – 45' above each abutting right-of-way. CBD 1B – 55' above each abutting right-of-way.	D	A	See Spec. Reg.	 For parking managed pursuant to Special Regulation 2, parking shall be provided at a rate of 0.5 per living unit plus one per on-site employee. Otherwise parking shall be provided at a rate of one per living unit plus one per on-site employee and modifications to decrease the requirement are prohibited. See KZC 50.60. The required parking shall be 0.5 per living unit where the parking is managed as follows and the property owner agrees to the following in a form approved by the City and recorded with King County: Rentals shall be managed such that the total demand for parking does not exceed the available supply of required private parking. If the demand for parking equals or exceeds the supply of required private parking, the property owner shall either restrict occupancy of living units or restrict leasing to only tenants who do not have cars. The property owner shall prepare a Transportation Management Plan (TMP) for review and approval by the City and recording with King County. At a minimum, the TMP shall include the following requirements:

Kirkland Zoning Code (Revised 9/15)



USE ZONE CHART

		(0					DIR	ECTIO	NS: FIRST,	, read do	own to	find useTHE	N, across for REGULATIONS
12		Š O			MINIMU	JMS		MA	XIMUMS				
Section 50.12	Usi	". Regulations	Required Review Process	Lot Size	REQUIR (See	RED Y/ Ch. 11		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
00		\Rightarrow			Front	Side	Rear	Lot	Otractare	(8. [Sig (Se	(See Ch. 105)	(See also General Regulations)
.08	Residen (continue	ial Suites ed)											REGULATIONS CONTINUED FROM PREVIOUS PAGE
													 7) Following the initial survey, the property owner shall submit a biennial survey of residents prepared and conducted by a licensed transportation engineer or other qualified professional documenting on-site and potential off-site parking utilization and alternative commute travel. The Planning Director may increase or decrease the frequency of the survey based on the documented success of the TMP. 8) Acknowledgement by the property owner that it shall be a violation of this code for the actual parking demand for the project to exceed the available supply of required parking or to fail to comply with the provisions of the TMP or reporting requirements. c. After one year of project occupancy, the Planning Official may allow a decrease in the required number of spaces if the number of spaces proposed is documented by an adequate and thorough parking demand and utilization study of the property. The study shall be prepared by a licensed transportation engineer or other qualified professional, and shall analyze the operational characteristics of the use which justify a parking reduction. The scope of the study shall be proposed by the transportation engineer and approved by the City traffic engineer. The study shall provide at least two days of data for morning, afternoon and evening hours, or as otherwise approved or required by the City traffic engineer. 3. All residential suites and all required parking within a project shall be under common ownership and management. 4. Development shall be designed, built and certified to achieve or exceed one or more of the following green building standards: Built Green 5 Star certified, LEED Gold certified, or Living Building Challenge certified. 5. Developments containing this use shall provide common living area available to all residential suite residents. Common living area shall consist of areas such as shared kitchens, dining areas, and community rooms. Areas such as bathrooms, laundries, utility rooms, storage, st

Kirkland Zoning Code 156.1

	10					DIF	RECTIC	NS: FIRST,	read do	wn to	find useTHE	N, across for REGULATIONS
12	ATIONS			MININ	JUMS		MA	XIMUMS				
Section 50.	REGULAT	Required Review Process	Lot Size	REQU (Se	IRED \ e Ch. 1		Coverage	Height of	Landscape Category (See Ch. 95)	n Category e Ch. 100)	Required Parking Spaces	Special Regulations
Ś	⇒			Front	Side	Rear	Lot C	Structure	(So CE	Sign ((See Ch. 105)	
.090	School, Day-Care Center or Mini School or Day-Care Center	D.R., Chapter 142 KZC.	None	0'	0'	0'	100%	CBD 1A – 45' above each abut- ting right-of- way. CBD 1B – 55' above	D	В	See KZC 50.60 and 105.25.	 A six-foot-high fence is required along all property lines adjacent to outside play areas. Hours of operation may be limited by the City to reduce impacts on nearby residential uses. An on-site passenger loading area may be required depending on the number of attendees and the extent of the abutting right-of-way improvements.
.100	Assisted Living Facility							each abut- ting right-of- way.		A	1.7 per independent unit. 1 per assisted living unit. See KZC 50.60.	 A facility that provides both independent dwelling units and assisted living units shall be processed as an assisted living facility. A nursing home use may be permitted as part of an assisted living facility use in order to provide a continuum of care for residents. If a nursing home use is included, the following parking standard shall apply to the nursing home portion of the facility: One parking stall shall be provided for each bed.
.110	Public Utility, Government Facility, or Community Facility								D See Special Reg. 1.	В	See KZC 50.60 and 105.25.	Landscape Category B or C may be required depending on the type of use on the subject property and the impacts associated with the use on nearby uses.
.120	Public Park	Development review proce		rds will b	e detern	nined on	a case-	by-case basis	. See Cha	pter 49	KZC for required	

							DIRE	CTIONS: FII	RST, rea	ad dov	vn to find use	THEN, across for REGULATIONS
	S		ľ	MINIMU	JMS		MA	XIMUMS				
Section 50.17	A BEGULATIONS	Required Review Process	Lot Size	Υ	QUIR 'ARD! e Ch.	3	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	\Rightarrow			Front	Side	Rear	Lot)	is)	(See Ch. 105)	
	A Retail Establishment, other than those specifically listed, limited, or prohibited in this zone, selling goods or providing services, including banking and related financial services	D.R., Chapter 142 KZC.	None	0,	0'	0,		28' above the abutting right-of-way measured at the midpoint of the frontage of the subject property on each right-of-way.	providin unless a	g stora	ed use.	 The following provisions, which supersede any conflicting provisions of this chapter, apply only if the subject property is within 200 feet of or includes a portion of Lake Washington: Chapter 83 KZC contains regulations regarding shoreline setbacks and public pedestrian walkways. No structure, other than moorage structures, may be waterward of the ordinary high water mark. For regulation regarding moorages, see the moorage listings in this zone and Chapter 83 KZC. The following uses are not permitted in this zone: Vehicle service stations. The sale, service and/or rental of motor vehicles, sailboats, motor boats, and recreational trailers; provided, that motorcycle sales, service, or rental is permitted if conducted indoors.
.020	Entertainment, Cultural and/or Recreational Facility										See KZC 50.60 and 105.25.	 c. Drive-in facilities and drive-through facilities. 3. Ancillary assembly and manufacture of goods on the premises of this use are permitted only if: a. The assembled or manufactured goods are directly related to and dependent
.030	Hotel or Motel										One for each room. See Spec. Reg. 4 and KZC 50.60.	upon this use, and are available for purchase and removal from the premises. b. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other retail uses. 4. The parking requirement for hotel or motel use does not include parking requirements for ancillary meetings and convention facilities. Additional parking require-
.040	Restaurant or Tavern										One per each 125 sq. ft. of gross floor area. See KZC 50.60.	ments for ancillary uses shall be determined on a case-by-case basis.

(Revised 8/10) Kirkland Zoning Code
158



USE ZONE CHART

							DIRE	CTIONS: FI	RST, rea	ıd dov	vn to find use	.THEN, across for REGULATIONS
	S S		ı	имими	JMS		MA	XIMUMS				
	Section 30.17	Required Review Process	Lot Size	Y	QUIR (ARDS	S	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	\Rightarrow			Front	Side	Rear	Lot			<u>iS</u> 33	(See Ch. 105)	
-	050 School, Day-Care Center, or Mini School or Day- Care Center	D.R., Chapter 142 KZC.	None	0,	0'	0,		28' above the abutting right-of-way measured at the midpoint of the frontage of the subject property on each right-of-way.	D	E	See KZC 50.60 and 105.25.	 The following provisions, which supersede any conflicting provisions of this chapter, apply only if the subject property is within 200 feet of or includes a portion of Lake Washington: Chapter 83 KZC contains regulations regarding shoreline setbacks and public pedestrian walkways. No structure, other than moorage structures, may be waterward of the ordinary high water mark. For regulations regarding moorages, see the moorage listings in this zone and Chapter 83 KZC. A six-foot-high fence is required along all property lines adjacent to outside play areas. Hours of operation may be limited by the City to reduce impacts on nearby residential uses. An on-site passenger loading area may be required depending on the number of attendees and the extent of the abutting right-of-way improvements.

							DIRE	CTIONS: FI	RST, rea	ad dov	n to find use	.THEN, across for REGULATIONS
_	S S		ı	MINIMU	JMS		MA	AXIMUMS				
Section 50.17		Required Review Process	Lot Size	Y	QUIR ARDS	3	t Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	\Rightarrow			Front	Side	Rear	Lot			0, 0	(See Ch. 105)	(See also General Regulations)
.060	Assisted Living Facility See Spec. Reg. 4.	D.R., Chapter 142 KZC.	None	0,	O'	O'		28' above the abutting right-of-way measured at the midpoint of the frontage of the subject property on each right-of-way.	D	A	1.7 per independent unit. 1 per assisted living unit. See KZC 50.60.	 A facility that provides both independent dwelling units and assisted living units shall be processed as an assisted living facility. A nursing home use may be permitted as part of an assisted living facility use in order to provide a continuum of care for residents. If a nursing home use is included, the following parking standard shall apply to the nursing home portion of the facility: One parking stall shall be provided for each bed. The following provisions, which supersede any conflicting provisions of this chapter, apply only if the subject property is within 200 feet of or includes a portion of Lake Washington:



							DIRE	ECTIONS: FI	RST, rea	ad dov	vn to find use.	THEN, across for REGULATIONS
_	SNO		I	MINIMU	JMS		MA	AXIMUMS				
Section 50.17	IISE E	Required Review Process	Lot Size	Y	QUIR 'ARDS	S	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	\Rightarrow			Front	Side	Rear	Lot		•	is es	(See Ch. 105)	· · · · · · · · · · · · · · · · · · ·
	O Private Club or Lodge O Office Use See Spec. Reg. 3.	D.R., Chapter -142 KZC.	None	0,	0'	0'	100%	28' above the abutting right-of-way measured at the midpoint of the frontage of the subject property on each right-of-way.	D	D	See KZC 50.60 and 105.25. One per 350 sq. ft. of gross floor area. See KZC 50.60.	 The following provisions, which supersede any conflicting provisions of this chapter, apply only if the subject property is within 200 feet of or includes a portion of Lake Washington: Chapter 83 KZC contains regulations regarding shoreline setbacks and public pedestrian walkways. No structure, other than moorage structures, may be waterward of the ordinary high water mark. For regulations regarding moorages, see the moorage listings in this zone and Chapter 83 KZC. Ancillary assembly and manufacture of goods on premises may be permitted as part of an office use if: The ancillary assembled or manufactured goods are subordinate to and dependent on this office use; and The outward appearance and impacts of this office use with ancillary assembly and manufacturing activities must be no different from other office uses. This use may be located on the street level floor of a building only if there is a retail space extending a minimum of 30 feet of the building depth between this use and the abutting right-of-way. The Planning Director may approve a reduction to the depth requirement for the retail space if the applicant demonstrates that the proposed configuration of the retail use provides an adequate dimension for a viable retail tenant and provides equivalent or superior visual interest and potential foot traffic as would compliance with the required dimension. This special regulation shall not apply to properties located south of Second Avenue South. Veterinary offices are not permitted in this zone.

(Revised 9/15)

Kirkland Zoning Code
161

								DIRE	ECTIONS: FI	RST, rea	ad do	wn to find use.	THEN, across for REGULATIONS
_		S		ı	MINIMU	JMS		M.	AXIMUMS				
Section 50.17		<⊅ G	Required Review Process	Lot Size)	QUIR (ARD) e Ch.	S	Lot Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
		\Rightarrow			Front	Side	Rear	Lo) S	(See Ch. 105)	(See also General Regulations)
	Att	nits	D.R., Chapter 142 KZC. Also see Chapter 83 KZC.	None	0'	0'	0'		28' above the abutting right-of-way measured at the midpoint of the frontage of the subject property on each right-of-way.	D	A	See Spec. Reg. 3.	ter, apply only if the subject property is within 200 feet of or includes a portion of Lake Washington: a. Chapter 83 KZC contains regulations regarding shoreline setbacks and public pedestrian walkways. b. No structure, other than moorage structures, may be waterward of the ordinary high water mark. For regulations regarding moorages, see the moorage listings in this zone and Chapter 83 KZC. 2. This use may be located on the street level floor of a building only if there is a retail space extending a minimum of 30 feet of the building depth between this use and the abutting right-of-way. The Planning Director may approve a reduction to the depth requirement for the retail space if the applicant demonstrates that the proposed configuration of the retail use provides an adequate dimension for a viable retail tenant and provides equivalent or superior visual interest and potential foot traffic as would compliance with the required dimension.

Kirkland Zoning Code 162



							DIRE	ECTIONS: FI	RST, re	ad dov	vn to find use.	THEN, across for REGULATIONS
7	S			MINIMU	JMS		MA	XIMUMS				
Section 50.17	C S S S S S S S S S S S S S S S S S S S	Required Review Process	Lot Size	Y	QUIR (ARDS	S	t Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	\Rightarrow			Front	Side	Rear	Lot			S C	(See Ch. 105)	(See also General Regulations)
.09	Residential Suites (continued)											REGULATIONS CONTINUED FROM PREVIOUS PAGE
	(commissed)											 The required parking shall be 0.5 per living unit where the parking is managed as follows and the property owner agrees to the following in a form approved by the City and recorded with King County: Rentals shall be managed such that the total demand for parking does not exceed the available supply of required private parking. If the demand for parking equals or exceeds the supply of required private parking, the property owner shall either restrict occupancy of living units or restrict leasing to only tenants who do not have cars. The property owner shall prepare a Transportation Management Plan (TMP) for review and approval by the City and recording with King County. At a minimum, the TMP shall include the following requirements:

Kirkland Zoning Code 162.1

(Revised 9/13)

							DIRE	CTIONS: FI	RST, re	ad dov	vn to find use.	THEN, across for REGULATIONS
7	S		ı	MINIMU	MS		MA	XIMUMS				
Section 50.17		Required Review Process	Lot Size	Y	QUIRE ARDS Ch. 1	3	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	\Rightarrow			Front	Side	Rear	Lot			Si Si	(See Ch. 105)	
.09	5 Residential Suites (continued)											c. After one year of project occupancy, the Planning Official may allow a decrease in the required number of spaces if the number of spaces proposed is documented by an adequate and thorough parking demand and utilization study of the property. The study shall be prepared by a licensed transportation engineer or other qualified professional, and shall analyze the operational characteristics of the use which justify a parking reduction. The scope of the study shall be proposed by the transportation engineer and approved by the City traffic engineer. The study shall provide at least two days of data for morning, afternoon and evening hours, or as otherwise approved or required by the City traffic engineer. 5. All residential suites and all required parking within a project shall be under common ownership and management. 6. Development shall be designed, built and certified to achieve or exceed one or more of the following green building standards: Built Green 5 Star certified, LEED Gold certified, or Living Building Challenge certified. 7. Developments containing this use shall provide common living area available to all residential suite residents. Common living area shall consist of areas such as shared kitchens, dining areas, and community rooms. Areas such as bathrooms, laundries, utility rooms, storage, stairwells, mailrooms, and hallways shall not be counted as common living area. The minimum amount of common living area for each project shall be 250 square feet plus an additional 20 square feet per living unit.
	Public Access Facility	Chapter 142 KZC. Also see Chapter 83	None	Landwa ordinary mark 0' Landwa ordinary mark	y high v O' ard of ti	water 0' he		See Chapter 83 KZC.	See Chap- ter 83 KZC.	See Chap- ter 83 KZC.	See KZC 105.25.	Refer to Chapter 83 KZC for additional regulations.
.11	Dwelling Unit 5 Piers, Docks, Boat Lifts and Canopies Serving Detached, Attached or Stacked Dwelling Units			0'	0'	0'						



USE ZONE CHART

							DIRE	ECTIONS: FI	RST, rea	ad dov	n to find use	.THEN, across for REGULATIONS
7	S		ľ	имими	JMS		MA	AXIMUMS				
Section 50.17	← S FEGULATIONS	Required Review Process	Lot Size	Y	QUIR (ARD) e Ch.	S	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	\Rightarrow			Front	Side	Rear	Ę		- 9	is (S	(See Ch. 105)	
.120		D.R., Chapter 142 KZC. Also see Chapter 83 KZC.	None	0,	0'	0,	100%	Landward of the ordinary high water mark, 28' above the abutting right-of-way measured at the midpoint of the frontage of the subject property on each right-of- way.	See Spec. Reg. 3.	В	See KZC 50.60 and 105.25.	 Refer to Chapter 83 KZC for additional regulations. The following accessory components are allowed if approved through Process IIB, Chapter 152 KZC: Gas and oil sale for boats, if:
	Tour Boat								See Spec.			 Refer to Chapter 83 KZC for additional regulations. The City may require the applicant to install a buffer between the subject property
.126	Passenger Only Ferry Terminal Water Taxi Boat Launch (motorized boats)								Reg. 2.			and adjoining property. The City will use the requirements of Chapter 95 KZC as a guide for requiring a buffer.

(Revised 8/10) Kirkland Zoning Code

Zone CBD-2 USE ZONE CHART

							DIRE	CTIONS: FII	RST, rea	ad dov	vn to find use	.Tŀ	HEN, across for REGULATIONS
2	SNOI		I	МІМІМ	JMS		MA	AXIMUMS					
Section 50.1	Ç ⊒ S BEGULATIO	Required Review Process	Lot Size	Υ	QUIR 'ARD! e Ch.	S	Coverage	Height of Structure	Landscape Category (See Ch. 95)	4	Required Parking Spaces		Special Regulations
	\Rightarrow			Front	Side	Rear	Lot			<u>v</u>	(See Ch. 105)		(See also General Regulations)
.140	Public Utility Government Facility Community Facility	Chapter 142 KZC.	None	0,	0'	0,	100%	28' above the abutting right-of-way measured at the midpoint of the frontage of the subject property on each right-of-way.	D	В	See KZC 50.60 and 105.25.	1.	May be permitted only if locating this use in the immediate area of subject property is necessary to permit efficient service to the area or the City as a whole. No structures, other than moorage structures, may be waterward at the ordinary high water mark. For regulations regarding moorages, see the moorage listings in this zone and Chapter 83 KZC.
.160	Public Park		iew proce					ase-by-case bander the Shore					

(Revised 8/10)

Kirkland Zoning Code

164

								DIR	ECTIONS: FIRS	T, read	down	to find useTh	HEN, across for REGULATIONS
72		S			MINIM	UMS		N	MAXIMUMS				
Section 50.27	USE	REGULATIONS	Required Review Process	Lot Size	(See	QUIRE ARDS Ch. 1	S 115)	Lot Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
		L			Front	Side	Rear	-				(,
.010	Entertain Cultural, Recreation Facility	and/or	D.R., Chapter 142 KZC.	None	20' See Spec. Reg.	0'	0'	See Spec. Reg.	41' above average building elevation.	D See Spec. Reg. 3.	E	See KZC 105.25.	Primary vehicular access to the subject property may not be directly from Second Avenue South between Second Street South and State Street unless no other alternative exists. The parking requirement for hotel or motel use does not include parking require-
.020	Hotel or I	Motel			4.			4.				One for each room. See Spec. Reg. 2.	 ments for ancillary meetings and convention facilities. Additional parking requirements for ancillary uses shall be determined on a case-by-case basis. Landscape Category B is required if the subject property is adjacent to Planned Areas 6D or 6J. The required front yard for this use shall be zero feet for one story at street level. No parking may encroach into the required 20-foot front yard. If this use provides a zero-foot front yard, the lot coverage for the entire property shall be 100 percent.
.030	Restaura Tavern	nt or										One per each 125 sq. ft. of gross floor area.	 Primary vehicular access to the subject property may not be directly from Second Avenue South between Second Street South and State Street unless no other alternative exists. Drive-in facilities and drive-through facilities are not permitted in this zone. Landscape Category B is required if the subject property is adjacent to Planned Areas 6D or 6J. The required front yard for this use shall be zero feet for one story at street level. No parking may encroach into the required 20-foot front yard. If this use provides a zero-foot front yard, the lot coverage for the entire property shall be 100 percent.

Kirkland Zoning Code (Revised 4/16)



								DIR	ECTIONS: FIRS	T, read o	down	to find useTh	HEN, across for REGULATIONS
22		NS			MINIMU	UMS		N	MAXIMUMS				
Section 50.27	USE	REGULATIONS	Required Review Process	Lot Size	Y	QUIRI ARDS	3	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
		\Rightarrow			Front	Side	Rear	Lot			<u>is</u> 99	(See Ch. 105)	
.040	Any Retail Establishn other than specifically limited, or prohibited zone, selli goods or providing services including b and relate financial s	ment, in those y listed, in this ing	D.R., Chapter 142 KZC.	None	20' See Spec. Reg. 5.	0'	0'	80% See Spec. Reg. 5.	vation. d. Retail storage s	D See Spec. Reg. 4.	nless a	One per each 350 sq. ft. of gross floor area.	 The following uses are not permitted in this zone: a. Vehicle service stations. b. The sale, service and/or rental of motor vehicles, sailboats, motor boats, and recreational trailers; provided, that motorcycle sales, service, or rental is permitted if conducted indoors. c. Drive-in facilities and drive-through facilities. Primary vehicular access to the subject property may not be directly from Second Avenue South between Second Street South and State Street unless no other alternative exists. Ancillary assembly and manufacture of goods on the premises of this use are permitted only if: a. The assembled or manufactured goods are directly related to and dependent upon this use, and are available for purchase and removal from the premises. b. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other retail uses. Landscape Category B is required if the subject property is adjacent to Planned Areas 6D or 6J. The required front yard for this use shall be zero feet for one story at street level. No parking may encroach into the required 20-foot front yard. If this use provides a zero-foot front yard, the lot coverage for the entire property shall be 100 percent.

(Revised 4/16) Kirkland Zoning Code

								DIR	ECTIONS: FIRS	T, read o	down t	to find useTh	HEN, across for REGULATIONS
7	1	SZ			MINIM	UMS		N	MAXIMUMS				
Soction 50 27		REGULATIONS	Required Review Process	Lot Size	Y	QUIRI ARDS Ch. 1	S 115)	Lot Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
.0	Club	Lodge or pec. Reg.	D.R., Chapter 142 KZC.	None	20' See Spec. Reg. 4.	0'	0'	80%	41' above average building elevation.	D See Spec. Reg. 2.	В	See KZC 105.25.	 Primary vehicular access to the subject property may not be directly from Second Avenue South between Second Street South and State Street unless no other alternative exists. Landscape Category C is required if the subject property is adjacent to Planned Areas 6D or 6J. This use may be located on the street level floor of a building only if there is a retail space extending a minimum of 30 feet of the building depth between this use and the abutting right-of-way. The Planning Director may approve a reduction to the depth requirement for the retail space if the applicant demonstrates that the proposed configuration of the retail use provides an adequate dimension for a viable retail tenant and provides equivalent or superior visual interest and potential foot traffic as would compliance with the required dimension. This special regulation shall not apply along portions of State Street and Second Avenue South not designated as pedestrian-oriented streets. Ground floor porches and similar entry features may encroach into the required front yard, provided the total horizontal dimensions of such elements may not exceed 25 percent of the length of the facade of the structure.



									DIR	ECTIONS: FIRS	T, read	down	to find useTh	HEN, across for REGULATIONS
١	,		S			MINIM	UMS		N	MAXIMUMS				
;	Section 50.27	USE	REGULATIONS	Required Review Process	Lot Size	Y	QUIR ARDS	3	: Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
			\Rightarrow			Front	Side	Rear	Lot			S	(See Ch. 105)	(See also General Regulations)
.1		Office Us See Spe 5.		D.R., Chapter 142 KZC.	None	20' See Spec. Regs. 5 and 6.	0'	0,	80%	41' above average building elevation.	D See Spec. Reg. 4.	D	One per each 350 sq. ft. of gross floor area.	 Primary vehicular access to the subject property may not be directly from Second Avenue South between Second Street South and State Street unless no other alternative exists. The following regulations apply to veterinary offices only: a. May only treat small animals on the subject property. b. Outside runs and other outside facilities for the animals are not permitted. c. Site must be designed so that noise from this use will not be audible off the subject property. A certification to this effect, signed by an acoustical engineer, must be submitted with the D.R. and building permit applications. d. A veterinary office is not permitted if the subject property contains dwelling units. Ancillary assembly and manufacture of goods on the premises of this use are permitted only if: a. The assembled or manufactured goods are directly related to and dependent upon this use, and are available for purchase and removal from the premises. b. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other retail uses. Landscape Category C is required if the subject property is adjacent to Planned Areas 6D or 6J. This use may be located on the street level floor of a building only if there is a retail space extending a minimum of 30 feet of the building depth between this use and the abutting right-of-way (see KZC 50.64 for limited exceptions). The Planning Director may approve a reduction to the depth requirement for the retail space if the applicant demonstrates that the proposed configuration of the retail use provides an adequate dimension for a viable retail tenant and provides equivalent or superior visual interest and potential foot traffic as would compliance with the required dimension. This special

Kirkland Zoning Code 169

								DIR	ECTIONS: FIRS	T, read	down	to find useTh	HEN, across for REGULATIONS
7:		S			MINIM	JMS		N	MAXIMUMS				
Section 50.27	USE	REGULATIONS	Required Review Process	Lot Size	Y	QUIR ARDS Ch.	3	Lot Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	C	\Rightarrow			Front	Side	Rear	2			S	(See Ch. 105)	(See also General Regulations)
.070	Stacked or Attached Dwelling U See Spec. 1.	Jnits	D.R., Chapter 142 KZC.	None	20' See Spec. Reg. 2.	0'	0'	80%	41' above average building elevation.	D	A	1.2 per studio unit. 1.3 per 1 bedroom unit. 1.6 per 2 bedroom unit. 1.8 per 3 or more bedroom unit. See KZC 105.20 for visitor parking requirements.	 This use may be located on the street level floor of a building only if there is a retail space extending a minimum of 30 feet of the building depth between this use and the abutting right-of-way. The Planning Director may approve a reduction to the depth requirement for the retail space if the applicant demonstrates that the proposed configuration of the retail use provides an adequate dimension for a viable retail tenant and provides equivalent or superior visual interest and potential foot traffic as would compliance with the required dimension. This special regulation shall not apply along portions of State Street and Second Avenue South not designated as pedestrian-oriented streets. Ground floor porches and similar entry features may encroach into the required front yard, provided the total horizontal dimensions of such elements may not exceed 25 percent of the length of the facade of the structure.
.075	Residentia Suites	al										See Spec. Reg. 3.	 This use may be located on the street level floor of a building only if there is a retail space extending a minimum of 30 feet of the building depth between this use and the abutting right-of-way. The Planning Director may approve a reduction to the depth requirement for the retail space if the applicant demonstrates that the proposed configuration of the retail use provides an adequate dimension for a viable retail tenant and provides equivalent or superior visual interest and potential foot traffic as would compliance with the required dimension. This special regulation shall not apply along portions of State Street and Second Avenue South not designated as pedestrian-oriented streets. Ground floor porches and similar entry features may encroach into the required front yard, provided the total horizontal dimensions of such elements may not exceed 25 percent of the length of the facade of the structure. For parking managed pursuant to Special Regulation 4, parking shall be provided at a rate of 0.5 per living unit plus one per on-site employee. Otherwise parking shall be provided at a rate of one per living unit plus one per on-site employee and modifications to decrease the requirement are prohibited. See KZC 50.60.



								DIRE	ECTIONS: FIRS	T, read	down	to find useTh	HEN, across for REGULATIONS
7		S			MINIM	UMS		M	AXIMUMS				
Section 50.27	USE	REGULATIONS	Required Review Process	Lot Size	Υ	QUIR ARDS	3	Lot Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
		\Rightarrow			Front	Side	Rear	Lo			0, 0	(See Ch. 105)	(See also General Regulations)
.075	Residen Suites	tial											REGULATIONS CONTINUED FROM PREVIOUS PAGE
	(continue	ed)											 4. The required parking shall be 0.5 per living unit where the parking is managed as follows and the property owner agrees to the following in a form approved by the City and recorded with King County: a. Rentals shall be managed such that the total demand for parking does not exceed the available supply of required private parking. If the demand for parking equals or exceeds the supply of required private parking, the property owner shall either restrict occupancy of living units or restrict leasing to only tenants who do not have cars. b. The property owner shall prepare a Transportation Management Plan (TMP) for review and approval by the City and recording with King County. At a minimum, the TMP shall include the following requirements: 1) Charge for on-site parking, unbundled from the rent, for tenants who have cars. 2) Bus pass or equivalent alternative transportation mode subsidies for tenants who do not have cars. 3) Lease provisions and monitoring requirements for the property owner to ensure that tenants are not parking off site to avoid parking charges. 4) Adequate secured and sheltered bicycle parking to meet anticipated demand. 5) Designation of a Transportation Coordinator to manage the TMP, provide commute information to all new tenants, and be a point of contact for the City. 6) At the time the project attains 90 percent occupancy, the property owner shall provide an accurate and detailed report of initial resident parking demand and alternative commute travel. The report format shall be reviewed and approved by the City. 7) Following the initial survey, the property owner shall submit a biennial survey of residents prepared and conducted by a licensed transportation engineer or other qualified professional documenting on-site and potential off-site parking utilization and alternative commute travel. The Planning Director may increase or decrease the frequency of the survey based on the documented success o

Kirkland Zoning Code

								DIR	ECTIONS: FIRS	T, read o	lown	to find useTh	HEN, across for REGULATIONS
7:		S			MINIM	JMS		N	IAXIMUMS				
Section 50.27	USE	REGULATIONS	Required Review Process	Lot Size	(See	QUIRI ARDS Ch. 1) 15) 	Lot Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
		\Rightarrow			Front	Side	Rear	Ľ				(See Cii. 105)	(See also General Regulations)
.075	Residenti Suites	ial											REGULATIONS CONTINUED FROM PREVIOUS PAGE
	(continue	d)											 8) Acknowledgement by the property owner that it shall be a violation of this code for the actual parking demand for the project to exceed the available supply of required parking or to fail to comply with the provisions of the TMP or reporting requirements. c. After one year of project occupancy, the Planning Official may allow a decrease in the required number of spaces if the number of spaces proposed is documented by an adequate and thorough parking demand and utilization study of the property. The study shall be prepared by a licensed transportation engineer or other qualified professional, and shall analyze the operational characteristics of the use which justify a parking reduction. The scope of the study shall be proposed by the transportation engineer and approved by the City traffic engineer. The study shall provide at least two days of data for morning, afternoon and evening hours, or as otherwise approved or required by the City traffic engineer. 5. All residential suites and all required parking within a project shall be under common ownership and management. 6. Development shall be designed, built and certified to achieve or exceed one or more of the following green building standards: Built Green 5 Star certified, LEED Gold certified, or Living Building Challenge certified. 7. Developments containing this use shall provide common living area available to all residential suite residents. Common living area shall consist of areas such as shared kitchens, dining areas, and community rooms. Areas such as bathrooms, laundries, utility rooms, storage, stairwells, mailrooms, and hallways shall not be counted as common living area. The minimum amount of common living area for each project shall be 250 square feet plus an additional 20 square feet per living unit.
.080	Detached Dwelling		None	3,000 sq. ft.	20'	5'	10'	70%	If adjoining a low density zone, then 25' above average building elevation. Other- wise, 30' above average building elevation.	D	A	2.0 per unit.	For this use, only one dwelling unit may be on each lot regardless of size. This use may only be located west of State Street. Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities, and activities associated with this use.

Kirkland Zoning Code 176

(Revised 9/13)



								DIR	ECTIONS: FIRS	T, read	down	to find useTh	HEN, across for REGULATIONS
72		S			MINIM	JMS		N	MAXIMUMS				
Section 50.27	USE	REGULATIONS	Required Review Process	Lot Size	Y	QUIRE ARDS Ch. 1	5	Lot Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
		\Rightarrow			Front	Side	Rear	Lot			i5 50 	(See Ch. 105)	·
.090	Church		D.R., Chapter 142 KZC.	None	20' See Spec. Reg. 4.	0'	0'		41' above average building elevation.	D See Spec. Reg. 3.	В	One per every four people based on maxi- mum occu- pancy of any area of worship. See Spec. Reg. 2.	 Primary vehicular access to the subject property may not be directly from Second Avenue South between Second Street South and State Street unless no other alternative exists. No parking is required for day-care or school ancillary to the use. Landscape Category C is required if the subject property is adjacent to Planned Areas 6D, or 6J. Ground floor porches and similar entry features may encroach into the required front yard, provided the total horizontal dimensions of such elements may not exceed 25 percent of the length of the facade of the structure.
.100	School, I Care Cer Mini-Sch Day-Care	nter, or ool or			20' See Spec. Reg. 5.					D		See KZC 105.25.	 A six-foot-high fence is required along all property lines adjacent to outside play areas. Primary vehicular access to the subject property may not be directly from Second Avenue South between Second Street South and State Street unless no other alternative exists. Hours of operation may be limited by the City to reduce impacts on nearby residential uses. An on-site passenger loading area may be required depending on the number of attendees and the extent of the abutting right-of-way improvements. Ground floor porches and similar entry features may encroach into the required front yard, provided the total horizontal dimensions of such elements may not exceed 25 percent of the length of the facade of the structure.

Kirkland Zoning Code (Revised 4/16)

								DIR	ECTIONS: FIRS	T, read o	down	to find useTh	HEN, across for REGULATIONS
7:		S			MINIM	UMS		N	MAXIMUMS				
Section 50.27	USE	REGULATIONS	Required Review Process	Lot Size	Υ	QUIRI ARDS Ch. 1	3	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
		\Rightarrow			Front	Side	Rear	Lot			S S	(See Ch. 105)	
.110	Assisted L Facility See Speci ulation 3.	J	Chapter	None	20'	0'	0,	80%	41' above average building elevation.	D	A	1.7 per independent unit. 1 per assisted living unit.	 A facility that provides both independent dwelling units and assisted living units shall be processed as an assisted living facility. A nursing home use may be permitted as part of an assisted living facility use in order to provide a continuum of care for residents. If a nursing home use is included, the following parking standard shall apply to the nursing home portion of the facility: One parking stall shall be provided for each bed. This use may be located on the street level floor of a building only if there is a retail space extending a minimum of 30 feet of the building depth between this use and the abutting right-of-way. The Planning Director may approve a reduction to the depth requirement for the retail space if the applicant demonstrates that the proposed configuration of the retail use provides an adequate dimension for a viable retail tenant and provides equivalent or superior visual interest and potential foot traffic as would compliance with the required dimension. This special regulation shall not apply along portions of State Street and Second Avenue South not designated as pedestrian-oriented streets. Ground floor porches and similar entry features may encroach into the required front yard, provided the total horizontal dimensions of such elements may not exceed 25 percent of the length of the facade of the structure.
.120	Public Util	lity			20' See Spec. Reg.					C See Special Reg. 1.			Landscape Category A or B may be required depending on the type of use on the subject property and the impacts associated with the use on nearby uses. Landscape Category C is required if the subject property is adjacent to Planned Areas 6D, or 6J.
.130	Governme Facility or Communit Facility				3.					D See Special Regs. 1 and 2.			Ground floor porches and similar entry features may encroach into the required front yard, provided the total horizontal dimensions of such elements may not exceed 25 percent of the length of the facade of the structure.
.140	Public Par	rk	Developmer required rev			oe dete	ermined	on a c	ase-by-case basis	. See Cha	pter 49	KZC for	

Kirkland Zoning Code (Revised 4/16)

							DIR	RECTIONS: FIR	RST, read	down t	o find useTHE	N, across for REGULATIONS
22	S			MINIM	UMS		М	AXIMUMS				
Section 50.32	<	Required Review Process	Lot Size	Y	QUIRI ARDS Ch.	3	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	ightharpoons			Front	Side	Rear	Lot			is es	(See Ch. 105)	(See also General Regulations)
.010	Restaurant or Tavern	D.R., Chapter 142 KZC.	None	0'	0'	0'		54' above average building elevation or existing grade.	D	E	One per each 125 sq. ft. of gross floor area.	 No aspect or component of this use, including open dining areas, may be oriented towards Second Avenue South. Primary vehicular access to the subject property may not be directly from Second Avenue South between Second Street South and State Street unless no other alternative exists. Drive-in or drive-through facilities are prohibited.
.020	Entertainment, Cultural or Recreational Facility										See KZC 50.60 and 105.25.	No aspect or component of this use, including hotel/motel rooms and open dining areas, may be oriented toward Second Avenue South. Primary vehicular access to the subject property may not be directly from Second Avenue South between Second Street South and State Street unless no other alternative exists.
.030	Hotel or Motel										One for each room. See Spec. Reg. 3.	3. The parking requirement for hotel or motel use does not include parking requirements for ancillary meetings and convention facilities. Additional parking requirements for ancillary uses shall be determined on a case-by-case basis.
	Any Retail Establishment, other than those specifically listed, limited, or prohibited in this zone, selling goods or providing services including banking and related financial services							d. Retail estab storage service another permitt	s unless a			 The following uses are not permitted in this zone: Vehicle service stations. The sale, service and/or rental of motor vehicles, sailboats, motor boats, and recreational trailers; provided, that motorcycle sales, service, or rental is permitted if conducted indoors. Drive-in facilities and drive-through facilities. Primary vehicular access to the subject property may not be directly from Second Avenue South between Second Street South and State Street unless no other alternative exists. Ancillary assembly and manufacture of goods on the premises of this use are permitted only if: The assembled or manufactured goods are directly related to and dependent upon this use and are available for purchase and removal from the premises. The outward appearance and impacts of this use with ancillary assembly
.050	Private Lodge or Club			10'	-					В	See KZC 105.25.	or manufacturing activities must be no different from other retail uses. 1. Primary vehicular access to the subject property may not be directly from Second Avenue South between Second Street South and State Street unless no other alternative exists.

Kirkland Zoning Code (Revised 4/16)



							DIF	RECTIONS: FIR	ST, read	down t	o find useTHE	N, across for REGULATIONS
22	S			MINIM	UMS		M	IAXIMUMS				
Section 50.32	Ç SEGULATIONS	Required Review Process	Lot Size	Y	QUIR ARDS	3	Lot Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	\Rightarrow			Front	Side	Rear	Lot			S	(See Ch. 105)	(See also General Regulations)
.060	Office Use	D.R., Chapter 142 KZC.	None	10'	0,	0,	100%	54' above average building elevation or existing grade.	D	D	One per each 350 sq. ft. of gross floor area.	 The following regulations apply to veterinary offices only: May only treat small animals on the subject property. Outside runs and other outside facilities for the animals are not permitted. Site must be designed so that noise from this use will not be audible off the subject property. A certification to this effect, signed by an Acoustical Engineer, must be submitted with the D.R. and building permit applications. A veterinary office is not permitted if the subject property contains dwelling units. Ancillary assembly and manufacture of goods on premises may be permitted as part of an office use if: The ancillary assembled or manufactured goods are subordinate to and dependent on this office use; and The outward appearance and impacts of this office use with ancillary assembly and manufacturing activities must be no different from other office uses. Primary vehicle access to the subject property may not be directly from Second Avenue South between Second Street South and State Street unless no other alternative exists.
.070	Church									В	One per every 4 people based on maximum occu- pancy load of any area of worship. See Spec. Reg. 2.	 Primary vehicular access to the subject property may not be directly from Second Avenue South between Second Street South and State Street unless no other alternative exists. No parking is required for daycare or school ancillary to the use.
.080	Stacked or Attached Dwell- ing Units									A	1.2 per studio unit. 1.3 per 1 bedroom unit. 1.6 per 2 bedroom unit. 1.8 per 3 or more bedroom unit. See KZC 105.20 for visitor parking requirements.	

Kirkland Zoning Code

(Revised 4/16)

							DIF	RECTIONS: FIF	RST, read	down t	to find useTHE	N, across for REGULATIONS
2	S			MINIM	UMS		М	AXIMUMS				
Section 50.32	Ć T S S S S S S S S S S S S S S S S S S	Required Review Process	Lot Size)	QUIR (ARDS	3	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	\Rightarrow			Front	Side	Rear	Lot			is s)	(See Ch. 105)	(See also General Regulations)
.03	Residential Suites	D.R., Chapter 142 KZC.	None	10'	0'	0'	100%	54' above average building elevation or existing grade.	D	A	See Spec. Reg. 1.	 For parking managed pursuant to Special Regulation 2, parking shall be provided at a rate of 0.5 per living unit plus one per on-site employee. Otherwise parking shall be provided at a rate of one per living unit plus one per on-site employee and modifications to decrease the requirement are prohibited. See KZC 50.60. The required parking shall be 0.5 per living unit where the parking is managed as follows and the property owner agrees to the following in a form approved by the City and recorded with King County: Rentals shall be managed such that the total demand for parking does not exceed the available supply of required private parking. If the demand for parking equals or exceeds the supply of required private parking, the property owner shall either restrict occupancy of living units or restrict leasing to only tenants who do not have cars. The property owner shall prepare a Transportation Management Plan (TMP) for review and approval by the City and recording with King County. At a minimum, the TMP shall include the following requirements:

(Revised 4/16)

Kirkland Zoning Code
182



							DIR	ECTIONS: FIR	RST, read	down t	o find useTHE	N, across for REGULATIONS
32	S			MINIM	UMS		M	AXIMUMS				
Section 50.32	←	Required Review Process	Lot Size	(See	QUIR (ARD) e Ch.	3	Lot Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
.085	Residential				ı		ı					REGULATIONS CONTINUED FROM PREVIOUS PAGE
	Suites (continued)											 7) Following the initial survey, the property owner shall submit a biennial survey of residents prepared and conducted by a licensed transportation engineer or other qualified professional documenting on-site and potential off-site parking utilization and alternative commute travel. The Planning Director may increase or decrease the frequency of the survey based on the documented success of the TMP. 8) Acknowledgement by the property owner that it shall be a violation of this code for the actual parking demand for the project to exceed the available supply of required parking or to fail to comply with the provisions of the TMP or reporting requirements. c. After one year of project occupancy, the Planning Official may allow a decrease in the required number of spaces if the number of spaces proposed is documented by an adequate and thorough parking demand and utilization study of the property. The study shall be prepared by a licensed transportation engineer or other qualified professional, and shall analyze the operational characteristics of the use which justify a parking reduction. The scope of the study shall be proposed by the transportation engineer and approved by the City traffic engineer. The study shall provide at least two days of data for morning, afternoon and evening hours, or as otherwise approved or required by the City traffic engineer. 3. All Residential Suites and all required parking within a project shall be under common ownership and management. 4. Development shall be designed, built and certified to achieve or exceed one or more of the following green building standards: Built Green 5 Star certified, LEED Gold certified, or Living Building Challenge certified. 5. Developments containing this use shall provide common living area available to all residential suite residents. Common living area shall consist of areas such as shared kitchens, dining areas, and community rooms. Areas such as bathrooms, laundries, utility rooms, storage, st

Kirkland Zoning Code 183

Zone CBD-4 USE ZONE CHART

							DIF	RECTIONS: FIR	ST, read	down	to find useTHE	N, across for REGULATIONS
32	SZ			MINIM	UMS		М	AXIMUMS				
Section 50.32	Ć∐ S BEGULATIONS	Required Review Process	Lot Size	Y	QUIRI ARDS Ch. 1	3	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	\Rightarrow			Front	Side	Rear	Lot			S	(See Ch. 105)	(See also General Regulations)
.090	School, Day-Care or Mini-School or Day-Care Center	Chapter	None	10'	0'	0'		54' above average building elevation or existing grade.	D	В	See KZC 105.25.	 A six-foot-high fence is required along all property lines adjacent to outside play areas. Primary vehicular access to the subject property may not be directly from Second Avenue South between Second Street South and State Street unless no other alternative exists. Hours of operation may be limited by the City to reduce impacts on nearby residential uses. An on-site passenger loading area may be required depending on the number of attendees and the extent of the abutting right-of-way improvements.
.100	Assisted Living Facility									A	1.7 per independent unit. 1 per assisted living unit.	A facility that provides both independent dwelling units and assisted living units shall be processed as an assisted living facility. A nursing home use may be permitted as part of an assisted living facility use in order to provide a continuum of care for residents. If a nursing home use is included, the following parking standard shall apply to the nursing home portion of the facility: a. One parking stall shall be provided for each bed.
.110	Detached Dwelling Units		3,600 sq. ft.	20'	5'	10'	60%	If adjoining a low density zone, then 25' above average building eleva- tion. Otherwise, 30' above build- ing elevation.	E	A	2.0 per unit.	For this use, only one dwelling unit may be on each lot regardless of lot size. Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities, and activities associated with this use.
.120	Public Utility, Government Facility, or Com- munity Facility	D.R., Chapter 142 KZC.	None	10'	0'	0'		54' above average building elevation of existing grade.	D	В	See KZC 105.25.	
.130	Public Park	Developme review proc		ards will	be det	ermine	d on a	case-by-case bas	sis. See Ch	apter 49	KZC for required	

(Revised 4/16) Kirkland Zoning Code

						DII	RECT	ONS: FIRS	T, read do	wn to	find useTHE	N, across for REGULATIONS
35	S			MINIM	UMS		MA	XIMUMS				
Section 50.35	⊐ S REGULATIONS	Required Review Process	Lot Size	Y	QUIRE 'ARDS e Ch. 1	3	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	$ \ \downarrow \downarrow $			Front	Side	Rear	Lot			Si Si	(See Ch. 105)	(See also General Regulations)
.010	Restaurant or Tavern	D.R., Chapter 142 KZC.	None	20'	0'	0'	80%	67' above average building elevation.	В	Е	One per each 125 sq. ft. of gross floor area.	 For restaurants with drive-in or drive-through facilities: One outdoor waste receptacle shall be provided for every eight parking stalls. Access for drive-through facilities shall be approved by the Public Works Department. Drive-through facilities shall be designed so that vehicles will not block traffic in the right-of-way while waiting in line to be served. Landscape Category A shall apply.
.030	Entertainment, Cultural and/or Recreational Facility										See KZC 105.25.	The parking requirements for hotel or motel use do not include parking requirements for ancillary meetings and convention facilities. Additional parking requirements for ancillary uses shall be determined on a case-by-
.040	Hotel or Motel										One per each room. See Spec. Reg. 1.	case basis.
.050	Any Retail Establishment, other than those specifically listed, limited, or prohibited in the zone, selling goods, or providing services including banking and related financial services							storag	ail establish e services u r permitted	nless a	One per each 350 sq. ft. of gross floor area. providing accessory to	 The following uses are not permitted in this zone: Vehicle service stations. The sale, service and/or rental of motor vehicles, sailboats, motor boats, and recreational trailers; provided, that motorcycle sales, service, or rental is permitted if conducted indoors. Access for drive-through facilities must be approved by the Public Works Department. Ancillary assembly and manufacture of goods on the premises of this use are permitted only if: The assembled or manufactured goods are directly related to and dependent upon this use and are available for purchase and removal from the premises. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other retail uses.
.060	Private Lodge or Club								С	В	See KZC 105.25.	

(Revised 4/16)

Kirkland Zoning Code
186



						DII	RECT	ONS: FIRS	Γ, read do	wn to	find useTHEN	N, across for REGULATIONS
35	S			MINIMU	JMS		MA	XIMUMS				
Section 50.35	J S B REGULATIONS	Required Review Process	Lot Size	Y	QUIRE ARDS Ch. 1	5	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	$ \stackrel{\wedge}{ } \Rightarrow$			Front	Side	Rear	Lot			is so	(See Ch. 105)	(See also General Regulations)
.07	Office Use	D.R., Chapter 142 KZC.	None	20'	0'	0'	80%	67' above average building ele- vation. See Spec. Reg. 3.	С	D	One per each 350 sq. ft. of gross floor area.	 Ancillary assembly and manufacture of goods on premises may be permitted as part of an office use if: The ancillary assembled or manufactured goods are subordinate to and dependent on this office use; and The outward appearance and impacts of this office use with ancillary assembly and manufacturing activities must be no different from other office uses. The following regulations apply to veterinary office only: May only treat small animals on the subject property. Outside runs and other outside facilities for the animals are not permitted. Site must be designed so that noise from this use will not be audible off the subject property. A certification to this effect, signed by an Acoustical Engineer, must be submitted with the D.R. and building permit applications. A veterinary office is not permitted if the subject property contains dwelling units. For property adjoining Peter Kirk Park, 80 feet above average building elevation, if following is provided: At least 50 percent of gross floor area is office use. A minimum 54-foot-wide improved easement street from Parkplace to Kirkland Way which meets the requirements for the Park Promenade in the Parkplace Master Plan. The design must be approved by the Planning and Building Department and the Public Works Department. REGULATIONS FOR THIS USE CONTINUED ON THE NEXT PAGE

Kirkland Zoning Code 186.1

						DIF	RECTI	ONS: FIRS	Γ, read do	wn to	find useTHEN	l, across for REGULATIONS
35	S			MINIM	UMS		MA	XIMUMS				
Section 50.35	⊐ S BS REGULATIONS	Required Review Process	Lot Size	Y	QUIRI 'ARDS e Ch. 1	3	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	$ \ \downarrow \downarrow $			Front	Side	Rear	Lot			<u> </u>	(See Ch. 105)	(See also General Regulations)
.070	Office Use (Continued)											REGULATIONS CONTINUED FROM PREVIOUS PAGE c. The street level of all buildings shall be limited to one or more of the following uses: Retail; Restaurant or Tavern; Banking and Related Financial Services; Entertainment, Cultural and/or Recreational Facility; Parks; Government Facility; or Community Facility. At least one of the street level tenant spaces must be a minimum area of 9,000 square feet. The required uses shall have a minimum depth of 20 feet and an average depth of at least 30 feet (as measured from the face of the building on the Park Promenade). The Design Review Board (or Planning Director if not subject to D.R.) may approve a minor reduction in the depth requirements if the applicant demonstrates that the requirement is not feasible given the configuration of existing or proposed improvements and that the design of the retail frontage will maximize visual interest. Lobbies for office uses may be allowed within this space subject to applicable design guidelines. d. A minimum 2,000-square-foot public plaza that relates to Kirkland Way, the Kirkland Performance Center and Peter Kirk Park. The design must be approved by the Design Review Board. e. Public art on site valued at a minimum of \$10,000. The art must be reviewed and approved by the Kirkland Cultural Arts Commission. f. The project must be built to LEED silver or comparable standard.
.080	Church	D.R., Chapter 142 KZC.	None	20'	0'	0'	80%	67' above average building ele- vation.	С	D	One per every four people based on maxi- mum occu- pancy of any area of worship.	No parking is required for day-care or school ancillary to the use.
.090	School, Day-Care Center, or Mini- School or Day-Care Center								D		105.25.	 A six-foot-high fence is required along all property lines adjacent to outside play areas. Hours of operation may be limited by the City to reduce impacts on nearby residential uses. An on-site passenger loading area may be required depending on the number of attendees and the extent of the abutting right-of-way improvements.



							DII	RECTI	ONS: FIRS	Γ, read do	wn to	find useTHEN	l, across for REGULATIONS
4	3	Š			MINIM	JMS		MA	XIMUMS				
200		⊐ ⊊ REGULATIONS	Required Review Process	Lot Size	Y	QUIRI ARDS Ch. 1	6	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
		$^{\downarrow\downarrow}$			Front	Side	Rear	Lot)	S S	(See Ch. 105)	(See also General Regulations)
.1	F	assisted Living facility lee Spec. Reg. 3.	D.R., Chapter 142 KZC.	None	20'	0'	0'	80%	67' above average building elevation.	С	A	living unit.	 A facility that provides both independent dwelling units and assisted living units shall be processed as an assisted living facility. A nursing home use may be permitted as part of an assisted living facility use in order to provide a continuum of care for residents. If a nursing home use is included, the following parking standard shall apply to the nursing home portion of the facility: a. One parking stall shall be provided for each bed. This use only allowed: a. On properties with frontage on Second Avenue. b. For property adjoining Peter Kirk Park, if the following are provided:

						DII	RECT	IONS: FIRS	T, read do	wn to	find useTHEN	l, across for REGULATIONS
L	2	SNOI			MINIMUMS		MA	XIMUMS				
	20	← GOLATIO	Required Review Process	Lot Size	REQUIR YARDS (See Ch.	S 115)	Lot Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
.1		Assisted Living Facility (Continued).										REGULATIONS CONTINUED FROM PREVIOUS PAGE 4) Developments creating four or more new dwelling units shall provide at least 10 percent of the units as affordable housing units as defined in Chapter 5 KZC. See Chapter 112 KZC for additional affordable housing incentives and requirements. 5) Public art on site valued at a minimum of \$10,000. The art must be reviewed and approved by the Kirkland Cultural Arts Commission. 6) The project must be built to LEED silver or comparable standard.





							DII	RECTI	ONS: FIRST	Γ, read do	wn to	find useTHEN	N, across for REGULATIONS
	ပ	S			MINIMU	JMS		MA	XIMUMS				
	Section 50.35	⊐s b regulations	Required Review Process	Lot Size	Y	QUIRE ARDS Ch. 1	3	Lot Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
		$^{\uparrow\uparrow}$			Front	Side	Rear	Lot			S	(See Ch. 105)	
		Stacked or Attached Dwelling Units See Spec. Reg. 1.	D.R., Chapter 142 KZC.	None	20'	0'	0'	80%	67' above average building elevation.	С	A	1.2 per studio unit. 1.3 per 1 bedroom unit. 1.6 per 2 bedroom unit. 1.8 per 3 or more bedroom unit. See KZC 105.20 for visitor parking requirements.	ment. 2) The street level of all buildings shall be limited to one or more of the

						DII	RECTI	ONS: FIRS	T, read do	wn to	find useTHEN	N, across for REGULATIONS
.35	SNOIL			MINIM	JMS		MA	XIMUMS				
Section 50.3	⊐ S BS REGULATIO	Required Review Process	Lot Size	Y	QUIRI ARDS Ch. 1	3	Coverage	Height of Structure	Landscape Category (See Ch. 95)	ign Category See Ch. 100)	Required	Special Regulations
	$ \downarrow \downarrow $			Front	Side	Rear	Lot			<u>is</u> 9	(See Ch. 105)	(See also General Regulations)
.120	Public Utility, Government Facility, or Community Facility	D.R., Chapter 142 KZC.	None	20'	0'	0'	80%	67' above average building ele- vation.	C See Spec. Reg. 1.	В	See KZC 105.25.	 Landscape Category A or B may be required depending on the type of use on the subject property and the impacts associated with the use on nearby uses. Site design must include installation of pedestrian linkages consistent with the major pedestrian routes in the Downtown Plan chapter of the Comprehensive Plan, between public sidewalks and building entrances, and between walkways on the subject property and existing or planned walkways on abutting properties.
.130	Public Park	Development st process.	andards	will be de	etermin	ed on a	a case-	by-case basis	. See KZC 4	15.50 fc	or required review	



							DIREC	CTIONS: FIR	ST, read	d dow	n to find use	THEN, across for REGULATIONS
.42	S		I	MINIMU	JMS		MA	XIMUMS				
Section 50.4	⊐ m m REGULATIONS	Required Review Process	Lot Size	Y	QUIRI ARDS Ch. 1	5	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	\Rightarrow			Front	Side	Rear	Lot			is s)	(See Ch. 105)	
.010	Restaurant or Tavern See Spec. Reg, 1.	D.R., Chapter 142 KZC.	None	20' See Sp	10' ec. Re	10' g. 5.		54' above average building ele- vation.	D See Spec. Reg. 4.	E	One per each 125 sq. ft. of gross floor area.	 These uses are only permitted south of Sixth Avenue. Subterranean parking for these uses may be located north of 6th Avenue; provided, that the parking structures are not visible from 7th Avenue or 5th Street north of 6th Avenue. Vehicular access for these uses and components of these uses, including subterranean parking must be on Central Way or Fifth or Sixth Streets south of Sixth Avenue. The applicant may be required to install traffic diverters or employ other mechanisms to direct nonresidential traffic associated with subject property away from areas north of Sixth Avenue. Access for drive-through facilities must be approved by the Public Works Department. Landscape Category C is required if the subject property is located adjacent to the RS 5.0, or Planned Areas 7B or 7C zones. The required front yard for this use shall be zero feet from Central Way for one or two stories. No parking may encroach into the required 20-foot front yard.



							DIREC	CTIONS: FIR	ST, read	dow	n to find use	THEN, across for REGULATIONS
2	S		I	MINIMU	MS		MA	XIMUMS				
Section 50.42	D ass regulations	Required Review Process	Lot Size	Y	QUIRI ARDS Ch. 1	6	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	\Rightarrow			Front	Side	Rear	Lot			s) !S	(See Ch. 105)	
.040	Establishment, other than those specifically listed, limited or prohibited in this zone, selling goods or providing services, including banking and related financial services See Spec. Regs. 4 and 2. 1, 2, and 3	D.R., Chapter 142 KZC.	None	20' See Spr	10' ec. Re	10' g. 8. 9	3. sto	54' above average building elevation. Retail establis rage services essory to ano	are not p	orovidin ermitte	d unless	 These uses are only permitted south of Sixth Avenue. Subterranean parking for these uses may be located north of 6th Avenu; provided, that the parking structures are not visible from 7th Avenue or 5th Street north of 6th Avenue. The sale, service and/or rental of motor vehicles, sailboats, motor boats, and recreational trailers is not permitted. Motorcycle sales, service, or rental is permitted if conducted indoors. Vehicular access for these uses and components of these uses, including subterranean parking, must be on Central Way or Fifth or Sixth Streets south of Sixth Avenue. The applicant may be required to install traffic diverters or employ other mechanisms to direct nonresidential traffic associated with subject property away from areas north of Sixth Avenue. Ancillary assembly and manufacture of goods on premises may be permitted as part of a retail establishment if: The assembled or manufactured goods are directly related to and dependent upon this use, and are available for purchase and removal from the premises. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other retail uses. Access for drive-through facilities must be approved by the Public Works Department. Landscape Category C is required if the subject property is located adjacent to the RS 5.0, or Planned Areas 7B or 7C zones. The parking requirement for hotel or motel use does not include parking requirements for ancillary meeting and convention facilities. Additional parking requirements for ancillary uses shall be determined on a case-by-case basis. The required front yard for this use shall be zero feet from Central Way for one or two stories. No parking may encroach into the required 20-foot front yard.

(Revised 3/09) 193

							DIREC	CTIONS: FIR	ST, read	d dow	n to find use	THEN, across for REGULATIONS
2	S		I	MINIMU	JMS		MA	XIMUMS				
Section 50.42	□ SS REGULATIONS	Required Review Process	Lot Size	Y	QUIRI 'ARDS e Ch. 1	3	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
				Front	Side	Rear	Lot			S)	(See Ch. 105)	
.060	Office Use See Spec. Reg. 1.	D.R., Chapter 142 KZC.	None	20' See Sp Regulat		10'	80%	54' above average building ele-	D See Spec.	D	One per each 350 sq. ft. of gross floor area.	These uses are only permitted south of Sixth Avenue. Subterranean parking for these uses may be located north of 6th Avenue; provided, that the parking structures are not visible from 7th Avenue or 5th Street north of 6th Avenue.
.070	Private Club or Lodge See Spec. Reg. 1.			rvogula				vation.	Reg. 5.	В		 Veterinary offices are not permitted in this zone. Vehicular access for this uses and components of this use, including subterranean parking, must be on Central Way or Fifth or Sixth Streets south of Sixth Avenue. The applicant may be required to install traffic diverters or employ other mechanisms to direct nonresidential traffic associated with subject property away from areas north of Sixth Avenue. Ancillary assembly and manufacture of goods on premises may be permitted as part of an office use if: The ancillary assembled or manufactured goods are subordinate to and dependent upon this office use; and The outward appearance and impacts of this office use with ancillary assembly or manufacturing activities must be no different from other office uses. Landscape Category C is required if the subject property is located adjacent to the RS 5.0, or Planned Areas 7B or 7C zones. Ground floor porches and similar entry features may encroach into the required front yard, provided the total horizontal dimensions of such elements may not exceed 25 percent of the length of the facade of the structure.



							DIREC	CTIONS: FIR	ST, reac	d dow	n to find use	THEN, across for REGULATIONS
2	S		I	MINIMU	JMS		MA	XIMUMS				
Section 50.42	D as regulations	Required Review Process	Lot Size	Y	QUIRI ARDS Ch. 1	3	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	\Rightarrow			Front	Side	Rear	Lot			S S	(See Ch. 105)	(See also General Regulations)
.080	Stacked, or Attached Dwelling Units See Spec. Reg. 1.	D.R., Chapter 142 KZC.	None	20' See Spr and 5.	10' ec. Re	10' gs. 2		54' above average building ele- vation. See also Spec. Reg. 3.	D See Spec. Reg. 4.		1.2 per studio unit. 1.3 per 1 bedroom unit. 1.6 per 2 bedroom unit. 1.8 per 3 or more bedroom unit. See KZC 105.20 for visitor parking requirements.	 Along Central Way, this use is only permitted above the ground floor. For any portion of a structure on the subject property within 40 feet of Seventh Avenue or Fifth Street north of Sixth Avenue that does not exceed 30 feet in height above average building elevation, the minimum required side yards are five feet but two side yards must equal at least 15 feet. No portion of a structure on the subject property within 40 feet of Seventh Avenue may exceed 25 feet above the elevation of Seventh Avenue as measured from the midpoint of the frontage of the subject property on Seventh Avenue. No portion of a structure on the subject property within 40 feet of Fifth Street north of Sixth Avenue may exceed 30 feet above the elevation of Fifth Street, as measured at the midpoint of the frontage of the subject property on Fifth Street. Landscape Category C is required if the subject property is located adjacent to the RS 5.0, or Planned Areas 7B or 7C zones. Ground floor porches and similar entry features may encroach into the required front yard, provided the total horizontal dimensions of such elements may not exceed 25 percent of the length of the facade of the structure. Along Seventh Avenue, buildings shall be designed with predominantly sloped roof forms. Within 40 feet of Seventh Avenue, the maximum length of any facade is 50 feet and a minimum 50 percent of this area shall be open space.

							DIREC	CTIONS: FIR	ST, read	d dow	n to find use	THEN, across for REGULATIONS
2	S		l	MINIMU	JMS		MA	XIMUMS				
Section 50.42	⊐ S S REGULATIONS	Required Review Process	Lot Size	Y	QUIRI ARDS Ch. 1	5	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
				Front	Side	Rear	Lot			S)	(See Ch. 105)	(See also General Regulations)
.090	School, Day-Care, or Mini-School or Day-Care Center	D.R., Chapter 142 KZC.	None	20' See Sp and 7.	10' ec. Re	10' gs. 1	80%	54' above average building ele- vation. See also Spec. Reg. 2.	D See Spec. Reg. 3.	В	See KZC 105.25.	 For any portion of a structure on the subject property within 40 feet of Seventh Avenue of Fifth Street north of Sixth Avenue that does not exceed 30 feet above average building elevation, the minimum required side yards are five feet but two side yards must equal at least 15 feet. No portion of a structure on the subject property within 40 feet of Seventh Avenue may exceed 25 feet above the elevation of Seventh Avenue as measured at the midpoint of the frontage of the subject property on Seventh Avenue. No portion of a structure on the subject property within 40 feet of Fifth Street north of Sixth Avenue may exceed 30 feet above the elevation of Fifth Street as measured at the midpoint of the frontage of the subject property on Fifth Street. Landscape Category C is required if the subject property is located adjacent to the RS 5.0, or Planned Areas 7B or 7C zones. A six-foot-high fence is required along all property lines adjacent to outside play areas. Hours of operation may be limited by the City to reduce impacts on nearby residential uses. An on-site passenger loading area may be required depending on the number of attendees and the extent of the abutting right-of-way improvements. Ground floor porches and similar entry features may encroach into the required front yard, provided the total horizontal dimensions of such elements may not exceed 25 percent of the length of the facade of the structure.



								DIREC	CTIONS: FIR	ST, read	d dow	n to find use	THEN, across for REGULATIONS
2	!	S		I	MINIMU	JMS		MA	XIMUMS				
Section 50.42		S S REGULATIONS	Required Review Process	Lot Size	(See	QUIRE ARDS Ch. 1	6 115) 	Lot Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
		* 🖒			Front	Side	Rear	7				(000 0 100)	(ess also estistal regulations)
.10	Fa	ssisted Living acility ee Spec. Reg. 3.	D.R., Chapter 142 KZC.	None	20' See Spr and 8.	10' ec. Reç	10' gs. 4		54' above average building ele- vation. See Spec. Reg. 6.	D See Spec. Reg. 7.	A	1.7 per independent unit. 1 per assisted living unit.	 A facility that provides both independent dwelling units and assisted living units shall be processed as an assisted living facility. A nursing home use may be permitted as part of an assisted living facility use in order to provide a continuum of care for residents. If a nursing home use is included, the following parking standard shall apply to the nursing home portion of the facility: One parking stall shall be provided for each bed. Along Central Way, this use is only permitted above the ground floor. For any portion of a structure on the subject property within 40 feet of Seventh Avenue or fifth Street north of Sixth Avenue that does not exceed 30 feet in height above average building elevation, the minimum required side yards are five feet but two side yards must equal at least 15 feet. The development shall provide significant openness adjacent to Sixth Street. No portion of a structure on the subject property within 40 feet of Seventh Avenue may exceed 25 feet above the elevation of Seventh Avenue as measured at the midpoint of the frontage of the subject property on Seventh Avenue. No portion of a structure on the subject property within 40 feet of Fifth Street north of Sixth Avenue may exceed 30 feet above the elevation of Fifth Street as measured at the midpoint of the frontage of the subject property on Fifth Street. Landscape Category C is required if the subject property is located adjacent to the RS 5.0, or Planned Area 7B or 7C zones. Ground floor porches and similar entry features may encroach into the required front yard, provided the total horizontal dimensions of such elements may not exceed 25 percent of the length of the facade of the structure. Along Seventh Avenue, buildings shall be designed with predominantly sloped roof forms. Within 40 feet of Seventh Avenue, the maximum l

Kirkland Zoning Code 196.1

Zone CBD-6 USE ZONE CHART

							DIREC	CTIONS: FIR	ST, read	d dow	n to find use	THEN, across for REGULATIONS
.42	S S			MINIMU	JMS		MA	AXIMUMS				
Section 50.4	⊐ S REGULATIONS	Required Review Process	Lot Size	Υ	QUIR ARDS Ch.	3	Coverage	Height of Structure	Landscape Category (See Ch. 95)	ate Ch.	Required Parking Spaces	Special Regulations
	\Rightarrow			Front	Side	Rear	Lot		- 9	S)	(See Ch. 105)	
.110		D.R., Chapter 142 KZC.	None	20' See Sp and 6.	10' ec. Re	10' gs. 1		54' above average building ele- vation. See	D See Spec. Reg. 3.	В	See KZC 105.25. See Spec. Reg. 5.	For any portion of a structure on the subject property within 40 feet of Seventh Avenue or Fifth Street north of Sixth Avenue that does not exceed 30 feet above average building elevation, the minimum required side yards are five feet, but two side yards must equal at least 15 feet.
.120	Public Utility, Government Facility, or Community Facility							also Spec. Reg. 2.	D See Spec. Regs. 3 and 4.		See KZC 105.25.	 No portion of a structure on the subject property within 40 feet of Seventh Avenue may exceed 25 feet above the elevation of Seventh Avenue as measured at the midpoint of the frontage of the subject property on Seventh Avenue. No portion of a structure on the subject property within 40 feet of Fifth Street north of Sixth Avenue may exceed 30 feet above the elevation of Fifth Street as measured at the midpoint of the frontage of the subject property on Fifth Street. Landscape Category C is required if the subject property is located adjacent to the RS 5.0, or Planned Areas 7B or 7C zones. Landscape Category A or B may be required depending on the type of use on the subject property and the impacts associated with the use on nearby uses. No parking is required for daycare or school ancillary to the church use. Ground floor porches and similar entry features may encroach into the required front yard, provided the total horizontal dimensions of such elements may not exceed 25 percent of the length of the facade of the structure.
.130	Public Park	Developme required rev			e deter	mined	on a ca	ise-by-case ba	sis. See	Chapte	r 49 KZC for	

							DIRE	CTIONS: FIR	RST, rea	d dow	n to find use	THEN, across for REGULATIONS
14	S			MINIMU	MS		MA	AXIMUMS				
Section 50.47	☐ S REGULATIONS	Required Review Process	Lot Size	Y	QUIRE ARDS Ch. 1	3	t Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
				Front	Side	Rear	Lot			s)	(See Ch. 105)	(See also General Regulations)
	Vehicle Service Station	D.R., Chapter 142 KZC.	22,500 sq. ft.	20' See Spe				building	B See Spec. Reg. 3.	E	See KZC 105.25.	 May not be more than two vehicle service stations at any intersection. Gas pump islands must be set back at least 20 feet from all property lines. Canopies and covers over gas pump islands may not be more than 10 feet to any property line. Outdoor parking and service areas may not be closer than 10 feet to any property line. See KZC 115.105, Outdoor Use, Activity, and Storage, for further regulations. Landscape Category A is required if the subject property is adjacent to Planned Area 7B.
.020	Restaurant or Tavern			20' See Spe	0' ec. Reţ	0' g. 2.	80% See Spec. Reg. 2.		D See Spec. Reg. 1.		1 per each 125 sq. ft. of gross floor area.	 Landscape Category B is required if the subject property is adjacent to Planned Area 7B, unless drive-in or drive-through facilities are present in which case Landscape Category A shall apply. The required front yard for this use shall be zero feet for one story at street level. No parking may encroach into the required 20-foot front yard. If this use provides a zero-foot front yard, the lot coverage for the entire property shall be 100 percent. For restaurants with drive-in or drive-through facilities: One outdoor waste receptacle shall be provided for every eight parking stalls. Access for drive-through facilities shall be approved by the Public Works Department. Drive-through facilities shall be designed so that vehicles will not block traffic in the right-of-way while waiting in line to be served.
	Entertainment, Cultural and/or Recreational Facility Hotel or Motel			20' See Spe	0' ec. Reţ	0' g. 3.	80% See Spec. Reg. 3.		D See Spec. Reg. 2.		See KZC 105.25. One for each room. See Spec. Reg. 1.	 The parking requirement for hotel or motel use does not include parking requirements for ancillary meetings and convention facilities. Additional parking requirements for ancillary uses shall be determined on a case-by-case basis. Landscape Category B is required if the subject property is adjacent to Planned Area 7B. The required front yard for this use shall be zero feet for one story at street level. No parking may encroach into the required 20-foot front yard. If this use provides a zero-foot front yard, the lot coverage for the entire property shall be 100 percent.



							DIRE	CTIONS: FIF	RST, rea	d dow	n to find use	THEN, across for REGULATIONS
11	S		İ	MINIMU	IMS		MA	XIMUMS				
Section 50.47	D SS SEGULATIONS	Required Review Process	Lot Size	Y	QUIRE ARDS Ch. 1	3	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	\Rightarrow			Front	Side	Rear	Lot			s) is	(See Ch. 105)	
.060	Any Retail Establishment, other than those listed, limited, or prohibited in this zone, selling goods or providing services, including banking and related financial services	D.R., Chapter 142 KZC.	None	20' See Spo	0' ec. Reç	0' g. 5 . 6	See	41' above average building elevation. 3. Retail est storage serv accessory to	ices are	nts pro	viding nitted unless	 Access for drive-through facilities must be approved by the Public Works Department. Ancillary assembly and manufacture of goods on premises may be permitted only if: The assembled or manufactured goods are directly related to and dependent upon this use, and are available for purchase and removal from the premises. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other retail uses. The sale, service and/or rental of motor vehicles, sailboats, motor boats, and recreational trailers is not permitted. Motorcycle sales, service, or rental is permitted if conducted indoors. Landscape Category B is required if the subject property is adjacent to Planned Area 7B. The required front yard for this use shall be zero feet for one story at street level. No parking may encroach into the required 20-foot front yard. If this use provides a zero-foot front yard, the lot coverage for the entire property shall be 100 percent.
.070	Private Lodge or Club See Spec. Reg. 3.			20'	0'	0'	80%		D See Spec.		See KZC 105.25.	 No parking is required for daycare or school ancillary to the use. Landscape Category C is required if the subject property is adjacent to Planned Area 7B. This use may be located on the street level floor of a building only if there is a retail
.080	Church See Spec. Reg. 3.								Reg. 2.		One per every four people based on maxi- mum occu- pancy load of any area of worship. See Spec. Reg. 1.	space extending a minimum of 30 feet of the building depth between this use and the abutting right-of-way. The Planning Director may approve a reduction to the depth requirement for the retail space if the applicant demonstrates that the proposed configuration of the retail use provides an adequate dimension for a viable retail tenant and provides equivalent or superior visual interest and potential foot traffic as would compliance with the required dimension.

							DIRE	CTIONS: FIF	RST, rea	d dow	n to find use	.THEN, across for REGULATIONS
21	S			MINIMU	JMS		MA	XIMUMS				
Section 50.47	□ c m REGULATIONS	Required Review Process	Lot Size	Y	QUIRI ARDS	3	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	\Rightarrow			Front	Side	Rear	Lot			S	(See Ch. 105)	(See also General Regulations)
.090	Office Use See Spec. Reg. 4.	D.R., Chapter 142 KZC.	None	20'	0'	O'			D See Spec. Reg. 3.	D	1 per each 350 sq. ft. of gross floor area.	 Ancillary assembly and manufacture of goods on premises may be permitted as part of office use if: The ancillary assembled or manufactured goods are subordinate to and dependent upon this office use; and The outward appearance and impacts of this office use with ancillary assembly or manufacturing activities must be no different from other office uses. The following regulations apply to veterinary offices only: May only treat small animals on the subject property. Outside runs and other outside facilities for the animals are not permitted. Site must be designed so that noise from this use will not be audible off the subject property. A certification to this effect signed by an acoustical engineer must be submitted with the D.R. and building permit applications. A veterinary office is not permitted if the subject property contains dwelling units. Landscape Category C is required if the subject property is adjacent to Planned Area 7B. This use may be located on the street level floor of a building only if there is a retail space extending a minimum of 30 feet of the building depth between this use and the abutting right-of-way. The Planning Director may approve a reduction to the depth requirement for the retail space if the applicant demonstrates that the proposed configuration of the retail use provides an adequate dimension for a viable retail tenant and provides equivalent or superior visual interest and potential foot traffic as would compliance with the required dimension.
.100	School, Day-Care Center, or Mini- School or Day- Care Center See Spec. Reg. 4.								D	В	See KZC 105.25.	 A six-foot-high fence is required along all property lines adjacent to outside play areas. Hours of operation may be limited by the City to reduce impacts on nearby residential uses. An on-site passenger loading area may be required depending on the number of attendees and the extent of the abutting right-of-way improvements. This use may be located on the Central Way level of a building only if there is an intervening retail storefront between this use and the right-of-way.



							DIRE	CTIONS: FIR	ST, rea	d dow	n to find use	THEN, across for REGULATIONS
14	S			MINIMU	IMS		MA	AXIMUMS				
Section 50.47	D SS SEGULATIONS	Required Review Process	Lot Size	Y.	QUIRI ARDS Ch. 1	6	Coverage		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	\Rightarrow			Front	Side	Rear	Lot			s) IS	(See Ch. 105)	
.110		Chapter	None	20'	0'	0'		41' above average building elevation.	D		1.7 per inde- pendent unit. 1 per assisted living unit.	 A facility that provides both independent dwelling units and assisted living units shall be processed as an assisted living facility. A nursing home use may be permitted as part of an assisted living facility use in order to provide a continuum of care for residents. If a nursing home use is included, the following parking standard shall apply to the nursing home portion of the facility: One parking stall shall be provided for each bed. This use may be located on the street level floor of a building only if there is a retail space extending a minimum of 30 feet of the building depth between this use and the abutting right-of-way. The Planning Director may approve a reduction to the depth requirement for the retail space if the applicant demonstrates that the proposed configuration of the retail use provides an adequate dimension for a viable retail tenant and provides equivalent or superior visual interest and potential foot traffic as would compliance with the required dimension.
.120	Stacked or Attached Dwelling Units See Spec. Reg. 1.										1.2 per studio unit. 1.3 per 1 bedroom unit. 1.6 per 2 bedroom unit. 1.8 per 3 or more bedroom unit. See KZC 105.20 for visitor parking requirements.	1. This use may be located on the street level floor of a building only if there is a retail space extending a minimum of 30 feet of the building depth between this use and the abutting right-of-way. The Planning Director may approve a reduction to the depth requirement for the retail space if the applicant demonstrates that the proposed configuration of the retail use provides an adequate dimension for a viable retail tenant and provides equivalent or superior visual interest and potential foot traffic as would compliance with the required dimension. This special regulation shall not apply on Fourth Avenue.

							DIRE	CTIONS: FIR	ST, rea	d dow	n to find use	THEN, across for REGULATIONS
2:	S			MINIMU	JMS		MA	AXIMUMS				
Section 50.47	□ S S REGULATIONS	Required Review Process	Lot Size	Y	QUIRI ARDS Ch. 1	3	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
				Front	Side	Rear	Lot			S	(See Ch. 105)	(See also General Regulations)
.125	Residential Suites	D.R., Chapter 142 KZC.	None	20'	0'	0'	80%	41' above average building elevation.	D	A	See Spec. Reg. 2.	 This use may be located on the street level floor of a building only if there is a retail space extending a minimum of 30 feet of the building depth between this use and the abutting right-of-way. The Planning Director may approve a reduction to the depth requirement for the retail space if the applicant demonstrates that the proposed configuration of the retail use provides an adequate dimension for a viable retail tenant and provides equivalent or superior visual interest and potential foot traffic as would compliance with the required dimension. This special regulation shall not apply on Fourth Avenue. For parking managed pursuant to Special Regulation 3, parking shall be provided at a rate of 0.5 per living unit plus one per on-site employee. Otherwise parking shall be provided at a rate of one per living unit plus one per on-site employee and modifications to decrease the requirement are prohibited. See KZC 50.60. The required parking shall be 0.5 per living unit where the parking is managed as follows and the property owner agrees to the following in a form approved by the City and recorded with King County: Rentals shall be managed such that the total demand for parking does not exceed the available supply of required private parking. If the demand for parking equals or exceeds the supply of required private parking, the property owner shall either restrict occupancy of living units or restrict leasing to only tenants who do not have cars. The property owner shall prepare a Transportation Management Plan (TMP) for review and approval by the City and recording with King County. At a minimum, the TMP shall include the following requirements:

Kirkland Zoning Code 196.8



									DIRE	CTIONS: FIR	RST, rea	d dow	n to find use	THEN, across for REGULATIONS
14			S			MINIMU	JMS		MA	AXIMUMS				
Section 50.47		USE	REGULATIONS	Required Review Process	Lot Size	Y	QUIRI 'ARDS e Ch. 1	6	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	1	₹ }	\Rightarrow			Front	Side	Rear	Lot			i5 €	(See Ch. 105)	
.12		esidenti ontinue	al Suites			•	•	•			•	•		REGULATIONS CONTINUED FROM PREVIOUS PAGE
		Online												 7) Following the initial survey, the property owner shall submit a biennial survey of residents prepared and conducted by a licensed transportation engineer or other qualified professional documenting on-site and potential offsite parking utilization and alternative commute travel. The Planning Director may increase or decrease the frequency of the survey based on the documented success of the TMP. 8) Acknowledgement by the property owner that it shall be a violation of this code for the actual parking demand for the project to exceed the available supply of required parking or to fail to comply with the provisions of the TMP or reporting requirements. c. After one year of project occupancy, the Planning Official may allow a decrease in the required number of spaces if the number of spaces proposed is documented by an adequate and thorough parking demand and utilization study of the property. The study shall be prepared by a licensed transportation engineer or other qualified professional, and shall analyze the operational characteristics of the use which justify a parking reduction. The scope of the study shall be proposed by the transportation engineer and approved by the City traffic engineer. The study shall provide at least two days of data for morning, afternoon and evening hours, or as otherwise approved or required by the City traffic engineer. 4. All residential suites and all required parking within a project shall be under common ownership and management. 5. Development shall be designed, built and certified to achieve or exceed one or more of the following green building standards: Built Green 5 Star certified, LEED Gold certified, or Living Building Challenge certified. 6. Developments containing this use shall provide common living area available to all residential suite residents. Common living area shall consist of areas such as shared kitchens, dining areas, and community rooms. Areas such as bathrooms, laundries, utility rooms, storage, sta



							DIRE	CTIONS: FIR	ST, rea	d dow	n to find use	THEN, across for REGULATIONS
7:	S			MINIMU	JMS		MA	XIMUMS				
Section 50.4	D S S S S S S S S S S S S S S S S S S S	Required Review Process	Lot Size	Y	QUIRE ARDS Ch. 1	;	Coverage	Height of Structure	Landscape Category See Ch. 95)	ign Category See Ch. 100)	Required Parking Spaces	Special Regulations
	\Rightarrow			Front	Side	Rear	Lot			<u>is</u> 99	(See Ch. 105)	· •
.130	Public Utility, Government Facility, or Community Facility	D.R., Chapter 142 KZC.	None	20'	0'	0'		41' above average building elevation.	D See Spec. Reg. 1.	В	See KZC 105.25.	Landscape Category C is required if the subject property is adjacent to Planned Area 7B. Landscape Category A or B may be required depending on the type of use on the subject property and the impacts associated with the use on nearby uses.
.140	Public Park	Developme required rev			e deter	mined (on a ca	se-by-case ba	sis. See	Chapte	r 49 KZC for	

							DIRE	ECTIONS: FIRST,	read do	wn to f	find useTHE	N, across for REGULATIONS
5	s s			МІМІМ	UMS			MAXIMUMS				
Section 50 52	⊐S BEGULATIONS	Required Review Process	Lot Size	1	QUIR YARDS e Ch.	S	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
				Front	Side	Rear	Lot		_ =	<u>18</u> 80	(See Ch. 105)	(See also General Regulations)
.0	Restaurant or Tavern See Special Regulation 1.	D.R., Chapter 142 KZC.	None	0′	0'	0'	100%	30 feet above the elevation of 3rd Avenue or 4th Avenue as measured at the projected midpoint of the frontage of the subject property on the nearest applicable right-of-way.	D See Spec. Reg. 3.	Е	One per each 125 sq. ft. of gross floor area. See KZC 50.60.	This use is permitted only if the subject property abuts Central Way. The site and building must be designed so that this use is primarily oriented towards Central Way. No aspect or component of this use may be located on or oriented towards Third Avenue between First Street and Second Street or Fourth Avenue. If the subject property abuts Third Avenue between First Street and Second Street or Fourth Avenue, the site and buildings must be designed to provide residential character and scale adjacent to Third Avenue and Fourth Avenue. 2. Drive-in facilities and drive-through facilities are not permitted in this zone. 3. Landscape Category B is required if the subject property is adjacent to the Planned Areas 7A or 7B or PR 3.6 zones.
	30 Entertainment/ Cultural and/or Recreational Facility See Special Regulation 1.										See KZC 50.60 and 105.25.	This use is permitted only if the subject property abuts Central Way. The site and building must be designed so that this use is primarily oriented towards Central Way. No aspect or component of this use may be located on or oriented towards Third Avenue between First Street and Second Street or Fourth Avenue. If the subject property abuts Third Avenue between First Street and Second Street or Fourth Avenue, the site and buildings must be designed to provide residential character and scale adjacent to Third Avenue and Fourth Avenue.
	See Special Regulation 1.										room. See Spec. Reg. 2 and KZC 50.60.	 nue and Fourth Avenue. The parking requirements for hotel or motel use do not include parking requirements for ancillary meeting rooms and convention facilities. Additional parking requirements for ancillary uses shall be determined on a case-by-case basis. Landscape Category B is required if the subject property is adjacent to the Planned Areas 7A or 7B or PR 3.6 zones.

(Revised 8/10)

Kirkland Zoning Code

198



							DIRE	ECTIONS: FIRST,	read do	own to f	ind useTHE	N, across for REGULATIONS
22	S S		ı	MINIMU	JMS			MAXIMUMS				
Section 50.52	US BS REGULATIONS	Required Review Process	Lot Size	Y	QUIR 'ARDS	S	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	\Rightarrow			Front	Side	Rear	Lot			\[\igs\]	(See Ch. 105)	
	lishment, other than those specifically listed, limited, or prohibited in this zone, selling goods or providing services including banking and related financial services. See Spec. Reg. 1.	D.R., Chapter 142 KZC.	None	0'	0'	0′	100%	30 feet above the elevation of 3rd Avenue or 4th Avenue as measured at the projected midpoint of the frontage of the subject property on the nearest applicable right-of-way. d. Retail es storage ser another per	Reg. 3.	ess acce se.	ssory to	and building must be designed so that this use is primarily oriented towards Central Way. No aspect or component of this use may be located on or oriented towards Third Avenue between First Street and Second Street or Fourth Avenue. If the subject property abuts Third Avenue between First Street and Second Street or Fourth Avenue, the site and buildings must be designed to provide residential character and scale adjacent to Third Avenue and Fourth Avenue. 2. The following uses are not permitted in this zone: a. Vehicle service stations. b. The sale, service and/or rental of motor vehicles, sailboats, motor boats, and recreational trailers; provided, that motorcycle sales, service, or rental is permitted if conducted indoors. c. Drive-in facilities and drive-through facilities. 3. Landscape Category B shall be provided if the subject property is adjacent to Planned Areas 7A or 7B, or PR 3.6. Boat sales, repair, service, or rental shall provide a Landscape Category C unless the subject property is adjacent to Planned Areas 7A, 7B, or PR 3.6 zones; then Landscape Category A is required. 4. Boat repair and service shall be conducted within an enclosed structure.
.060	Private Club or Lodge See Spec. Reg. 1.			10'					D See Spec. Reg. 2.	В	See KZC 50.60 and 105.25.	 This use is permitted only if the subject property abuts Central Way. If the subject property abuts Third Avenue between First Street and Second Street or Fourth Avenue, the site and buildings must be designed to provide residential character and scale adjacent to Third Avenue and Fourth Avenue. Landscape Category C is required if the subject property is adjacent to Planned Areas 7A or 7B, or PR 3.6 zones. This use may be located on the street level floor of a building only if there is a retail space extending a minimum of 30 feet of the building depth between this use and the abutting right-of-way. The Planning Director may approve a reduction to the depth requirement for the retail space if the applicant demonstrates that the proposed configuration of the retail use provides an adequate dimension for a viable retail tenant and provides equivalent or superior visual interest and potential foot traffic as would compliance with the required dimension. REGULATIONS CONTINUED ON NEXT PAGE

Kirkland Zoning Code

(Revised 9/11)

								DIRE	ECTIONS: FIRST,	read do	wn to	find useTHEN	N, across for REGULATIONS
	Ŋ	S			MINIMU	JMS		I	MAXIMUMS				
	Section 50.52	⊐ S B REGULATIONS	Required Review Process	Lot Size	Y	QUIR ARDS	S	: Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
		\Rightarrow			Front	Side	Rear	Lot			S	(See Ch. 105)	(See also General Regulations)
-	.060	Private Club or Lodge (continued)		ı		l							REGULATIONS CONTINUED FROM PREVIOUS PAGE 4. Ground floor porches and similar entry features may encroach into the front yard, provided the total horizontal dimension of such elements may not exceed 25 percent of the length of the facade of the structure.
	.070		D.R., Chapter 142 KZC.	None	10' See Sp and 6.	0' pec. Re	0′ egs. 5		30 feet above the elevation of 3rd Avenue or 4th Avenue as measured at the projected midpoint of the frontage of the subject property on the nearest applicable right-of-way.	D See Spec. Reg. 4.	D		 The following regulations apply to veterinary offices only: May only treat small animals on the subject property. Outside runs and other outside facilities for the animals are not permitted. Site must be designed so that noise from this use will not be audible off the subject property. A certificate to this effect signed by an acoustical engineer must be submitted with the D.R. and building permit application. A veterinary office is not permitted if the subject property contains dwelling units. Ancillary assembly and manufacture of goods on premises may be permitted as part of an office use if: The ancillary assembled or manufactured goods are subordinate to and dependent on the office use; and The outward appearance and impacts of this office use with ancillary assembly and manufacturing activities must be no different from other office uses. If the subject property abuts Third Avenue between First Street and Second Street, or Fourth Avenue, the site and buildings must be designed to provide residential character and scale adjacent to Third Avenue and Fourth Avenue. Landscape Category C is required if the subject property is adjacent to Planned Areas 7A or 7B, or PR 3.6 zones. Ground floor porches and similar entry features may encroach into the front yard, provided the total horizontal dimension of such elements may not exceed 25 percent of the length of the facade of the structure. This use may be located on the street level floor of a building depth between this use and the abutting right-of-way (see KZC 50.64 for limited exceptions). The Planning Director may approve a reduction to the depth requirement for the retail space if the applicant demonstrates that the proposed configuration of the retail use provides an adequate dimension for a viab



							DIRE	ECTIONS: FIRST, r	ead dov	vn to fi	nd useTHEN	, across for REGULATIONS
25	S S		I	MINIMU	JMS			MAXIMUMS				
Section 50.52	∐S B REGULATIONS	Required Review Process	Lot Size	Y	QUIRI 'ARDS e Ch. 1	3	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
				Front	Side	Rear	Lot			iS S)	(See Ch. 105)	
.080		D.R., Chapter 142 KZC.	None	10' See Sp Regula		0'	100%	30 feet above the elevation of 3rd Avenue or 4th Avenue as measured at the projected midpoint of the frontage of the subject property on the nearest applicable right-ofway.	D See Spec. Reg. 3.	В	1 per every four people based on maximum occupancy load of any area of worship. See Spec. Reg. 2 and Section 60 of this Chapter.	 This use is permitted only if the subject property abuts Central Way. If the subject property abuts Third Avenue between First Street and Second Street or Fourth Avenue, the site and buildings must be designed to provide residential character and scale adjacent to Third Avenue and Fourth Avenue. No parking is required for daycare or school ancillary to the use. Landscape Category C is required if the subject property is adjacent to Planned Areas 7A or 7B, or PR 3.6 zones. Ground floor porches and similar entry features may encroach into the front yard, provided the total horizontal dimension of such elements may not exceed 25 percent of the length of the facade of the structure.
.090	School, Day-Care Center or Mini- School or Day- Care Center			0'	0'	0'			D		See KZC 50.60 and 105.25.	 If the subject property abuts Third Avenue between First Street and Second Street, or Fourth Avenue, the site and buildings must be designed to provide residential character and scale adjacent to Third Avenue and Fourth Avenue. A six-foot-high fence is required along all property lines adjacent to outside play areas. Hours of operation may be limited by the City to reduce impacts on nearby residential uses. An on-site passenger loading area may be required depending on the number of attendees and the extent of the abutting right-of-way improvements.

Kirkland Zoning Code 201

							DIRE	CTIONS: FIRST, re	ead dov	vn to fi	nd useTHEN	, across for REGULATIONS
22	S			MINIMU	JMS			MAXIMUMS				
Section 50.52	□S B REGULATIONS	Required Review Process	Lot Size	Y	QUIR ′ARD e Ch.	S	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
				Front	Side	Rear	Ļ			<u>is</u> 33	(See Ch. 105)	
.100	Assisted Living Facility See Spec. Reg. 3.	D.R., Chapter 142 KZC.	None	10' See Sp	0' pec. R	0' eg. 6.	100%	30 feet above the elevation of 3rd Avenue or 4th Avenue as measured at the projected midpoint of the frontage of the subject property on the nearest applicable right-ofway.	D	A	1.7 per independent unit. 1 per assisted living unit. See KZC 50.60.	 A facility that provides both independent dwelling units and assisted living units shall be processed as an assisted living facility. A nursing home use may be permitted as part of an assisted living facility use in order to provide a continuum of care for residents. If a nursing home use is included, the following parking standard shall apply to the nursing home portion of the facility: One parking stall shall be provided for each bed. This use may be located on the street level floor of a building only if there is a retail space extending a minimum of 30 feet of the building depth between this use and the abutting right-of-way. The Planning Director may approve a reduction to the depth requirement for the retail space if the applicant demonstrates that the proposed configuration of the retail use provides an adequate dimension for a viable retail tenant and provides equivalent or superior visual interest and potential foot traffic as would compliance with the required dimension. This use is not permitted on the street level floor adjacent to Central Way. If the subject property abuts Third Avenue between First Street and Second Street, or Fourth Avenue, the site and buildings must be designed to provide residential character and scale adjacent to Third Avenue and Fourth Avenue. Ground floor porches and similar entry features may encroach into the front yard, provided the total horizontal dimension of such elements may not exceed 25 percent of the length of the facade of the structure.
.110	Stacked or Attached Dwelling Units			10' See Sp	0' pec. R	0' eg. 3.					1.7 per unit. See KZC 50.60.	 This use is not permitted on the street level floor adjacent to Central Way. If the subject property abuts Third Avenue between First Street and Second Street, or Fourth Avenue, the site and buildings must be designed to provide residential character and scale adjacent to Third Avenue and Fourth Avenue. Ground floor porches and similar entry features may encroach into the front yard, provided the total horizontal dimension of such elements may not exceed 25 percent of the length of the facade of the structure.

(Revised 9/13) Kirkland Zoning Code 202



							DIRE	ECTIONS: FIRST, re	ead dov	vn to fi	nd useTHEN	, across for REGULATIONS
22	S			МІМІМ	UMS			MAXIMUMS				
Section 50.52	☐ G B REGULATIONS	Required Review Process	Lot Size	١	EQUIR YARD e Ch.	S	t Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	$\qquad \Rightarrow \qquad$			Front	Side	Rear	Lot			6	(See Ch. 105)	(See also General Regulations)
.11	5 Residential Suites	D.R., Chapter 142 KZC.	None	10' See Sp	0'	0'eg. 3.	100%	30 feet above the elevation of 3rd Avenue or 4th Avenue as measured at the projected midpoint of the frontage of the subject property on the nearest applicable right-ofway.	D	A	See Spec. Reg.	 This use is not permitted on the street level floor adjacent to Central Way. If the subject property abuts Third Avenue between First Street and Second Street, or Fourth Avenue, the site and buildings must be designed to provide residential character and scale adjacent to Third Avenue and Fourth Avenue. Ground floor porches and similar entry features may encroach into the front yard, provided the total horizontal dimension of such elements may not exceed 25 percent of the length of the facade of the structure. For parking managed pursuant to Special Regulation 5, parking shall be provided at a rate of 0.5 per living unit plus one per on-site employee. Otherwise parking shall be provided at a rate of one per living unit plus one per on-site employee and modifications to decrease the requirement are prohibited. See KZC 50.60. The required parking shall be 0.5 per living unit where the parking is managed as follows and the property owner agrees to the following in a form approved by the City and recorded with King County: Rentals shall be managed such that the total demand for parking does not exceed the available supply of required private parking, If the demand for parking equals or exceeds the supply of required private parking, the property owner shall either restrict occupancy of living units or restrict leasing to only tenants who do not have cars. The property owner shall prepare a Transportation Management Plan (TMP) for review and approval by the City and recording with King County. At a minimum, the TMP shall include the following requirements:

Kirkland Zoning Code 202.1

							DIRE	CTIONS: FIRST, r	ead dov	vn to fi	nd useTHEN	, across for REGULATIONS
25	S			MINIMU	JMS			MAXIMUMS				
Section 50.52	☐ S B REGULATIONS	Required Review Process	Lot Size	Y	QUIR (ARD) e Ch.	S	: Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	$ \stackrel{\checkmark}{\lor} \Rightarrow$			Front	Side	Rear	Lot			S	(See Ch. 105)	(See also General Regulations)
.115	Residential Suites (continued)											REGULATIONS CONTINUED FROM PREVIOUS PAGE 5) Designation of a Transportation Coordinator to manage the TMP, provide commute information to all new tenants, and be a point of contact for the City. 6) At the time the project attains 90 percent occupancy, the property owner shall provide an accurate and detailed report of initial resident parking demand and alternative commute travel. The report format shall be reviewed and approved by the City. 7) Following the initial survey, the property owner shall submit a biennial survey of residents prepared and conducted by a licensed transportation engineer or other qualified professional documenting on-site and potential off-site parking utilization and alternative commute travel. The Planning Director may increase or decrease the frequency of the survey based on the documented success of the TMP. 8) Acknowledgement by the property owner that it shall be a violation of this code for the actual parking demand for the project to exceed the available supply of required parking or to fail to comply with the provisions of the TMP or reporting requirements. c. After one year of project occupancy, the Planning Official may allow a decrease in the required number of spaces if the number of spaces proposed is documented by an adequate and thorough parking demand and utilization study of the property. The study shall be prepared by a licensed transportation engineer or other qualified professional, and shall analyze the operational characteristics of the use which justify a parking reduction. The scope of the study shall be proposed by the transportation engineer and approved by the City traffic engineer. The study shall provide at least two days of data for morning, afternoon and evening hours, or as otherwise approved or required by the City traffic engineer. 6. All residential suites and all required parking within a project shall be under common ownership and management. 7. Development shall be designed, built and certified to achieve or exceed one or more of the followi



							DIRE	ECTIONS: FIRST, r	ead dov	vn to fi	nd useTHEN	, across for REGULATIONS
25	S		ı	ишиш	JMS			MAXIMUMS				
Section 50.52	⊐ © REGULATIONS	Required Review Process	Lot Size	Y	QUIR (ARD) e Ch.	S	Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
	\Rightarrow			Front	Side	Rear	Lot		- =	<u>18</u>	(See Ch. 105)	i e e e e e e e e e e e e e e e e e e e
.115	Residential Suites (continued)											REGULATIONS CONTINUED FROM PREVIOUS PAGE 8. Developments containing this use shall provide common living area available to all residential suite residents. Common living area shall consist of areas such as shared kitchens, dining areas, and community rooms. Areas such as bathrooms, laundries, utility rooms, storage, stairwells, mailrooms, and hallways shall not be counted as common living area. The minimum amount of common living area for each project shall be 250 square feet plus an additional 20 square feet per living unit.
.120	Public Utility, Government Facility, or Community Facility	Chapter	None	0'	0'	0'		30 feet above the elevation of 3rd Avenue or 4th Avenue as measured at the projected midpoint of the frontage of the subject property on the nearest applicable right-of-way.	Spec.	В	See KZC 50.60 and 105.25.	Landscape Category C is required if the subject property is adjacent to Planned Areas 7A or 7B, or PR 3.6 zones. Landscape Category A or B may be required depending on the type of use on the subject property and the impacts associated with the use on nearby uses.
.130	Public Park	Developme review proc		ds will b	e dete	rmined	on a c	ase-by-case basis. So	ee Chapt	er 49 KZ	C for required	

This page left intentionally blank.