ORDINANCE NO. 3654

AN ORDINANCE OF THE CITY OF KIRKLAND, RELATING TO ZONING, PLANNING, AND LAND USE AND TO THE LI, PLA6G AND PLA11 ZONES AND REGULATIONS THEREFORE; RENAMING THE LI ZONE TO LIT; REPLACING LI USE ZONE CHARTS WITH NEW LIT ZONE CHARTS; CREATING NEW ILC ZONE AND USE ZONE CHARTS; AMENDING THE PLA6G AND PLA11 USE ZONE CHARTS; AND ADDING A NEW SECTION 5.10.362 TO THE KIRKLAND MUNICIPAL CODE.

WHEREAS, the City Council has received from the Kirkland Planning Commission a recommendation to amend certain sections of the text of the Kirkland Zoning Code, all as set forth in that certain report and recommendation of the Planning Commission dated May 26, 1998, and bearing Kirkland Department of Planning and Community Development File No. IV-98-2; and

WHEREAS, prior to making the recommendation, the Planning Commission, following notice thereof as required by RCW 35A.63.070, on May 14, 1998, held a public hearing on the amendment proposals and considered the comments received at the hearing; and

WHEREAS, pursuant to the State Environmental Policy Act there has accompanied the legislative proposal and recommendation through the entire consideration process, a final determination of nonsignificance, including supporting SEPA Addendum issued by the responsible official pursuant to WAC 197-11-625; and

WHEREAS, in regular public meeting the City Council considered the environmental documents received from the responsible official, together with the report and recommendation of the Planning Commission;

NOW, THEREFORE, BE IT ORDAINED by the City Council of the City of Kirkland as follows:

<u>Section 1.</u> The Kirkland Zoning Code (Title 23 of the Kirkland Municipal Code) is amended in accordance with Attachment A, which by this reference is incorporated herein.

Section 2. If any section, subsection, sentence, clause, phrase, part or portion of this ordinance, including those parts adopted by reference, is for any reason held to be invalid or unconstitutional by any court of competent jurisdiction, such decision shall not affect the validity of the remaining portions of this ordinance.

Section 3. This ordinance shall be in full force and effect five days from and after its passage by the Kirkland City Council and publication, pursuant to Section 1.08.017 Kirkland Municipal

Code, in the summary form attached to the original of this ordinance and by this reference approved by the City Council, as required by law.

<u>Section 4</u>. A complete copy of this resolution, including Findings, Conclusions and Recommendations adapted by reference, shall be certified by the City Clerk, who shall then forward the certified copy to the King County Department of Assessments.

PASSED by majority vote of the Kirkland City Council in regular, open meeting this <u>lst</u> day of <u>September</u>, 19 98

SIGNED IN AUTHENTICATION thereof this <u>lst</u> day of September , 1998.

Mayor

Attest:

Approved as to Form:

City Attorney

Attachment A

TABLE OF CONTENTS

01 10 1			
Chapter 1	-	User Guide	ا
Chapter 5	•		
Chapter 10	•	Legal Effect/Applicability	23
Chapter 15	-	(RS) Single Family Residential Zone	
Chapter 17	-	(RSX) Single Family Residential Annexation Zone	
Chapter 20	-	(RM) Multi Family Residential Zone	రం
Chapter 25	-	(PR) Professional Office Residential Zone	
Chapter 27	-	(PO) Professional Office Zone	45
Chapter 30	-	(WD) Waterfront District Zone	49
Chapter 35	-	(FC) Freeway Commercial Zone	70
Chapter 40	-	(RN) Neighborhood Rhisiness Youe	83
Chapter 45	•	(BC) Community Business Zone	
Chapter 47	-	(BCX) Community Business Annexation Zone	
Chapter 50	-	(CBD) Central Business District Zone	
Chapter 52	•	(JBD) Juanita Business District Zone (LI) Light Industrial Zone (LIT) Light Industrial Technology	. <u>. 1</u> 15A
Chapter 55	-	(LI) Light Industrial Zone (LIT) Light Industryal Technology	LOURE
Chapter 60	•	(PLA) Planned Areas	126
Chapter 65	•	(P) Park/Public Use Zone	226
Chapter 72		Adult Activities Overlay Zone	229A
Chapter 75	_	Historic Landmark Overlay Zone	230
Chapter 80	-	Equestrian Overlay Zone	236
Chapter 85	-	Geologically Hazardous Areas	240
Chapter 90	-	Drainage Basins	244
Chapter 95	-	Landscaping	253
Chapter 100	-	Signs	262
Chapter 105	_	Parking and Parking Areas, Vehicle and Pedastrian Access	
,		and Related Improvements	277
Chapter 107	_	Storm Water Control	283
Chapter 110		Required Public Improvements	291
Chapter 115	-	Miscellaneous Use Development and Performance Standards	310
Chapter 120	_	Variances	342
Chapter 125	_	Planned Unit Development	349
Chapter 127		Temporary Use	357
Chapter 130	٠.	Rezone	360
Chapter 135		Amendments to the Text of the Code	
Chapter 140	_	Amendments to the Comprehensive Plan	
Chapter 142	· _	Administrative Design Review	368A
Chapter 145	. <u>.</u>	Process I	369
Chapter 150	_	Process IIA.	379
Chapter 152	_	Process IIB.	393
Chapter 155	_	Process III	406
Chapter 160	-	Process IV	420
Chapter 162	_	Non-Conformance	
Chapter 165	_	Authority	437
Chapter 170	_	Code Enforcement	441
Chapter 175	_	Bonds	449
Chapter 180	_	Plates	454
~: ICLU 1011	_	1 4644 1 2 3	

Inapter 57 (ILC) Industrial Limited: Commercial Zone

CHAPTER 1 - USER GUIDE

- 1.05 How to Use This Code
- 1.10 Additional Regulations

1.05 How To Use This Code

This Code has been designed and drafted to make it as easy as possible for the user to determine all land use regulations that apply to a particular piece of property and to uses, structures, and activities on that piece of property. Follow the step-by-step procedure laid out below to find applicable regulations.

Find the subject property on the Zoning Map. The subject property will be within one
of the following Use Zones sequentially listed:

RS	BC₊	PLA 8	
RSX	BCX		
RM	CBD	PLA 9	
PR	th LII	PLA 10	- ILC
PO	PLA 1	PLA 11	-> 100
WDI	PLA 2	PLA 12	
WD II	PLA 3	PLA 13	
WD III	PLA 4	PLA 15	
FC I		PLA 16	
FC II	PLA 5	P	
FC III	PLA 6		
BN	PLA 7		

- 2. Refer to the text of this Code and find the Chapter that corresponds to the Use Zone in which the subject property is located.
- 3. Each of these Use Zone Chapters contains a series of charts. Read down the first vertical column of each chart to find the use in which you are interested. In some zones, certain uses are listed specifically (e.g. "Retail Variety or Department Store" in Neighborhood Business zones). In other zones, uses are listed generally (e.g. "Any Retail Establishment...Selling Goods or Providing Services..." in Community Business Zones). In many cases, the general listing encompasses what could otherwise be numerous separate uses.

Uses and activities that fall under the definition of "Adult Entertainment Use or Activity" are not permitted except as allowed in Chapter 72 of this Code.

- 4. After finding the appropriate use, then read across to find a variety of regulations that apply to the subject property. In addition, review all of the Sections to which the Use Zone chart refers you. You may conduct two or more listed uses on one lot if you comply with all of the regulations that apply to each use. However, if a use zone contains a specific combined use listing, you must comply with the provision of that combined use listing.
- 5. You now have the basic zoning regulations that apply to the subject property. However, you should review Section 1.10 to see if other regulations of this Code may be applicable.

- 352. <u>Hazardous Waste Storage</u> The holding of dangerous waste for a temporary period (see WAC 173-303-040(85)).
- 353. <u>Hazardous Waste Treatment</u> The physical, chemical, or biological processing of dangerous wastes to make such wastes nondangerous or less dangerous, safer for transport, amenable for energy or material resource recovery, amenable for storage, or reduced in volume (see WAC 173-303-040(97)).
- 355. <u>Heat</u> Added energy that causes substances to rise in temperature, fuse, evaporate, expand or undergo any other related change.
- 360. High Density Residential Zones The following zones RM 2.4; RM 1.8; PLA 5 A, B, C, D, E; PLA 6 A, D, I, J; and PLA 7 B, C.

NEW >

362. High Technology — See attached new definition

Migh Waterline - The line where the water meets the land when the water level of Lake Washington is 21.8 feet above mean sea level based on the Corps of Engineers Datum Point. High Waterline shall be construed to be the same as

Ordinary High Water Mark (OHWM), as defined in WAC 173-16-030(10).

- 370. Home Occupation An occupation, enterprise, activity, or profession which is incidental to a residential use, which is carried on for profit or customarily carried on for profit; and which is not an otherwise permitted use in the Zone in which it is pursued.
- 375. <u>Horizontal Dimension</u> The length of the facade of a structure as measured along a plane, excluding eaves that extend out to a maximum of 18 inches from the exterior walls of a structure.
- 380. Hospital An institution providing primary health services and medical or surgical care to persons, primarily inpatients, suffering from illness, disease, injury, deformity and other abnormal physical or mental conditions, and including, as an integral part of the institution, related facilities such as laboratories, outpatient facilities, extended care facilities or training facilities.
- 385. <u>Hotel or Motel</u> A single building or group of buildings containing individual sleeping units intended for transient occupancy.
- 390. <u>Improvement</u> Any structure or man-made feature.
- 395. <u>Industrial Use</u> The uses allowed in the industrial zones and not permitted in any other zones.
- 400. Industrial Zones N. PLA 6 G, and PLA 11.
- 405. <u>Inner Harbor Line</u> The line designated as such on the Official Zoning Map.
- 410. <u>Institutional Uses</u> The following uses: schools, churches, colleges, hospitals, parks, governmental facilities and public utilities.
- 415. <u>Institutional Zones</u> The following zones: P; PLA 1 and PLA 12.

12

420. <u>Instructional Sign</u> - A sign which designates public information such as, but not limited to; public restrooms, public telephones, exitways and hours of operation.

AMENDMENT TO SECTION 5.10. OF THE KIRKLAND ZONING CODE

Add a new definition 5.10.362 to read as follows:

High Technology - A place of employment engaging in research, development and testing, assembly, office and manufacturing, including industries in: bio-technology, medical instrumentation or supplies, communications and information technology, electronics and

instrumentation, and computer hardware and software.

960. <u>Use Zone</u> - The zoning designations on the zoning map as follows:

RS 35	BC	PLA 6B
RSX 35	BCX	PLA 6C
RS 12.5		PLA 6D
RSX 12.5	CBD-1	PLA 6E
RS 8.5	CBD-2	PLA 6F
RSX 8.5	CBD-3	PLA 6G
RS 7.2	CBD-4	PLA 6H
RSX 7.2	CBD-5	PLA 6I
RS 5.0	CBD-6	PLA 6J
RSX 5.0	CBD-7	PLA 6K
RM 3.6	CBD-8	PLA 7A
RM 2.4	JBD-1	PLA 7B PLA 7C
RM 1.8	JBD-1 JBD-2	PLA 7C PLA 8
IXIVI 1.0	JBD-2 JBD-3	PLA 9
WD I -	JBD-3 JBD-4	PLA 10A
WDII	JBD-5	PLA 10B
WD III	JBD-6	PLA 10C
	CDD C	PLA 11
PR 5.0	5 LIT	PLA 12
PR 3.6	ILC	PLA 13A
PR 2.4	PLA 1	PLA 13B
PR 1.8	PLA 2	PLA 15A
	PLA 3A	PLA 15B
PO	PLA 3B	PLA 16
•	PLA 5A	PLA 17A
FC I	PLA 5B	PLA 17B
FC II	PLA-5C	PLA 17C
FC III	PLA 5D	
_	PLA 5E	P
BN	PLA 6A	

- 965. <u>Vehicle Service Station</u> A commercial use supplying petroleum products that are for immediate use in a vehicle.
- 970. <u>Vehicle Storage Area</u> An outside area which is used for the storage of operational vehicles.
- 973. <u>Vehicular Access Easement or Tract</u> A privately owned right-of-way.
- 974. <u>View Corridor</u> An open area that provides an unobstructed view across the subject property to and beyond Lake Washington from the adjacent right-of-way.
- 975. Wall Sign A sign attached to and extending not more than eighteen (18) inches from the facade or face of a building with the exposed face of the sign parallel to the facade or face of the building.
- 980. <u>Waterward</u> Toward the body of water.
- 985. Wetland As defined in Chapter 90 of this Code.

10.25 Zoning Categories Adopted - The City is divided into the following zoning categories:

	Zoning Category	Symbol
1.	Single-Family Residential Zones	RS and RSX (followed by a designation indicating minimum lot size per dwelling unit)
2.	Multifamily Residential Zones	RM (followed by a designation indicating minimum lot size per dwelling unit)
3.	Professional Office/Residential Zones	PR (followed by a designation indicating minimum lot size per dwelling unit)
4.	Professional Office Zones	PO
5.	Waterfront Districts	WD (followed by a designation indicating which Waterfront District)
6.	Freeway Commercial Zones ·	FC (followed by a designation indicating which Freeway Commercial Zone)
7.	Neighborhood Business	BN
8.	Community Business	BC and BCX
9.	Central Business District	CBD (followed by a designation indicating which sub-zone within the Central Business District)
10.	Juanita Business District	JBD (followed by a designation indicating which sub-zone within the Juanita Business District)
11.	Light Industrial Zones	TL LIT, ILC
12.	Planned Areas	PLA (followed by a designation indicating which Planned Area, and in some cases, which subzone within a Planned Area)
13.	Park/Public Use Zones	Р



User Guide. The charts in Section 10 of this Chapter contain the basic zoning regulations that apply in the LIT zones of the City. Use these charts by reading down the extreme left hand column entitled Use. Once you locate the use in which you are interested, read across to find the regulations that apply to that use. In addition, you should read Chapter 1 of this Code which will assist you in finding other regulations that apply to your property or proposal.

Section 55.10




Section 55.10 - GENERAL REGULATIONS - The following regulations apply to all uses in this zone:

- 1. If any portion of a structure is adjoining a low density zone, then either:
 - a. The height of that portion of the structure shall not exceed 20 feet above average building elevation, or
 - b. The horizontal length of any facade of that portion of the structure which is parallel to the boundary of the low density zone shall not exceed 50 feet in width.

See the Section in Chapter 115 entitled "Distance Between Structures Regarding Maximum Horizontal Facade Regulation" for further details. (This regulation does not apply to Public Transit Shelter and Hazardous Waste Treatment and Storage Facilities uses.)

- 2. Refer to Chapter 1 to determine what other provision of this Code may apply to the subject property. (This regulation does not apply to Public Transit Shelter uses.)
- 3. Except if adjoining a low density zone, structure height may be increased above 35 feet in height through a Process IIA, Chapter 150, if:
 - a. It will not block local or territorial views designated in the Comprehensive Plan;
 - b. The increased height is not specifically inconsistent with the applicable neighborhood plan provisions of the Comprehensive Plan; and
 - c. The required yard of any portion of the structure may be increased up to a maximum of one foot for each foot that any portion of the structure exceeds 35 feet above average building elevation. The need for additional setback yards will be determined as part of the review of any request to increase structure height.

(This regulation does not apply to Public Transit Shelter, Hazardous Waste Treatment and Storage Facilities and Public Parks uses.)





	SNC			MINIA			IDIREC	TIONS: FIRST; readido MAXIMUMS		State Harton	THEN, across	for REGULATIONS
55.10	A SEGULATIONS	Required Review Process	Lot Size		JIRED \ e Ch. 1		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
4)	\Rightarrow			Front	Side	Rear	Lot C	Structure	L. (S.	Sig (Se	(See Ch. 105)	(See also General Regulations)
010	Packaging of pre- pared materials Manufacturing See Special Regu- lations #1 and #2	None	None		0'	0'	90%	If adjoining a low density zone other than RSX, then 25' above average building elevation. Otherwise, 35' above average building elevation with a maximum of two stories, exclusive of parking levels	Α	С	1 per each 1,000 sq. ft. of gross floor area	 The following manufacturing uses are permitted: Food, drugs, stone, clay, glass, china, ceramics products, electrical equipment, scientific or photographic equipment, fabricated metal products; Fabricated metal products, but not fabrication of major structural steel forms, heavy metal processes, boiler making, or similar activities; Cold mix process only of soap, detergents, cleaning preparations, perfumes, cosmetics, or other toflet preparations; Packaging of prepared materials; Textile, léather, wood, paper and plastic products from pre-prepared material; and Other compatible uses which may involve manufacturing, processing, assembling, fabrication and handling of products, and research and technological processes. May include as part of this use, accessory retail sales office or service utilizing not more than 20% of the gross floor area. The land-scaping and parking requirements for these accessory uses will be the same as for the primary use.
020	A retail establish- ment providing storage services.	None	None	20′	0′	0′	90%		A	E	See Section 105.25	May include accessory living facilities for resident security manager.
030	Warehouse Stor- age Service Wholesale Trade	None	None	20′	0′.	0′	90%		A	С	1 per each 1,000 sq. ft. of gross floor area	May include as part of this use, accessory retail sales office or service utilizing no more than 20% of the gross floor area. The land-scaping and parking requirements for these accessory uses will be the same as for the primary use.
050	Industrial Laundry Facility Wholesale Printing or Publishing											


PAGE 117₀-3654

D. 2



CHART ZONE USE

	TOPPECTIONS:	MINIMUMS MAXIMUMS	Required REQUIRED VARD 69 Required Required Required Special Reputation Special Reputati	(See Ch. 105) (See Ch. 105)	None 20' 0' 80%	None None 20 0' 80% eXLIUMINE OF BE 1 per each 300 1. This use is permitted if accessory to a primary use, and: sq. ft. of gross a. It will not exceed 20% of the gross floor area of the building; and c. There is no vehicle drive-through.	None 20' 0' 80% hen i per each 1,000 sq. ft. of gross floor area and blots are and blots area same as for the primary use. Otherwise, see 3 Reserve and development, testing, assembled as part of the gross floor area and blots area same as for the primary use. Otherwise, see 3 Reserve and development, testing, assembled and blots area and blots area. The landscaping and area are so the primary use. Otherwise, see 3 Reserve and blots area area and blots area and blots area. Otherwise, see 3 Reserve and blots area area and blots area area and blots area. The landscaping and partial selection 105.25 Activity and Storage.	None None 20° 0° 70% See Gallowing regulations apply only to veterinary also office, then 1 per Reg. Spec. S	O-365
			`	· -	None	Non	e c	Nona	
Δ			Requir Revie		None	None	None	None	
	SI	NOL	Ё ВЕGUL∧Т	企	Wholesale estab- lishment or Con- tracting Services In Buitding Con- struction, Plumb- ing, Electrical, Landscaping, or Pest Control	A retail establishment providing banking and related financial services	High Technology	Office Usa	Adopted/Amended
			01.2	5	তাত	040	040 L C C C C C C C C C C	MAED: 11 8661	





	(0	***	-				DIREC	TIONS: IFIRST, Iread do	wnito.fii	idiuse	THEN, across	for REGULATIONS
	NO NO			MININ	IUMS			MAXIMUMS		,		
55.10	Ç ☐ G	Required Review Process	Lot Size		JIRED ' e Ch. 1		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
,	\Rightarrow			Front	Side	Rear	Lot		s) 1	Sic (S	(See Ch. 105)	(See also General Regulations)
110	Auction House See Special Regu- lation #1	None	None	20′	0′	0,		If adjoining a low density zone other than RSX, then 25' above average building	В		1 per each 300 sq. ft. of gross floor area.	Livestock auctions are not permitted. Outdoor storage for this use must be buffered as established in Chapter 95 for Landscaping Category A.
120	Kennel	None .	None	20' See Spe #1	0′ ecial Reg	0' ulation		elevation. Otherwise, 35' above average building elevation with a maximum of two stories, exclusive of parking levels.	В	E	1 per each 300 sq. ft. of gross floor area.	1. Outside runs and other facilities for the animals must be setback at least 10 feet from each property line and must be surrounded by a fence or wall sufficient to enclose the animals. See the section in Chapter 115 entitled "Outdoor Use, Activity and Storage" for further regulations. 2. Must provide suitable shelter for the animals. 3. Must maintain a clean healthful environment for the animals.
130	Daycare Center (See Special Regulation 1)	None	None	20'	O'	0'	80%		D	В	See Section 105.25	 This use is permitted if accessory to a primary use, and: It will not exceed 20% of the gross floor area of the building; The use is integrated into the design of the building. A 6-foot high fence is required along the property lines adjacent to the outside play areas. Hours of operation may be limited to reduce impacts on nearby residential uses. Structured play areas must be setback from all property lines as follows: 20 feet if this use can accommodate 50 or more students or children. 10 feet if this use can accommodate 13 to 49 students or children. An on-site passenger loading area may be provided. The City shall determine the appropriate size of the loading areas on a case-bycase basis, depending on the number of attendees and the extent of the abutting right-of-way improvements. Car pooling, staggered loading/unloading time, right-of-way improvements or other means may be required to reduce traffic impacts on any nearby residential uses. May include accessory living facilities for staff persons. The location of parking and passenger loading areas shall be designed to reduce impacts on any nearby residential uses. These uses are subject to the requirements established by the Department of Social and Health Services (WAC 388-73).

Section 55.10.d



FIRST, read down to find use. THEN, racross from REGULATIONS		Special Regulations	(See also General Regulations)	This use is permitted if accessory to a primary use, and: a. It will not exceed 20% of the gross floor area of the building; b. The use is integrated into the design of the building. A 6-foot high fence is required along the property lines adjacent to	only. 3. Hours of operation may be limited by the City to reduce impacts in	nearby resultant uses. 4. Structured play areas must be setback from all property lines by 5 feet.	5. An on-site passenger loading area may be required depending on the number of attendees and the extent of the abutting right-of-way	 May include accessory living facilities for staff persons. These uses are subject to the requirements established by the Department of Social and Health Services (WAC 388-73). 	 May deal in metal cans, glass, and paper. Other materials may be recycled if the Planning Director determines that the impacts are no greater than those associated with recycling metal cans, glass, or paper. The individual will have the burden of proof in demonstrating similar impacts. 	1. Landscape Category A or B may be required depending on the type of use on the subject property and the impacts associated with the	use on the nearby uses.	May be permitted only if it will not unreasonably impede pedestrian movement or create traffic safety problems. May Install transit route and information signs and markers.
THEN, across	-	Required Parking Spaces	(See Ch. 105)	See Section 105.25					See Section 105.25	See Section 105.25	See Section 105.25	See Section 105.25
ndluse		n Category e Ch. 100)	gi2	B			<u> </u>	 ,	O	m	m	See Spec. Reg. #2
vnitoifi		andscape Category ee Ch. 95)	s) 7 7	۵					₹	ပ	See Spec. Reg. #1	I
IDIRECTIONS: FIRST, readido	MAXIMUMS	Height of		If adjoining a low density zone other than RSX, then 25' above average building elevation.	Otherwise, 35' above average building elevation with	exclusing for the stones, such as the stones,						15' above average bullding elevation
<u>ज्ञानाट</u>	:	overage	107	%08					%08	%08	80% +	100%
		4RD 5)	Rear	,0	·· · · <u>-</u>	·			ò	ò	ó	ó
	OMS	REQUIRED YARD (See Ch. 115)	Side	O,					ò	ò	,o	ó
	MINIMUMS	REQL (Se	Front	20,					20,	20′	20,	0,
		Lot		None					None	None	None	None
京 八 三 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日		Required Review Process		None					None	None	None	None
s	NOI	Z C	介	Mini-daycare (7-12 attendees) (See Special Regulation 1)					Recycling Center	Public Utility	Government Facility Community Facility	Public Transit Shetter
		01:5	S	971		_			-50	02-	011	180

CHAR ZONE USE



Tions		Special Regulations	(See also General Regulations)	 Must comply with the state siting criteria adopted in accordance with RCW 70.105.210. Structure height may be increased above 35 feet in height through a Process IIA, Chapter 150, if: If will not block local or territorial views designated in the Comprehensive Plan; and The increased height is not specifically inconsistent with the applicable neighborhood plan provisions of the Comprehensive Plan; and The increased height is not specifically inconsistent with the applicable neighborhood plan provisions of the Comprehensive Plan; and The reductor an increase in height is directly related to the hazardous waste treatment and/or storage activity; and The required yard of any pontion of the structure may be increased up to a maximum of one foot for each foot that any portion of the structure exceeds 35 feet above average building elevation. The need for additional setback yards will be determined as part of the review of any request to increase structure height. Vehicle or boat sales or rental uses are only permitted if the property has direct vehicle access from NE 116th Street. Outdoor vehicle or boat parking or storage areas must be buffered as sequired for a parking area in Chapter 105. See the Section in Chapter 115 entitled "Outdoor Use, Activity and Storage" for further regulations. Access from drive-through facilities must be designed so that vehicles will not block traffic in the right-of-way while waiting in 	line to be served. This use is permitted if accessory to a primary use, and: a. It will not exceed 20% of the gross floor area of the building; b. The use is integrated into the design of the building; and c. There is no vehicle drive-in or drive-inrough.
sfor REGUL!				<u>- vi e e e e e e e e e e e e e e e e e e </u>	line to be served. 1. This use is permi a. It will not excet b. The use is inte
THEN, acros		Required Parking Spaces	(See Ch. 105)	Sq. ft. of gross floor area. See Section 105.25	1 per each 100 sq. ft. of gross floor area
diuse.	(X	n Categor ee Ch. 100)	es)	О . Ш	Ш
vn(to/fir		andscape Category see Ch. 95)	s) 	A A B A K P A B A K P A B A K P A B A K P A B A B A B A B A B A B A B A B A B A	æ
DIRECTIONS: JFIRST, read down to find use THEN, across for IREGULATIONS	MAXIMUMS	Height of		average building with a maximum hes, acturine of Special Regula-Special Regula-Special Regula-In than RSX, then average building in a serial pay a store of parting m of two stories, we of parting we are the serial pay and the stories of parting a serial pay and the stories of the storie	RVCK.
DIREC	_ [Coverage	Γοι (80%	80%
*		/ARD 15)	Rear	ò	O,
	IOMS	REQUIRED YARD (See Ch. 115)	Side	o o	O,
	MINIMOMS	REQL (Se	Front	30,	20′
		Lot		None	None
		Required Review Process		None	None
SN	ioi.	REGULAT	仓	Hazardous Waste Treatment and Storage Facilities Storage Facilities Storage Facilities Achicle or boat sales, repair, services, washing or rental (See Special Regulation 1)	Fast Food or · Restaurant (See Special Regulation 1)
		01 <u>G</u>	ુ	2002	210

PAGE 12, 3654



	SNOITA	- Z		MININ	MUMS	i de la constantina della cons	DIREC	TIONS: IFIRST, ireadido	wn\to\fi		THEN, across	for REGULATIONS
55.10	A S	Required Review Process	Lot Size	1	UIRED 'ee Ch. 1		Coverage	Height of Structure	Landscape Category (See Ch. 95)	in Category ee Ch. 100)	Required Parking Spaces	Special Regulations
7	\Rightarrow			Front	Side	Rear	1 -		-S)	Sign (See	(See Ch. 105)	(See also General Regulations)
22D	Public Park	See Special Regulations #1 and #2	None	Will be	determin	ed on ca	se-by-ca	ise basis.		В	See Section 105.25	 Development and use of a park does not require a development permit under this Code if: a. A master plan for that park has been approved by the City and the proposed development and use is consistent with the master plan; or b. The proposed use and development will not involve:

CHAPTER 57 - INDUSTRIAL LIMITED COMMERCIAL (ILC) ZONES

57.05 User Guide. The charts in Section 10 of this Chapter contain the basic zoning regulations that apply in the ILC zones of the City. Use these charts by reading down the extreme left hand column entitled Use. Once you locate the use in which you are interested, read across to find the regulations that apply to that use. In addition, you should read Chapter 1 of this Code which will assist you in finding other regulations that apply to your property or proposal.

Section 57.10



Section 57.10 - GENERAL REGULATIONS - The following regulations apply to all uses in this zone:

- 1. Refer to Chapter 1 to determine what other provision of this Code may apply to the subject property. (This regulation does not apply to Public Transit Shelter uses.)
- 2. Structure height may be increased above 35 feet in height through a Process IIA, Chapter 150, if:
 - a. It will not block local or territorial views designated in the Comprehensive Plan;
 - b. The increased height is not specifically inconsistent with the applicable neighborhood plan provisions of the Comprehensive Plan; and
 - c. The required yard of any portion of the structure may be increased up to a maximum of one foot for each foot that any portion of the structure exceeds 35 feet above average building elevation. The need for additional setback yards will be determined as part of the review of any request to increase structure height.

(This regulation does not apply to Public Transit Shelter and Public Park uses.)

<u>ر</u> م



USE ZONE CHART

							(DIREC	TIONS IF	जिस्स्य	riclov	n (follind) (rejection) in	MENLACIOS SIOT REGULATIONS
	ONO			MINIM	AUMS		MA	XIMUMS				
57.10	Ç⊐ S REGULATIONS	Required Review Process	Lot Size		JIRED 1 e Ch. 1		Coverage	Height of Structure	Landscape Category (See Ch. 95)	n Category se Ch. 100)	Required Parking Spaces	Special Regulations
5				Front	Side	Rear	<u>5</u>	Structure	S)	Sign ((See Ch. 105)	(See also General Regulations)
010	Packaging of pre- pared materials Manufacturing See Special Regu- lations #1 and #2		None	20'	0'	O'		35' above average building elevation with a maximum of two stories, exclusive of parking levels.	•	С	1 per each 1,000 sq. ft. of gross fluor area	 The following manufacturing uses are permitted: Food, drugs, stone, clay, glass, china, ceramics products, electrical equipment, scientific or photographic equipment, fabricated metal products; Fabricated metal products, but not fabrication of major structural steel forms, heavy metal processes, boiler making, or similar activities; Cold mix process only of soap, detergents, cleaning preparations, perfumes, cosmetics, or other toilet preparations; Packaging of prepared materials; Textile, feather, wood, paper and plastic products from pre-prepared material; and Other compatible uses which may involve manufacturing, processing, assembling, fabrication and handling of products, and research and technological processes. May include as part of this use, accessory retail sales, office or service utilizing not more than 20% of the gross floor area. The landscaping and patking requirements for these accessory uses will be the same as for the primary use.
020	Warehouse Stor- age Service	None	None	20'	0.	0'	90%		A	С	1 per each 1,000 sq. ft. of gross floor area	May include as part of this use, accessory retail sales, office or service utilizing no more than 20% of the gross floor area. The landscaping and parking requirements for these accessory uses will be the same as for the primary use.
030	Wholesale Trade	_										
040	Industrial Laundry Facility											
050	Wholesale Printing or Publishing											
5060	A retail establish- ment providing storage services. See Special Regulation #1.	None	None	20′	0'	0,	90%		A	E	See Section 105.25	May include accessory living facilities for resident security manager.

Adopted/Amended

9-04-1998 10:59AM

2 d

CHART ZONE USE

		おからの		i i				~મ	A COUNTY OF THE PARTY	1	State of the second second second second	
		1		MINIE	MINIMUMS		MA.	MAXIMUMS		λ		
ase 🗘	REGULAT	Required Review Process	Lot	REQ! (Se	REQUIRED YARD (See Ch. 115)	YARD 15)	олецаде	Height of	andscape Category ee Ch. 95)	n Categor se Ch. 100)	Required Parking Spaces	Special Requiations
	介			Front	Side	Rear	Tot C				(See Ch. 105)	(See also General Regulations)
A Retail Establish ment Providing Building Constrution, Plumbing, Electrical, Landscaping, or Pest Control Services	ė ė	None	None	20,	٥	ó	80% 80%	35' above average building elevation with a maximum of two stories.	a 5	m =	i per each 300 sq. ff. of gross floor area	. Ouldoor storage for this use must be buffered as established in Chapter 95 for Landscaping Category A.
A Retail Establisment Selling Build	A Retail Establishment Selling Build- ing Materials or Hardware A Retail Establish- ment Providing							exclusive of parking levels.				
Rental Services A retail establish ment providing banking and reteled financial services (See Special		None	None	20,	ò	ð	80%		æ	ш	f per each 300 sq. ft. of gross floor area	 This use is permitted if accessory to a primary use, and: a. It will not exceed 20% of the gross floor area of the building; b. The use is integrated into the design of the building; and c. There is no vehicle drive-in or drive-through.
High Technolo	, 60A	None	None	50,	6	ò	80%		<	٥	ff manufacturing then 1 per each 1,000 sq. ft. of gross floor area it office then 1 per 300 sq. ft. of	
											Gross floor area Otherwise, See Section 105.25	 Heter to Chapter 115.105 for provisions regarding Cutside Use, Activity and Stor- age.

o_æ3654 **B**

£ .q

ZONE CHART USE



FIRST (readidown)ใจไปก็อุเซอะ สาฟิยฟเลอเจรร์ โดก หลัดขับคับโดกร์		Required Parking Spaces Spaces	(See a	If a medical, den- 1. The following regulations apply only to veterinary offices: a. If there are outdoor runs or other outdoor facilities for the animals, then use must office, then 1 per each 200 sq. ft. b. Outside runs and other outside facilities for the animals must be setback at least of gross floor cient to enclose the animals. See the section in Chapter 115 entitled "Outdoor Use, Activity and Storage" for further regulations. Otherwise, 1 per each 300 sq. ft. of gross floor area.	1 per each 300 1. This use must contain at least 75,000 square feet of gross floor area. 2. Outdoor storage for this use must be buffered as established in Chapler 95 for Land-scaping Category A. 3. A delicatessen, bakery, or other similar use may include, as part of this use, accessory seating it: a. The seating and associated circulation area does not exceed more than 10% of the gross floor area of the use; and b. it can be demonstrated to the City that the floor plan is designed to preclude the seating area from being expanded. 4. No of this use area from being expanded.	See Section 1. Outdoor storage for this use must be buffered as established in Chapter 95 for Land-scaping Category A. 2. No drive-through or drive-in lacilities are permitted. 3. A delicatessen, bakery, or other similar use may include, as part of this use, accessory seating if: a: The sealing and associated circulation area does not exceed more than 10% of the gross floor area of the use, and b: It can be demonstrated to the City that the floor pian is designed to preclude the sealing area from being expanded. 4. Ancillary assembly and manufactured goods on the premise of this use are permitted only it: a. The assembled or manufactured goods are directly related to and are dependent upon this use, and are available for purchase and removal from the premises. b. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other retail uses. 5. Churches are limited to no more than 15% of the gross floor area of the complex.	PAGE 40
didow	. ,	n Category ee Ch. 100)	eis (S)	٥	ш	ш.	
ST frea	,	andscape Category See Ch. 95)	s) 7	See also Spec. Reg.	<u>m</u>	6	
OIRECTIONS (FIF	MAXIMUMS	Helght of		35' above average building elevation with a maximum of two stories, exclusive of parking levels.			
OIREC	MA	Coverage	T 04 (70%	%08	%08	
		/ARD 15)	Веаг	ó	0,	6	
	SWO	REQUIRED YARD (See Ch. 115)	Side	ò	٥	٥	
	MINIMOMS	REQU (Sec	Front	20,	20	50,	
		Lot Size		None	None	None	
		Required Review Process		None	None	Моги	
	NO	Ä REGULA∏	仓	Office Use	A Retail, Variety or Department Store	A multi-use complex of mixed used building contain-ing 7 or more restaurants, leverns, fast food restaurants, retait establishments, or churches.	Adopted/Amended
		01:1	19	120	130	MO97 MA00:11 888	l-70-6

PAGE 3624

7 d



USE ZONE CHART

	,						01:136	ागिश्चर्यालास्य	Si (Car	1com	Monthelmer	TEST CERCLES OF THE CONTROLL OF THE CONTROL OF THE
	SN			AINIMINE STATE	1111C		IVAN				Same of the same	
	OI.				2		4		_)		
OLL	Z (Required Review Process	Lot Size	REQU (Set	REQUIRED YARD (See Ch. 115)	ARD 5)	overage	Height of	andscape Be Ch. 95)	n Categor ee Ch. 100	Required Parking	Special Remiations
9	Û			Front	Side	Rear		Structure	s)		(See Ch. 105)	(See also General Regulations)
190	Gymnastic Instructional Facility	None	None	50	,0	0	80% 4	35' above average building	ø.	ш S) <u>Т</u>	See Section 105.25	
160	Hatel or Malei	Nane	None	50,	۵	.o	80%	elevation with a maximum of two stories, exclusive of	80	m Où T	i per each room. See Special Reg. #2.	 May include meeting and convention facilities. Excludes parking requirements for ancillary meeting and convention facilities. Additional parking requirement for those ancillary uses shall be determined on a case-by-case basts.
01-1	A Retail Establishment Providing Printing, Publishing, or Duplicating Services	None	None	20,	۵	,o	80%	parloing levels.	6	ш	t per each 300 sq. ft. of gross Roor area	1. Gross floor area for this use may not exceed 3.000 sq. fl. For a larger printing or publishing facility, see wholesale printing or publishing listing in this use zone.
180	A retail establishment providing vehicle or boat sales, repair, services, washing, or rental	None	None	50,	ò	ò	80%		ď	ш	See Section 105.25	 Outdoor vehicle or boat parking or storage areas must be buffered as required for a parking area in Chapter 105. See the Section in Chapter 115 entitled 'Outdoor Use, Activity and Storage* for further regulations. Access from drive-through facilities must be approved by the Public Works Department. Drive-through facilities must be designed so that vehicles will not block traffic in the right-of-way while waiting in line to be served.
HEOM	Fast Food or Restaurant (See Special Regulation 1)	None	None	20,	o,	ó	80%		æ	ш	1 per each 100 sq. fl. of gross floor area	1. This use is permitted it accessory to a primary use, and: a. It will not exceed 20% of the gross floor area of the building; b. The use is integrated into the design of the building; and c. There is no vehicle drive-no or drive-through.
MA 200	Auction House See Special Regu-	None	None	20,	,o	ó	80%		es es	ш	t per each 300 sq. ft. of gross floor area.	 Livestock auctions are not permitted. Outdoor storage for this use must be buffered as established in Chapter 95 for Landscaping Category A.
0 27 8661	Kennel	None	None	See Spe	20' 0' 0' See Special Regulation	o' utation	%08		æ	П	1 per each 300 sq. ft. of gross floor area.	 Outside runs and other facilities for the animals must be setback at least 10 feet from each property line and must be surrounded by a fence or wall sufficient to enclose the animals. See the section in Chapter 115 entitled "Outdoor Use, Activity and Storage" for further regulations. Must provide suitable shefter for the animals. Must maintain a clean healthful environment for the animals.

0-3654 **byge** 2654



	57.10.e				4 e (14)		(Sine	SUM DA LE			- 0- <i>11</i> 000	TUEN CONTROL WATCHE
	ONS			MINIM	UMS		A CONTRACTOR AS	XIMUMS	ielije.	2. 20	Vicomionise	iHEN across (for REGULATIONS
57.10	REGULATIONS	Required Review Process	Lot Size		JIRED Y		Lot Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
43)				Front	Side	Rear	Ļot)	s) !S	(See Ch. 105)	(See also General Regulations)
220	Vehicle Service Station	Process I Chapter 145	22,500 sq. ft.		15' on each side Specia	10' Regu	60%	35' above average building elevation with a maximum of	A	E	See Section 105.25	 May not be more than 2 vehicle service stations at any intersection. Gas pump islands may not be closer than 15 feet to any property line. Canoples covers over gas pump islands may not be closer than 10 feet to any property line. Outdoor parking and service areas may not be closer than 10 feet to any property line. See the Section in Chapter 115 entitled "Outdoor Use, Activity and Storage" further regulations.
230	Hazardous Wasle Treatment and Storage Facililles	None	Nane	30'	0'	0,	90%	two stories, exclusive of parking levels.	A	С	1 per each 1,000 sq. ft, of gross floor area.	1. Must comply with the state siting criteria adopted in accordance with RCW 70.105.210. 2. Structure height may be increased above 35 feet in height through a Process III. Chapter 150, it: a. It will not block locat or territorial views designated in the Comprehensive Plate. The Increased height is not specifically inconsistent with the applicable neight hood plan provisions of the Comprehensive Plan; c. The need for an Increase in height is directly related to the hazardous waste in ment and/or storage activity; and d. The required yard of any portion of the structure may be increased up to a mourn of one toot for each toot that any portion of the structure exceeds 35 fe above average building elevation. The need for additional setback yards will determined as part of the review of any request to increase structure height.
240	Daycare Center (See Special Reg- ulation 6)	None	None	20'	.0'	ď	80%		D	8	See Section 105.25	 A 6-foot high fence is required along the property lines adjacent to the outside pareas. Structured play areas must be setback from all property lines as follows: 20 feet if this use can accommodate 50 or more students or children. 10 feet if this use can accommodate 13 to 49 students or children. Cherwise, 5 feet. An on-site passenger loading area may be provided. The City shall determine the appropriate size of the loading areas on a case-by-case basis, depending on the number of attendees and the extent of the abutting right-of-way improvements or other pooling, staggered loading/unloading time, right-of-way improvements or other means may be required to reduce traffic impacts on any nearby residential use: May include accessory living facilities for staff persons. These uses are subject to the requirements established by the Department of So and Health Services (WAC 388-73). This use is permitted if accessory to a primary use, and: It will not exceed 20% of the gross floor area of the building; and The use is integrated into the design of the building.

9 [.]d

	, 5						OILLO	DIRECTIONS FIR	Stiffen	olo om	itolindes	IRSECTEACIDOMINOUNDED.SITTEM, ACTOOSSION HECOLATIONS FOR
(OMS	:		MINIMUMS	IUMS		MAX	MAXIMUMS		,		
01. LS	Ä ⊏⇒	Required Review Process	Lot Size	REQL (Se	REQUIRED YARD (See Ch. 115)	ARD (5)	overage	Height of	andscape Sategory ee Ch. 95)	n Category se Ch. 100)	Required Parking Spaces	Special Regulations
Ì	①			Front	Side	Rear	ריינ כ		s) P	9S) 6 S	(See Ch. 105)	(See also General Regulations)
320	Mini-daycare (7-12 None allendees) (See Special Regulation 6)	None	None	50,	o'.	ò	%08	35' above average building elevation maximum of two stories, two stories, parking levels.	۵	ω	105,25	 A 6-foot high fence is required along the property lines adjacent to the outside play areas. Structured play areas must be selback from all property lines by 5 feet. An on-site passenger loading area may be required depending on the number of attendees and the extent of the abuting right-of-way improvements. May include accessory living facilities for staff persons. These uses are subject to the requirements established by the Dapartment of Social and Health Services (WAC 388-73). This use is permitted if accessory to a primary use, and: Ithis use is permitted if accessory to a primary use, and:
280	Public Utility	None	None	20	.0	δ	80%		ပ	m	See Section 105.25	1. Landscape Category A or B may be required depending on the type of use on the subject property and the impacts associated with the use on the nearby uses.
270	Government Facility Community Facility	Мопе	None	20,	0,	0	%08	· · · · · · · · · · · · · · · · · · ·	Spec. Reg. #1	ro	See Section 105.25	
83	Public Transit Shelter	None	None	δ	0.	8	100%	15' above average building ele- vation	1	See Spec. Reg.	See Section 105,25	May be permitted only if it will not unreasonably impede pedestrian movement or create traffic satety problems. May install transit route and information signs and markers.
18	Recycling Center	None	None	20,	· 6	`	80%	35' above average building elevation with a maximum of two stories, exclusive of parking levels.	∢	ن ر	See Section 105.25	 May deal in metal cans, glass, and paper. Other materials may be recycled if the Planning Director determines that the impacts are no greater than those associated with recycling metal cans, glass, or paper. The individual will have the burden of proof in demonstrating similar impacts.
	Adopted/Amended				Ì							0-365-0

Section 57.10.g

	Se (FIRST readidownto/findluse մոլկEN/across/rotRECULAπioNS		Special Regulations	(See also General Regulations)	 Development and use of a park does not require a development permit under this Code it: 	a. A master plan for that park has been approved by the City and the proposed	development and use is consistent with the master plan; or	b. The proposed use and development will not involve:	1) Lighting for outdoor nightlime activities, and	2) The construction of any building of more than 4,000 square test; and	3) The construction of more than 20 parking stalls; and	4) The development of any structured sports or activity areas.	2. Any development or use of a park that does not meet the requirements of Special	Regulation #1 must be approved through the Process III, Chapter 155. The City will	use the following factors in determining what facilities and uses will be permitted;	a. Ease of access to the park.	b. Character of the neighborhood.	c. Size, nature, and topography of the subject property.
	السفقائلية المرازية		Required Parking Spaces	<u>s</u>	See Section 105.25													
	(0) (0) (0)		n Category se Ch. 100)	ei2 e2)	Ð													
	DI G	,	andscape Category ee Ch. 95)	ן וי														
	MONES (A	MAXIMUMS	Height of		Will be determined on case-by-case basis.													
	DIHEC	MA	;overage	רסו כ	e-by-c			•										
			ARD 15)	Rear	ed on cas													
	地	OMS	REQUIRED YARD (See Ch. 115)	Side	letermin								Table					
	į	MINIMOMS	REQU (Set	Front Side	Will be C													
	***		Lot Size		None													
			Required Review Process		See Spe. cial Regu-	lations #1	and #2			`								
	9	ONS	 REGULAȚI	仓	Park													
			SE C		Public Park									_				
d			01. F	â		300					_							

Adopted/Amended

Section ou.sa



Section 60.35 - GENERAL REGULATIONS - The following regulations apply to all uses in this zone:

- 1. Refer to Chapter 1 to determine what other provision of this Code may apply to the subject property. (This regulation does not apply to Public Transit Center uses.)
- 2. If any portion of a structure is adjoining a low density zone, then either:
 - a. The height of that portion of the structure shall not exceed 20 feet above average building elevation, or
 - b. The horizontal length of any facade of that portion of the structure which is parallel to the boundary of the low density zone shall not exceed 50 feet in width.

See the Section in Chapter 115 entitled "Distance Between Structures Regarding Maximum Horizontal Facade Regulation" for further details. (This regulation does not apply to Attached, Stacked Dwelling Units and Public Transit Shelter uses.)

- 3. The required yard of any portion of the structure must be increased one foot for each foot that any portion of the structure exceeds 25 feet above average building elevation.
- 4. Except if adjoining a low density zone, structure height may be increased above 35 feet in height through a Process IIA, Chapter 150, if:
 - a. It will not block local or territorial views designated in the Comprehensive Plan; and
 - b. The increased height is not specifically inconsistent with the applicable neighborhood plan provisions of the Comprehensive Plan.
 - c. The need for additional setback yards to compensate for the added height and bulk will be determined as part of the review of any request to increase structure height.

(These regulations do not apply to Attached, Stacked Dwelling Units, Public Transit Shelter, and Public Park uses.)

CHAR ZONE USE

Zone

Section 60.35.a

A THE TAX OF THE STATE OF THE S			Category Special Required Spaces Special Required Spaces	ගු හි (See Ch. 105) (See a	I =	b. Fabricated metal products, but not fabrication of major structural steel forms, heavy metal processes; boiler making, or similar activities; c. Cold mix process only of soap, detergents, cleaning preparations, perfumes, cos-			All vehicular access shall be from the east. The site access shall be configured to structurally prevent the use of 7th Avenue South or other residential streets. Prior to issuance of a development permit, documentation must be provided and	stamped by a licensed professional verifying that the expected noise to be emanating from the site adjoining to any residential zoned property complies with the standards set forth in Washington Administrative Code Section 173-60-040(1) for a Class B	Source property and a Class A receiving property. 4. Outdoor storage and abtrication is not permitted. 5. May include as part of this use accessory wholesale office or retail trade utilizing not and property of the prope	these accessory uses will be the same as for the primary use. 6. Use shall not create noise, light, dust, funes, and other adverse conditions which distinct the residential character of the surrounding area.	7. Site and building design shall be complementary with surrounding residential, through use of design elements such as roof forms, building modulation, setbacks, and landscaping scaping. The City may require revision of the building design, site plan or landscaping	plan in order to minimize noise and enhance the visual character of the area. 8. The Planning Director may allow incidental visitor parking to access from 7th Avenue South, provided that the applicant can demonstrate that the visitor parking will not	adversely affect the residential character of the neighborhood, the parking will not be used by delivery vehicles, and the design precludes expanded use of this parking.
		MAXIMOMS	Coverage Height of Artificial Schools and		90% If adjoining a low density zone other	than RSX, then 25' above aver-	age building elevation.	Otherwise, 35′ above aver-	age building elevation with a maxlmum of	two stories exclosive of Parton	levets.				
	-	_										· · ·			
			115)	Rear	ó			<u>-</u> .		•			•	· · · ·	
e i	TIME	SEC	REQUIRED YARD (See Ch. 115)	Side	ò					·					
		MINIMONIS	REQI (Se	Front	20,						_				
			Lot	:.	None				• .				., ,		
			Required Review Process		None										
	SN	101.	Ä ⊏≯	介	Manufacturing See Special Regulation #1	Warehouse Storage Service	Wholesale Trade	Industrial Laundry Facility	Whotesale Printing and Publishing	Wholesale Establishment	or Contracting Services in Building Construction	Plumbing, Electrical, Landscaping, or	Pest Control		
				609	010	97.6	63	040	050	090					

○−3654

Section 60.35.b



	(0						DIRE	EČTIONS: IFII	SŢ,irea	d(dow	nito(find(use::	THEN across (for REGULATIONS
	NO.			MINIM	UMS		М	AXIMUMS		> ~		
5.35	C→ G REGULATIONS	Required Review Process	Lot Size		JIRED e Ch. 1		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
2	\Rightarrow		•.	Front	Side	Rear	Lot 0	Cirabiane	S)	Sign (See	(See Ch. 105)	(See also General Regulations)
į	Retail establishment providing storage services. See also Special Regulation #2.	None	None	20′	0'	O'	90%	If adjoining a low density zone other than RSX, then 25' above average building elevation. Otherwise, 35' above aver-	A	E	See Section 105.25	 All vehicular access shall be from the east. The site access shall be configured to structurally prevent the use of 7th Avenue South or other residential streets. May include accessory living facilities for resident security manager. Site and building design shall be complementary with surrounding residential, through use of design elements such as roof forms, building modulation, setbacks, and land-scaping. The City may require revision of the building design, site plan or landscaping plan in order to minimize noise and enhance the visual character of the area. The Planning Director may allow incidental visitor parking to access from 7th Avenue South; provided, that the applicant can demonstrate that the visitor parking will not adversely affect the residential character of the neighborhood, the parking will not be used by delivery vehicles, and the design precludes expanded use of this parking.
640	High Technology	None	None	20'	0'	0'	80%	age building elevation with a maximum of two stories, exclusive of parking levels.	A	D	If manufactur- ing then 1 per each 1,000 sq. ft. of gross floor area If office then 1 per 300 sq. ft. of gross floor area Otherwise, See Section 105.25	 This use may include research and development, testing, assembly, repair or manufacturing or offices that support businesses involved in the pharmaceutical and blotechnology, communications and information technology, electronics and instrumentation, computers and software sectors. All vehicular access shall be from the east. The site access shall be configured to structurally prevent the use of 7th Avenue South or other residential streets. Prior to issuance of a development permit, documentation must be provided and stamped by a licensed professional verifying that the expected noise to be emanating from the site adjoining any residentially zoned property complies with the standards set forth in Washington Administrative Code Section 173-60-040(1) for a Class B source property and a Class A receiving property. Refer to Chapters 105,115 for provisions regarding Outside Use, Activity and Storage. The Planning Director may allow incidental visitor parking to access from 7th Avenue South; provided, that the applicant can demonstrate that the visitor parking will not adversely affect the residential character of the neighborhood, the parking will not be used by delivery vehicles, and the design precludes expanded use of this parking. Use shall not create noise, glare, light, dust, fumes, and other adverse conditions which disrupt the residential character of the surrounding area. Site and building design shall be complementary with surrounding residential, through use of design elements such as roof forms, building modulation, setbacks, and land-scaping. The City may require revision of the building design, site plan or landscaping plan in order to minimize noise and enhance the visual character of the area.



one RIA6G	USE	ZONE	CHART
30.33			

	(0						DIRE	CTIONS: IFIF	STrrea	ddor	n (o find use).	THEN facrossifor REGULATIONS
	NO O			MINIM	UMS		MA	AXIMUMS				
0.35	← Signations	Required Review Process	Lot Size	1	JIRED ' e Ch. 1		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
9	\Rightarrow			Front	Side	Rear	Lot		5) 1	s) ìis	(See Ch. 105)	(See also General Regulations)
090	Office Use	None	None	20′	0′	ď	70%	If adjoining a low density zone other than RSX, then 25' above aver- age building elevation.	C	D	If a medical, dental, or veter- inary office, then 1 per each 200 sq. ft. of gross floor area.	2. The Planning Director may allow incidental visitor parking to access from 7th Avenue
								Otherwise, 35' above average building elevation with a maximum of two stories, exclusive factors.			per each 300 sq. ft. of gross floor area	use of design elements such as roof forms, building modulation, setbacks, and land- scaping. The City may require revision of the building design, site plan or landscaping plan in order to minimize noise and enhance the visual character of the area. 5. Prior to issuance of a development permit, documentation must be provided and stamped by a licensed professional verifying that the expected noise to be emanating from the site adjoining any residentially zoned property complies with the standards set forth in Washington Administrative Code Section 173-60-040(1) for a Class B source property and a Class A receiving property.
100	Daycare Center (See Special Regulation 8)	None	None	20'	O'	0'	80%	1	D	В	See Section 105.25	 A 6-foot high fence is required along the property lines adjacent to the outside play areas. Hours of operation may be limited to reduce impacts on nearby residential uses. Structured play areas must be setback from all property lines as follows: a. 20 feet if this use can accommodate 50 or more students or children. b. 10 feet if this use can accommodate 13 to 49 students or children. c. Otherwise, 5 feet. An on-site passenger loading area must be provided if this use can accommodate 5 or more children. The City shall determine the appropriate size of the loading areas on a case-by-case basis, depending on the number of attendees and the extent of the abutting right-of-way improvements. Carpooling, staggered loading/unloading time, right-of-way improvements or other means may be required to reduce traffic impacts on any nearby residential uses. May include accessory living facilities for staff persons. These uses are subject to the requirements established by the Department of Social and Health Services (WAC 388-73). All vehicular access shall be from the east. The site access shall be configured to structurally prevent the use of 7th Avenue South or other residential streets. This use is permitted if accessory to a primary use, and: a. It will not exceed 20% of the gross floor area of the building; and b. The use is integrated into the design of the building.

	of feeting.				r											_		_		
	HEN,facross/forIREGULATIONS		Special Regulations	(See also General Regulations)	1. All vehicular access shall be from the east. The site access shall be configured to	structurally prevent the use of 7th Avenue South or other residential streets. 2. A six-foot high fence is required along the property lines adjacent to the outside play.		3. Hours of operation may be limited by the City to reduce impacts in nearby residential	uses.		An on-site passenger loading area may be required depending on the number of	attendees and the extent of the abutting right-of-way improvements.	The location of parking and passenger loading areas shall be designed to reduce	impacts on nearby residential uses.	May include accessory living facilities for staff persons.	These uses are subject to the requirements established by the Department of Social		This use is permitted # accessory to a primary use, and:	 a. It will not exceed 20% of the gross floor area of the building; and 	 b. The use is integrated into the design of the building.
	nito findiūse. T		Required Parking Spaces	ன் (See Ch. 105)	ction	105.25		<u>e</u>		4	2		9			8		<u>6</u>		
	Mobil		n Category se Ch. 100)	6 S	83															
	RST iread		andscape Sategory ee Ch. 95)	s)	ш					·										š.
	CTIONS: JEIL	REQUIRED YARD Company (See Ch. 115)		Sil del die	If adjoining a	low density	than RSX,	then 25'	above aver-	age building	elevation.	************	Otherwise, 35'	above aver-	age building	elevation with	a maximum of	two stories,	のとうないな	parking leve
	DIRE			רסו כ	80%						•••	-								
				Rear	ó															
				Side	ò															
		MINIMUMS	REQL (Se	Front	30,															
		,	Lot Size		None												•			
\			Required Review Process		None															
	S	inol	Ä REGULAT	介	t —	(7-12 attendees)	Regulation 9)													
			ZE.	09		<u>9</u>														





	(0	*# 4			100		DIR	CTIONS: IFI	ST, rea	didov	n tollindiuse:	THEN across for REGULATIONS
	N N O			MINIM	IUMS		М	AXIMUMS				
235	C → G HEGULATIONS	Required Review Process	Lot Size	1	UIRED ee Ch. 1		Coverage	Height of Structure	Landscape Category (See Ch. 95)	In Category ee Ch. 100)	Required Parking Spaces	Special Regulations
_	\Rightarrow] 		Front	Side	Rear	Lot 0		1 - 8)	Sig (S	Spaces (See Ch. 105)	(See also General Regulations)
120	Attached OR Stacked Dwelling Units (See Special Regulation 6)	None	3,600 sq. ft. per dwelling unit	20'	5', but 2 side yards must equal atleast 15'	10'	60%	If adjoining a low density zone other than RSX, then 25' above average building elevation. Otherwise, 30' above average building elevation	D	A	1.7 per unit	 Chapter 115 contains regulations regarding home occupations and other accessory uses, facilities, and activities associated with this use. If the subject property contains four or more units, then it must contain at least 200 square feet per unit of common recreational space usable for many activities. This required common recreational open space must have the following minimum dimensions: For 4 to 20 units, the open space must be in one or more places each having at least 800 square feet and having a length and width of at least 25 feet. For 21 units or more, the open space must be in one or more pieces having a length and width of at least 40 feet. The required common recreational space may be reduced to 150 square feet per unit if permanent outdoor furniture, pool, cooking facilities, playground equipment and/or a recreation building are provided in the common open space. The City shall determine if these outdoor provisions provide comparable recreational opportunities as would the open space that is reduced, based on the number of residents that they would serve at one time. Also, the required minimum dimension for the open space containing these outdoor provisions may also be reduced in proportion to the reduced open space area. If any portion of a structure is adjoining a low density zone, then either: The height of that portion of the structure shall not exceed 15 feet above average building elevation, or The horizontal length of any facade of that portion of the structure which is parallel to the boundary of the low density zone shall not exceed 50 feet in width. See the Section in Chapter 115 entitled "Distance Between Structures Regarding Maximum Horizontal Facade Regulation" for further details. Site design must provide for a bicycle and pedestrian path connectio



FIRST, rread idown (to findluseTHEN; across (for IREGULATIONS		ed g Special Regulations	(See	- 23 6	state and building design shall be complementary with surrounding residential through use of design elements such as roof forms, building modulation, setbacks, and land-scaping. The City may require revision of the building design, site plan or fandscaping plan in order to minimize noise and enhance the usual character of the area. 4. Prior to Issuance of a development permit, documentation must be provided and stamped by a licensed professional verifying that the expected noise to be emanating from the site adjoining any residentially zoned property complies with the standards set forth in Washington Administrative Code Section 173-60-040(1) for a Class B source property and a Class A receiving property.	May be permitted only if it will not unreasonably impede pedestrian movement or create traffic safety problems. May install transit route and information signs and markers.	1. Development and use of a park does not require a development permit under this Code if: a. A master plan for that park has been approved by the City and the proposed development and use is consistent with the master plan; or b. The proposed use and development will not involve: 1) Lighting for outdoor nighttime activities; and 2) The construction of any building of more than 4,000 square feet; and 3) The construction of more than 20 parking stalls; and 4) The development of any structured sports or activity areas. 2. Any development or use of a park that does not meet the requirements of Special Regulation #1 must be approved through the Process III, Chapter 155. The City will use the following factors in determining what facilities and uses will be permitted: a. Ease of access to the park. b. Character of the neighborhood. c. Size, nature, and topography of the subject property.
i tojfindiu		Required Parking Spaces	(See Ch. 105)	See Section 105.25	See 105.25 Spec. Reg. 85.42 Symmetry Reg. 105.25	See Section 105.25	105.25
dowr		in Categori ee Ch. 100)	S)	8	B B	See Spec. Reg. #2	ш
ST, rread		andscape Category see Ch. 95)		¥	C See Spec. Reg. #2	1	1
IDIRECTIONS: JFIF	MAXIMUMS	Height of		If adjoining a low density zone other than RSX,	above average building elevation. Otherwise, 35 above average building elevation, elevation, exclusion, exclu	100% 15' above average build- ing elevation	Will be determined on dase-by-case basis.
IDIRE	M.	Coverage	Lot (%08	80%	100%	ase-by
		7ARD 15)	Rear	0,	.0	ò	ou o peq ou c
	JMS	REQUIRED YARD (See Ch. 115)	Side	٥,	٥,	ò	determi
	MINIMUMS	REQU (Se	Front	20′	20,	ò	Will be
		Lot Size		None	None	None	None
		Required Review Process		Process IIA Chapter 150	Process IIA Chapter 150	None	See Special Regula- tions #1 and #2
S	SNOL	Ä ⊏> TA⊐UĐ∃H	Û	Public Utility	Government Facility or Community Facility	Public Transit Shelter	Public Park
		ZE.(79	$\overline{\aleph}$	140	150	9-

Section 60.60



Section 60.60 - GENERAL REGULATIONS - The following regulations apply to all uses in this zone:

- 1. Refer to Chapter 1 to determine what other provision of this Code may apply to the subject property. (This regulation does not apply to Public Transit Center uses.)
- 2. If any portion of a structure is adjoining a low density zone, then either:
 - a. The height of that portion of the structure shall not exceed 20 feet above average building elevation, or
 - b. The horizontal length of any facade of that portion of the structure which is parallel to the boundary of the low density zone shall not exceed 50 feet in width.

See the Section in Chapter 115 entitled "Distance Between Structures Regarding Maximum Horizontal Facade Regulation" for further details. (This regulation does not apply to Hazardous Waste Facility and Public Transit Shelter uses.)

- 3. Site design must minimize visual impacts of development as viewed from the freeway.
- 4. Access onto NE 116th is permitted only if no other access is possible.
- 5. Except if adjoining a low density zone, structure height may be increased above 35 feet in height through a Process IIA, Chapter 150, if:
 - a. It will not block local or territorial views designated in the Comprehensive Plan;
 - b. The increased height is not specifically inconsistent with the applicable neighborhood plan provisions of the Comprehensive Plan; and
 - c. The required yard of any portion of the structure may be increased up to a maximum of one foot for each foot that any portion of the structure exceeds 35 feet above average building elevation. The need for additional setback yards will be determined as part of the review of any request to increase structure height.

(These regulations do not apply to Public Park, Hazardous Waste Treatment and Storage Facility and Public Transit Shelter uses.)

- 6. If the subject property adjoins a residential zone, noise exceeding that normally associated with a residential neighborhood must be minimized using the best available technology.

 (This regulation does not apply to Public Utility, Government or Community Facility, Public Park, Hazardous Waste Facility and Public Transit Shelter uses.)
- 7. Development must be designed to retain the existing hill along NE 116th St. and retain at a minimum, 25% of the significant trees. The City may require a greater than 25% depending on the location and clustering of trees.

 (This regulation does not apply to Hazardous Waste Treatment and Storage Facilities, Public Transit Shelter and Public Park uses.)

.

ှို့ PAGE 209

Section 60.60.b



	5						DIRECT	.svo	T, ireadio	Пимор	ollindiuse. THE	FIRST.readidownito/findiuseTHEN:acrossitorIREGULATIONS
•	IONS			MINIMUMS	SMOL		Σ	MAXIMUMS		,		
99:0	Ä ⊏ REGULAT	Required Review Process	Lot Size	REQL (Se	REQUIRED YARD (See Ch. 115)	(ARD 15)	overage	Height of	andscape Category ee Ch. 95)	n Category	Required Parking Spaces	Special Regulations
9	介			Front	Side	Rear	רסו כ		s)) 7	6 S	(See Ch. 105)	(See also General Regulations)
040		Chapter 145	35,000 sq. ft.	20′ :	٠.٥٠	,o	1 %0∠ 1000	If adjoining a low density zone other	4	၁	1 per each 1,000 sq. ft. of gross	
050	Industrial Laundry Facility	Process I					<u> </u>	than RSX, then 25' above average	-			May include as part of this use, accessory retail sales office or service utilizing not more than 20 percent of the gross floor area. The landscaping and parking
0%0	Wholesale Printing or Publishing				-			building elevation.				requirements for these accessory uses will be the same as for the primary use.
010	Wholesale Estab- lishment or Con-	Chapter 145	35,000 sq. ft.	20,	,0	0,	70%	above average building elevation	В	ပ		
	tracting Services in Building Con- struction, Plumb-	Process	**			•		with a maximum of two stories				
	ing, Electrical, Landscaping, or Pest Control						· <u>-</u>	<u>a</u>	· ·			
010	Office Use	Chapter 145	35,000 sq. ft.	20,	ò	ò	%02		See.	۵	If a medical, den- tal, or veterinary	The following regulations apply only to veterinary offices: a. Outdoor runs or other outdoor facilities for the animals must comply with
2		Process 1	: -						also		office, then 1 per	Landscape Category A. Outside runs and other outside facilities for the animals must be solved at
									Spec. Reg. #1		of gross floor	
						··········					area.	See the Section in Chapter 115 entitled "Outdoor Use, Activity and Storage" for
											per ff.	turther regulations. 2. Ancillary assembly and manufacture of goods on the premises of this use are
											or gross noor area	permitted only it: a. The ancillary assembled or manufactured goods are subordinate to and
												dependent on this use. b. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other office uses.







	0		. L				DIF	ECTIONS: IFIRS	uinead)	10vin	lo find≀use.∺TH	EN TROPOS STOP TREGULTATIONS
	N N O			MINIM	NUMS	·	1	MAXIMUMS		,		
09:09	C S S S S S S S S S S S S S S S S S S S	Required Review Process	Lot		JIRED e Ch.		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
S	\Rightarrow			Front	Side	Rear	Lot) (§	Sic Sic	(See Ch. 105)	(See also General Regulations)
90	Daycare Center (See Special Regulation 8)	Chapter 145 Process I	35,000 sq. ft.	30'	0'	O'		If adjoining a low density zone other than RSX, then 25' above average building elevation. Otherwise, 35' above average building elevation with a maximum of two stories, exclusive of purking levels	D .	В	See Section 105.25	 A 6-foot high fence is required along the property lines adjacent to the outside play areas. Hours of operation may be limited to reduce impacts on nearby residential uses. Structured play areas must be setback from all property lines as follows: a. 20 feet if this use can accommodate 50 or more students or children. b. 10 feet if this use can accommodate 13 to 49 students or children. c. Otherwise, 5 feet. An on-site passenger loading area must be provided. The City shall determine the appropriate size of the loading areas on a case-by-case basis, depending on the number of attendees and the extent of the abutting right-of-way improvements. Carpooling, staggered loading/unloading time, right-of-way improvements or other means may be required to reduce traffic impacts on any nearby residential uses. May include accessory living facilities for staff persons. The location of parking and passenger loading areas shall be designed to reduce impacts on any nearby residential uses. These uses are subject to the requirements established by the Department of Social and Health Services (WAC 388-73). This use is permitted if accessory to a primary use, and: a. It will not exceed 20% of the gross floor area of the building; and b. The use is integrated into the design of the building.
100	High Technolog	Chapter 145 Process I	None	20'	0'	0'	80%		A	D	If manufacturing then 1 per each 1,000 sq. ft. of gross floor area	manufacturing or offices that support businesses involved in the pharmaceutical and biotechnology, communications and information technology, electronics and instrumentation, computers and software sectors. 2. Refer to Chapter 115.105, for provisions regarding Outside Use, Activity and Storage.

Section 60.60.d



	(0						ĪDIF	ECTIONS: FIRS	Tareadio	lowny	offindjuse TH	EN, across tor REGULATIONS
	NO			MINIM	IUMS	-		MAXIMUMS				
60.60	A BEGULATIONS	Required Review Process	Lot Size	1	JIRED e Ch. 1		Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces	Special Regulations
· \ 9	\Rightarrow			Front	Side	Rear	Lot		1 8)	<u>is</u> (9)	(See Ch. 105)	(See also General Regulations)
110	Mini-daycare (7-12 attendees) (See Special Regulation 9)	Chapter 145 Process I	35,000 sq. ft.	30'	0'	O'		If adjoining a low density zone other than RSX, then 25' above average building elevation. Otherwise, 35' above average building elevation with a maximum of two stories, exclusive of parking levels.	Ď	В		 A six-foot high fence is required along the property lines adjacent to the outside play area for mini -schools and mini-daycare centers only. Hours of operation may be limited to reduce impacts in nearby residential uses. Structured play areas must be setback from all property lines by 5 feet. An on-site passenger loading area may be required depending on the number of attendees and the extent of the abutting right-of-way improvements. The location of parking and passenger loading areas shall be designed to reduce impacts on nearby residential uses. May include accessory living facilities for staff persons. These uses are subject to the requirements established by the Department of Social and Health Services (WAC 388-73). Tree removal and alteration of the topography must be minimized. This use is permitted if accessory to a primary use, and: It will not exceed 20% of the gross floor area of the building; and The use is integrated into the design of the building.
120	Church	Chapter 150 Process IIA	35,000 sq. ft.	20′	0'	0′	70%		С	₿	1 for every 4 people based on maximum occu- pancy load of any area of wor- ship. See also Special Regula- tion #2	May Include accessory living facilities for staff persons. No parking is required for day care or school ancillary to the use.
130	A retail establish- ment providing storage services	Chapter 145 Process I	35,000 sq. ft.	20′	0′	0′	70%		Α	E	See Section 105.25	May include accessory living facilities for staff persons. Outdoor storage must be located as far as possible from the adjoining residential zones and the freeway.
140	Public Utility	Chapter 145 Process I	None	20′	0′.	0′	70%		A	В	See Section 105.25	Landscape Category A or B may be required depending on the type of use on the subject property and the impacts associated with the use on the nearby uses.
150	Government Facility or Community Facility	None	None	20′	0′	0,	80%		C See Spec. Reg. #1	В	See Section 105.25	

Section 60.60.e

			100				The second second	The second section of the second second	Total Control of the	and the same	A STATE OF THE PARTY OF THE PAR	
	. 5							FINITEONORS FIRE	pipeen in	Stune.	(Incluses 11)	FIRSH (ceadidown/to/findluse.h/tHEN) across(for Reculvations
	SNOI			MINIMUMS	IUMS			MAXIMUMS				
09.0	C SEGULATI	Required Review Process	Lot Size	REQU (Sei	REQUIRED YARD (See Ch. 115)	YARD	Coverage	Height of	andscape Sategory ee Ch. 95)	n Category se Ch. 100)	Required Parking Spaces	Special Regulations
9				Front	Side	Rear			S)		(See Ch. 105)	(See also General Regulations)
921	Public Transit Shetter	None	None	ò	, O	ò	100%	15' above average building elevation		See S Spec. 1 Reg. #2	See Section 105.25	 May be permitted only if it will not unreasonably impede pedestrian movement or create traffic safety problems. May install transit route and information signs and markers.
170	Public Park	See Spe- cial Regu-	None	Will be	determ	ned o	n case-t	Will be determined on case-by-case basis.	1	ω 	See Section 105.25	 Development and use of a park does not require a development permit under this Code If:
		lations #1 and #2					- <u></u>					 a. A master plan for that park has been approved by the Crity and the proposed development and use is consistent with the master plan; or b. The proposed use and development will not involve:
					·							Lighting for outdoor nighttime activities; and The construction of any building of more than 4,000 square feet; and The construction of more than 20 narkting stalls; and
												4) The development of any structured sports or activity areas. 2. Any development or use of a park that does not meet the requirements of Special
												Regulation #1 must be approved through the Process III, Chapter 155. The City was the following factors in determining what facilities and uses will be per-
												a. Ease of access to the park. b. Character of the neighborhood
							<u></u>					 c. Size, nature, and topography of the subject property. 3. Development in parts of this zone may be limited by Chapter 90, regarding devel-
												opment near wetlands. In addition, the site must be designed to concentrate development away from, and to minimize impacts on the wetlands.

PUBLICATION SUMMARY OF ORDINANCE NO. 3654

AN ORDINANCE OF THE CITY OF KIRKLAND, RELATING TO ZONING, PLANNING, AND LAND USE AND TO THE LI, PLA6G AND PLA11 ZONES AND REGULATIONS THEREFORE; RENAMING THE LI ZONE TO LIT; REPLACING LI USE ZONE CHARTS WITH NEW LIT ZONE CHARTS; CREATING NEW ILC ZONE AND USE ZONE CHARTS; AMENDING THE PLA6G AND PLA11 USE ZONE CHARTS; AND ADDING A NEW SECTION 5.10.362 TO THE KIRKLAND MUNICIPAL CODE.

<u>SECTION 1.</u> Amends specific portions of the text of the Kirkland Zoning Code as follows:

Adds a new definition "High Technology" to Chapter 5; replaces LI Use Zone Charts, Chapter 55, with new LIT Use Zone Charts, Chapter 55; adds new ILC Use Zone Charts, Chapter 57; reduces the required front yard setbacks from 30' to 20' in PLA 6G, PLA 11 and new LIT and ILC zones; increases the height of structures from 30' to 35' above average building elevation, with a maximum of two stories, exclusive of parking levels, in PLA 6G, PLA 11, new LIT and ILC zones; amends the regulations in PLA 6G, Chapter 60 by adding a new use listing for Attached or Stacked Dwelling Units, High Technology, Office, Wholesale or Contracting Services in Building, Construction, Plumbing, Electrical, Landscaping, or Pest Control (retail components related to these uses are deleted); in PLA 6G deleting the following uses: Church, School, Mini-School, Day Care Home, Detached Dwelling Unit, and Hazardous Waste Treatment Storage Facilities; amends PLA 11, Chapter 60 use listing regulations and adds a High Technology use, and changes the required review process from a Process IIA to a Process I for all uses except a church; in PLA 11 the following uses are deleted: school, mini-school, day care home, detached dwelling units and retail establishment providing building, construction, plumbing, electrical, landscaping or pest control services (wholesale establishments or contracting services for these uses are allowed).

<u>SECTION 2</u> Provides a severability clause for the ordinance.

SECTION 3 Authorizes publication of the ordinance by summary, which summary is approved by the City Council pursuant to Section 1.08.017 Kirkland Municipal Code and establishes the effective date as five days after publication of summary.

The full text of this Ordinance will be mailed without charge to any person upon request made to the City Clerk for the City of Kirkland. The Ordinance was passed by the Kirkland City Council at its regular meeting on the 1st day of September, 199 8.

l certify that the foregoing is a summary of Ordinance approved by the Kirkland City Council for summary publication.