CITY OF KIRKLAND, WASHINGTON RESOLUTION NO. 2422

A RESOLUTION of the City Council of the City of Kirkland, Washington, declaring its intention to order, pursuant to a property owners' petition therefor, the improvement of certain properties within the Kirkland Industrial Park Area of the City to provide for additions, betterments and other improvements to the streets, including street lighting facilities, water system, storm drainage and facilities, sanitary sewer system and other landscaping and buffering improvements and to create a local improvement district to assess a part of the cost and expense of carrying out such improvements against the properties specially benefited thereby and notifying all persons who desire to object to the project to appear and present their objections at a meeting of the City Council to be held on April 4, 1977.

WHEREAS, a petition signed by the owners of real property within the area hereinafter specifically described and known generally as the Kirkland Industrial Park Area, aggregating a majority (1) of the lineal frontage of the improvement requested, and (2) of the area within the proposed district, has been filed with the City Clerk, submitted pursuant to RCW Chapter 35.43, requesting the formation of a local improvement district within the Kirkland Industrial Park Area for certain public improvements, including street, water, sanitary sewer, storm drainage and other improvements, all as described in said petition; and

WHEREAS, the City Council has determined to entertain such petition and to give notice of and hold a public hearing thereon; NOW, THEREFORE,

BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF KIRKLAND, WASHINGTON, as follows:

Section 1. It is the intention of the City Council of the City of Kirkland, Washington, to order, pursuant to a property owners' petition therefor, the improvement of certain parcels of land located within the Kirkland Industrial Park Area of the City as more particularly described in Exhibit "A" attached hereto and by this reference incorporated herein and made a part hereof consisting of the following:

- 1. Street improvements including underground electrical facilities for street lighting, landscaping, catch basins, road base and surface improvements to portions of N.E. 112th Street, N.E. 116th Street, and 120th Avenue N.E., and an extension of 120th Avenue N.E. including acquisition of right-of-way where necessary as to said extension, all as specifically described in Exhibit B-1 hereto attached and by this reference incorporated herein.
- 2. Water system improvements and betterments including installation of new water trunk mains and improvements to existing water mains and distribution systems, all as specifically set forth in Exhibit B-2 attached hereto and by this reference incorporated herein.
- 3. Improvements and betterments to storm and surface water drainage facilities through open ditches, pipes and retention ponds, all to be constructed and improved as specifically set forth and described in Exhibit B-3 attached hereto and by this reference incorporated herein.

4. Improvements and betterments to an installation of a sanitary sewer trunk and collector system substantially conforming to the system approved by the City under Resolution No. R-2406 of the City and known formally as Alternate 3, all as specifically set forth and described in Exhibit B-4 attached hereto and by this reference incorporated herein.

All of the above described improvements, the work to be done and the facilities to be constructed and/or improved, including improvements for beautification, landscaping and, in some instances, separation or buffering are specifically described in Exhibits B-l through B-4, inclusive, including a statement as to the length of each sub-project by lineal feet and a description including its beginning and termination.

Section 2. The total estimated cost and expense of such improvements is declared to be, as near as may be, the sum of \$2,695,800.00, and approximately \$1,347,970.00 thereof shall be borne by and assessed against the properties specially benefited by such improvements to be included in a local improvement district to be established embracing as near as may be all properties specially benefited by such improvements. The balance of such cost and expense shall be paid from grants anticipated to be received from the United States of America and the State of Washington. The carrying out of such improvements and the formation of such local improvement district shall be subject to all of the conditions and provisions contained in said property owners' petition referred to above.

Section 3. All persons who may desire to object to the improvements herein described are hereby notified to appear and present such objections at a meeting of the City Council to be held in the Council Chambers in the City Hall, Kirkland, Washington, at 8:00 o'clock p.m. (PST), on April 4, 1977, which time and place are hereby fixed for hearing all matters relating to the proposed improvement, and all objections thereto, and for determining the method of payment for that improvement.

Section 4. Arthur E. Knutson, Public Service Director, is hereby directed to submit to the City Council on or prior to the 4th day of April, 1977, all data and information required by law to be submitted.

The foregoing resolution was ADOPTED by the City Council of the City of Kirkland, Washington, at a regular open public meeting thereof this 7th day of March, 1977.

Mayor

ATTEST:

Director of Administration and Finance, ex-officio City Clerk

FORM APPROVED:

Onty Attorney

EXHIBIT A LEGAL DESCRIPTION OF LOCAL IMPROVEMENT DISTRICT

Beginning at the SW Corner of Sec. 28, Twp. 26, Range 5 thence North 1°01'32" East 2628.5 feet to the NW Corner of the NW 1/4 of Sec. 28, Twp. 26, Range 5 thence North 89°59'01" ast 10.97 feet.

Thence South 59°27' West 120 feet more or less along the interline of the State Highway No. 1.

Thence Southerly, Southeasterly and Southwesterly along the Westerly ROW line of the State Highway No. 1 to the intersection with the North corner of Tax Lot 9115.

Thence Southerly along the West boundary of said Tax Lot to the North ROW line of the Burlington Northern RR, formerly known as the NPRY Company.

Thence Northeasterly along said ROW to the Westerly ROW to the Westerly ROW of State Highway No. 1.

Thence Southerly, Southeasterly and Southwesterly along the Westerly ROW of State Highway No. 1 to the SE Corner of Tax Lot 1003.

Thence Westerly along the South boundary of said Tax Lot to the Easterly ROW of 120th Ave. NE.

Thence Southerly along said ROW line 228.31 feet to the Westerly ROW of State Highway No. 1.

Thence Southerly, Southeasterly and Southwesterly along said ROW to the intersection with the South ROW line of NE 108th St. said point being 30 feet South and 30 feet East of the NW Corner of the NE 1/4 of the SW 1/4 of Sec. 33, Twp. 26, Range 5.

Thence North 89°44'44" West along the South ROW line of NE 108th St. 75 feet more or less to the intersection of the South ROW line of NE 108th St. and the West ROW line of the State ighway said point being the NE Corner of Tax Lot 9180 in the E 1/4 of the NW 1/4 of the SW 1/4 of Sec. 33-26-5.

Thence Southwesterly along the Westerly ROW line of the State Highway to the intersection of the North line of the South 330 feet of the North 1/2 of the NW 1/4 of the SW 1/4 of Sec. 33-26-5 and the Westerly ROW line of the State Highway said point being the SE Corner of Tax Lot 9180 in the NE 1/4 of the NW 1/4 of the SW 1/4 of Sec. 33-26-5.

Thence Westerly 1245 feet more or less along the North line of the South 330 feet of the North 1/2 of the NW 1/4 of the SW 1/4 to the West Section line of Sec. 33-26-5 said line being the centerline of 116th Ave. NE.

Thence Northerly along the Westerly line of said Section 320.66 feet to the NW Corner of the NW 1/4 of the SW 1/4 of Sec. 33-26-5.

Thence Westerly 30 feet more or less to the Westerly ROW of 116th Ave. NE which is the NE Corner of Tax Lot 0720.

Thence Southwesterly and Westerly along the North boundary of said parcel 635.58 feet to the NW Corner of said parcel.

Thence Southerly and Southeasterly along the West boundary of said parcel to the Northerly ROW of the Burlington Northern RR

Thence Southwesterly along the North ROW line of said Burlington Northern RR to the NE Corner of Tax Lot 0130.

Thence North 47°55' West 128 feet more or less.

Thance South 78°57'47" West 131.81 feet.

Thence South 61°10'45" West 249.96 feet.

Thence South 82°06'24" West 81.73 feet.

Thence South 35°42'45" West 152.47 feet.

Thence South 3°24'43" West 126.02 feet.

Thence South 10°43'56" West 87.53 feet.

Thence North 90°0′0′′ East 103 feet more or less to the North ROW line of the Burlington Northern RR.

Thence Southwesterly along said Burlington Northern RR

ROW to the SE corner of Tax Lot 0125.

Thence North 89°45'24" West 243,83 feet.

Thence North 0°04'10" West 680.09 feet to the centerline of NE 106th St. said line being the West line of Tax Lot 0125.

Thence Northeasterly along the centerline of NE 106th St. to the intersection with the North ROW line of NE 108th St.

Thence North 0°01'27" East 576.22 feet said line being the West line of Lot 5 of said Burke-Farrars Kirkland Addition Division 9.

Thence South 88°44'15" East 180.06 feet to the centerline of 112th Ave. NE.

Thence continuing Easterly 660.21 feet along the South line of Lot 18 of the Kirkland-Juanita Acre Tracts to the SE Corner of said Lot 18 said point being the SE Corner of the NW 1/4 of the SE 1/4 of the NE 1/4 of Sec. 32-26-5.

Thence North along the East line of said Lot 18 331.05 feet said point lying 331.05 feet Southerly of the NW Corner of the NE 1/4 of the SE 1/4 of the NE 1/4 of Sec. 32-26-5 and further described as the NE Corner of said Lot 18.

Thence East along the North line of Lot 40 of the Kirkland-Juanita Acre Tracts to the intersection with a line described as an arc having a radius of 660 feet from a point at the center of the intersection of the centerlines of NE 112th St. and 116th Ave. NE, said point of intersection being the NE Corner of the SE 1/4 of the NE 1/4 of Sec. 32-26-5.

Thence Southeasterly along said arc to its intersection with the North-South Section line between Sections 32 and 33, Twp. 26, Range 5 said point bearing 650 feet South 1°07′29″ West of the NE Corner of SE 1/4 of the NE 1/4 of Sec. 32-26-5.

Thence North 1°07'29" East along the Section line and centerline of 116th Ave. NE to a point bearing 458.13 feet South 1°07'29" West of the NE Corner of the SE 1/4 of the NE 1/4 of Sec. 32-26-5.

Thence East 230 feet parallel with the centerline of NE 111th St.

Thence North 126 feet parallel with the centerline of 116th Ave. NE to the centerline of NE 111th St.

Thence East 217.36 feet along the North line of Lot 43 of the Kirkland-Juanita Acre Tracts.

Thence North 1°07'29" East 300.5 feet more or less to the South ROW line of NE 112th St.

Thence North 89°50'14" East along the South ROW line of NE 112th St. to a point 30 feet South of the NE Corner of the NW 1/4 of the SW 1/4 of the NW 1/4 of Sec. 33-26-5.

Thence North 688.94 feet along the East 1/2 of the SW 1/4 of the NW 1/4 of the NW 1/4.

Thence West 562.62 feet along the North line of the SW 1/4 of the NW 1/4 of the NW 1/4 of Sec. 33-25-5.

Thence North 1°07'29" East 632.24 feet to the centerline of NE 116th St.

Thence North 88°36′28″ West 100 feet to the Point of Beginning and excluding the following described parcels which are within said boundary:

Tax Lot 9070 which is described as the North 201.4 feet of South 809.13 feet of East 679 feet of SW 1/4 of SW 1/4 less East 279 feet and

Tax Lot 9084 which is described as the North 209.46 feet of South 608.83 feet of East 604 feet of SW 1/4 of SW 1/4 less West 170 feet of the East 450 feet less Burlington Northern RR ROW less to Rd, and

Tax Lot 9108 which is described as the West 170 feet of East 450 feet of North 209.46 feet of South 608.83 feet of SW 1/4 of SW 1/4.

EXHIBIT B-1 STREET IMPROVEMENTS

Street improvements within the proposed LID include: street dening and repaving, stormwater drainage, street lighting, traffic signals, directory signing, landscaping, restoration and all miscellaneous appurtenances necessary to complete the project. These improvements are illustrated on the following page and are described as follows:

- 1. Construction of an extension of 120th Ave. NE to extend from NE 116th St. to NE 124th St. The improvement includes right-of-way acquisition, a two-lane roadway, integral stormwater drainage and retention, crossing signals at the Burlington Northern RR track and at the intersection of NE 124th St. and 120th Ave. NE, landscaping, and directory signs.
- 2. Improvements to NE 116th St. from 120th Ave. NE to the LID boundary. The improvements include widening the existing roadway to four lanes, four-lane concrete bridge over the

Burlington Northern RR track, traffic signals and street lighting at intersection of NE 116th St. and 120th Ave. NE, integral stormwater drainage, landscaping, and directory signs.

- 3. Improvements to 120th Ave. NE from NE 112th St. to NE 116th St. The improvements include widening and repaving of the existing roadway to provide two traffic lanes and shoulder. Also included are integral stormwater drainage, landscaping, and directory signing.
- 4. Improvements to NE 112th St. from 120th Ave. NE east to the LID boundary. The improvements include widening and repaving of the existing roadway to provide two traffic lanes and shoulder. Also included are stormwater drainage, crossing signals at Burlington Northern RR track, landscaping, and directory signing.

EXHIBIT B-2 WATER SYSTEM IMPROVEMENTS

Improvements to the water system within the proposed LID lude: 12- and 16-inch water mains, valves, hydrants, astoration, and all other miscellaneous appurtenances required to provide a complete and workable water system. These improvements are illustrated on the following page and are described as follows:

- 1. On NE 116th St. from 120th Ave. NE to 108th Ave. NE, a distance of 4000 feet. Sixteen-inch water main.
- 2. On 108th Ave. NE from NE 116th St. to NE 106th St., a distance of 3250 feet. Sixteen-inch water main.
- 3. On 120th Ave. NE from NE 116th St. to NE 124th St. along the proposed new road alignment, a distance of 3200 feet. Sixteen-inch water main.
- 4. On 120th Ave. NE from NE 116th St. to the SE corner of Parcel 18, a distance of 1980 feet. Sixteen-inch water main.
- 5. On NE 106th Place from 108th Ave. NE to NE 108th St., a distance of 1450 feet. Sixteen-inch water main.
- 6. On NE 108th St. from NE 106th Place to 116th Ave. NE, a distance of 1550 feet. Sixteen-inch water main.

- 7. Overland through Parcel 7 and along the southern boundary of Parcel 18 from 116th Ave. NE to 120th Ave. NE, a distance of 1610 feet. Sixteen-inch water main.
- 8. On 120th Ave. NE from the SE corner of Parcel 18 heading south 180 feet thence west between Parcels 14 and 15 thence SW between Parcels 12 and 13, a distance of 970 feet. Twelve-inch water main.
- 9. On NE 112th St. from the LID boundary to a point 300 feet east. Twelve-inch water main.
- 10. On the boundary between Parcels 31 and 45 from 120th Ave. NE to the SW corner of Parcel 45, a distance of 825 feet. Twelve-inch water main.
- 11. On the boundary between Parcels 19 and 23 and between Parcels 20 and 22 from NE 112th St. to the 16-inch water main, a distance of 650 feet. Twelve-inch water main.
- 12. On 118th Ave. NE from the 16-inch water main to the NW corner of Parcel 9, a distance of 400 feet. Twelve-inch water main.
- 13. On 116th Ave. NE from the 16-inch water main to the LID boundary, a distance of 250 feet. Twelve-inch water main.

EXHIBIT B-3 STORM AND SURFACE WATER DRAINAGE SYSTEM IMPROVEMENTS

mprovements and modifications to the storm and surface er drainage system include: modification and rehabilitation of bes Creek stream bed and surrounding drainage ditches, removal and/or rehabilitation of existing culverts, construction of peak flow detention facilities and timed release structures, acquisition of streamway easements on land, and all miscellaneous appurtenances and restoration necessary to provide a workable system of storm drainage with peak flow detention. These improvements are illustrated on the following page and are described as follows:

1. Rehabilitation of drainage ditches along the Burlington Northern RR track from NE 112th St. to its terminus at Forbes Creek.

- 2. Rehabilitation or removal of culverts in the Forbes Creek stream bed within the LID boundary.
- 3. Detention facilities on Forbes Creek just west of its crossing of the Burlington Northern RR track.
- 4. Acquisition of land and construction of detention facilities in the vicinity of Parcel 4.
- 5. Rechanneling of the stream bed from the north side of the road to the south side of the road in the vicinity of Parcel 1.

EXHIBIT B-4 IMPROVEMENTS TO SANITARY SEWER SYSTEM

mprovements to the sanitary sewer system within the posed LID include: gravity sewer mains, pressure sewer mains one sewage pumping station, together with all manholes, coration and miscellaneous appurtenances required to provide a complete and workable system of sanitary sewers. These improvements are illustrated on the following page and are described as follows:

- 1. On NE 108th St. from the end of the existing sanitary sewer to 116th Ave. NE, a distance of 2200 feet. Ten-inch sewer main.
- 2. Through Parcel 7 and along the southern boundary of Parcel 18 from 116th Ave. NE to 120th Ave. NE, a distance of 1680 feet. Ten-inch sewer main.
- 3. On 116th Ave. NE from 10-inch sewer main to a point 320 feet north. Eight-inch sewer main.
- 4. On 118th Ave. NE from 10-inch sewer main to the NW corner of Parcel 9, a distance of 375 feet. Eight-inch sewer main.
- 5. On 120th Ave. NE from NE 112th St. to a point 1150 feet north. Eight-inch sewer main.
- 6. On 120th Ave. NE from NE 112th St. to the SE corner of Parcel 18, a distance of 650 feet. Ten-inch sewer main.
 - On 120th Ave. NE from the SE corner of Parcel 18 to the corner of Parcel 14, a distance of 500 feet. Eight-inch sewer lin.

- 8. On NE 112th Street from 120th Ave. NE to a point 735 feet west. Eight-inch sewer main.
- 9. Through Parcel 61 from NE 112th St. to NE 116th St., a distance of 1320 feet. Eight-inch sewer main.
- 10. On NE 116th Street from end of preceding line through Parcel 61 to a point 880 feet west and from the end of line through Parcel 61 to a point 100 feet east. Eight-inch sewer main.
- 11. On the west boundary of Parcels 30 and 76 from NE 116th St. to the NW corner of Parcel 76, a distance of 1330 feet. Four-inch polyethylene force main.
- 12. On the southern boundary of Parcels 75 and 31 from the SW corner of Parcel 76 to the SE corner of Parcel 31, a distance of 1350 feet. Eight-inch sewer main.
- 13. On the west boundary of Parcel 76 from the SW corner to the NW corner of Parcel 76, a distance of 600 feet. Eight-inch sewer main.
- 14. On the northern boundary of Parcel 76 from the NW corner of Parcel 76 to the SE corner of Parcel 33, a distance of 350 feet. Eight-inch sewer main.
- 15. On the eastern boundary of Parcel 33 from the SE corner to the NE corner of Parcel 33, a distance of 660 feet. Eight-inch sewer main.
- 16. One sewage pumping station to be located at NW corner of Parcel 76.

I, TOM J. ANDERSON, Director of Administration and Finance, ex-officio City Clerk, of the City of Kirkland, Washington, hereby certify that the attached copy of Resolution No. 2422 is a true and correct copy of the original resolution adopted on the 7th day of March, 1977, as that resolution appears on the Minute Book of the City.

DATED this 8th day of March, 1977.

TOM J. ANDERSON, Director of Administration and Finance, ex-officio City Clerk